

THE ENGINEERING AND MINING JOURNAL.

WITH WHICH IS INCORPORATED

THE COAL AND IRON RECORD.

VOL. XX.—No. 19.

NEW YORK, SATURDAY, NOVEMBER 13, 1875.

PRICE 10 CENTS PER COPY.

THE ENGINEERING AND MINING JOURNAL

Is devoted to MINING, METALLURGY, GAS MAKING and ENGINEERING.

It is the only paper officially authorized to publish the proceedings, transactions, and bulletins, of the American Institute of Mining Engineers, including all the valuable papers read before that influential society.

Correspondence and general communications and books for review should be addressed to Mr. ROTHWELL. Business communications should be addressed to the Secretary.

Remittances should always be made by Post-Office Orders or Bank Drafts, made payable to Wm. VENTZ, Secretary.

Subscription \$4 per annum; \$2.25 for six months, in advance.

Advertising Rates. Inside pages 25 cents per line each insertion. Outside pages 40 and 50 cents per line. Fourth Advertising page 50 cents per line. Special rates will be given on application for advertisements extending over a long time or occupying a large space.

Agencies.—Philadelphia, B. BLOMFIELD, 30 North Fifth Street; Pittsburgh, C. McF. REED, 122 Fifth Avenue.

Benj. Romaine Western, Contributor and Correspondent. Address, Office of ENGINEERING AND MINING JOURNAL.

RICHARD P. ROTHWELL, C. E., M. E. } Editors.
ROSSITER W. RAYMOND, Ph. D., }

THE SCIENTIFIC PUBLISHING COMPANY.

WILLIAM VENTZ, Secretary,
27 Park Place, New York.

P. O. Box 4404.

SCHOOL OF MINES, COLUMBIA COLLEGE.

FACULTY.—F. A. P. BARNARD, S.T.D., LL.D., PRESIDENT, T. EGLESTON, JR., E.M. Mineralogy and Metallurgy; F. L. VINTON, E.M., Civil and Mining Engineer; C. F. CHANDLER, Ph. D., Analytical and Applied Chemistry; JOHN TORREY, M.D., LL.D., Botany; C. A. JOY, Ph. D., General Chemistry; W. G. PECK, LL.D., Mechanics; J. H. VAN AMRINGE, A.M., Mathematics; O. N. ROOD, A.M., Physics; J. S. NEWBERRY, M.D., LL.D., Geology and Paleontology. Regular courses in Civil and Mining Engineering; Metallurgy; Geology and Natural History; Analytical and Applied Chemistry. Special students received for any of the branches taught. Particular attention paid to Assaying. For further information and catalogues, apply to

DR. C. F. CHANDLER, Dean of the Faculty.

ENGINE AND PUMPS FOR SALE.

A horizontal condensing engine, 32-inch cylinder, 9-foot stroke; with 50-ton fly-wheel, 30 feet diameter. Run eight years, working three 22-inch pumps, six feet stroke (reduced from engine stroke) 100 feet columns; is adapted to any kind of work.

Also—With or without the engine: One Plunger and one Lifting-Pump, 22-inch; 6 feet stroke; with 200 feet of cast-iron column—each having all working parts of 10-foot stroke if desired.

The engine and pumps are in perfect order, first-class in every respect, and now offered for sale, being superseded by heavier work.

Address

LEHIGH ZINC CO.,
Bethlehem, Penn'a.

DIAMONDS AND CARBON

DIAMOND, BORT AND CARBON

Of best quality and sizes, furnished for Rock Boring, Tunneling, Channeling and Sawing Stone, at lowest market rates.
J. DICKINSON, 64 Nassau Street, N. Y.

STATUARY

FOR

HOUSE AND LAWN.

Enclose 10 cents for illustrated catalogue and prints of lawn subjects to

JOHN ROGERS,

212 FIFTH AVENUE,
NEW YORK.



WM. E. GIFFORD,

ANALYTICAL AND TECHNICAL CHEMIST,
Laboratory, 19 Broad Street.

Analyses and Assays of Ores, Minerals, Metals, Metallurgical Products, Coal, etc.

W. C. DUYCKINCK,

IMPORTER, MANUFACTURER AND DEALER IN
Railway, Machinists' and Engineers'
Supplies.

50 and 52 John Street,
P. O. Box 4101. NEW YORK



STEEL CASTINGS.

Solid and Homogeneous. Guaranteed tensile strength, 25 Tons to square inch. An invaluable substitute for expensive forgings, or for Cast Iron requiring great strength. Send for circular and price list to

CHESTER STEEL CASTINGS CO.,
Evelina St., Philadelphia, Pa.

THE PENNSYLVANIA RAILROAD IS THE GREAT TRUNK LINE AND MAIL ROUTE OF THE UNITED STATES.

It traverses the most interesting portions of the North American Continent, and unites by unbroken tracks all the principal cities on the Atlantic Coast, on the Great Lakes, and in the Mississippi Valley.

Through trains are run over its lines between New York, Philadelphia, Baltimore, and Washington, in the East; and Buffalo, Rochester, Erie, Cleveland, Detroit, Chicago, St. Louis, Cincinnati, and Louisville, in the North, West and Southwest.

THE PENNSYLVANIA RAILROAD

Is the Best Constructed Railroad on the American Continent.

Its main lines are laid with a Double Track of Steel Rails, secured on Oak Ties imbedded in broken-stone ballast, which renders them impervious to the action of frost or freshets, and prevents annoyance from dust. All bridges are of iron or stone, constructed on the best-known principles for safety and durability.

THE PENNSYLVANIA RAILROAD

RUNS THE MOST

Perfect Rolling Stock in the World.

Its engines are models of mechanical excellence, and its passenger cars are unequalled for comfort, elegance, and strength. Superior Hotels and Eating-Houses are provided at all essential points, which, from their excellence of management and reasonable charges, have become the model establishments of their kind.

THE PENNSYLVANIA RAILROAD

ENFORCES UPON ALL ITS EMPLOYEES

STRICT COURTESY and POLITENESS,

In their intercourse with the public, and uses every effort to secure the comfort and contribute to the enjoyment of its patrons.

H. A. ROGERS,

BOX 4106. 19 John Street, NEW YORK

SUPPLIES, IN EVERY VARIETY,

FOR RAILROADS, MILLS AND MANUFACTURERS.
SEND FOR NEW ILLUSTRATED CATALOGUE, 272 pages.


BLOWING ENGINE FOR SALE.

One horizontal Blowing Engine, with vertical blowing cylinders. Steam cylinder, 25 in. diameter by 60 in. stroke; two blowing cylinders, 72 in. diameter by 60 in. stroke. The engine is geared so that the steam piston makes two revolutions for one of the blowing cylinders. The engine was formerly used at the Durham Iron Works, Biegelsville, Pa., to blow an anthracite furnace 55 ft. high by 15 ft. both. The furnace having been rebuilt of much larger dimensions, the old engine will be sold at a low price. Address,

COOPER, HEWITT & CO.,

NO. 17 BURLING SLIP, NEW YORK

BLAKE'S PATENT STEAM PUMPS.
OVER 8,000 IN USE.
 Compact! Simple! Durable!
MINING PUMPS A SPECIALTY.



Above cut illustrates our special Mining Pump with patent removable cylinder. Send for illustrated catalogue.

GEO. F. BLAKE MANUFACTURING CO.
NEW YORK,
BOSTON AND CHICAGO.




NIAGARA STEAM-PUMP WORKS.
MANUFACTORY, 23 ADAMS ST., BROOKLYN, N. Y.
 ESTABLISHED 1862.

THESE PUMPS HAVE TAKEN
FIRST PREMIUMS

On Practical Tests at Various
EXHIBITIONS.
 PATENTED IN THE UNITED STATES, ENGLAND, FRANCE AND BELGIUM.
CHARLES B. HARDICK, Manufacturer,
 No. 23 Adams Street, Brooklyn, N. Y.
 Depot in North-West: 38 and 40 S. Canal street, Chicago, Ill.

THE EARLE PATENT
STEAM PUMPS.



Simplest Mechanism.

Greatest Efficiency.

ADAPTED FOR EVERY POSSIBLE USE.
 Extensive Varieties for Specific Purposes.

Awarded Highest Premium at every Exhibition.—Vienna Weltausstellung, Paris Exposition, American Institute, N. Y., Mechanics' Association Fair, Boston, Maryland Institute Fair, Baltimore, &c., &c.
 Changeable gun metal, water cylinder lining put in all our pumps, without extra charge and without delay of a special order. Send for circulars.
THE NORWALK IRON WORKS CO.,
 South Norwalk, Conn.

KNOWLES
STEAM PUMP WORKS'
 92 & 94 Liberty St. New York.
MINING PUMPS
 FOR HEAVY LIFTS AND BAD WATER
 A SPECIALTY.

BOSTON, 74 & 76 Federal St.
 Factories WARREN, MASS.

KNOWLES' PATENT

THESE ARE THE ONLY PUMPS
 ARRANGED TO WORK NOISELESSLY AND
WITHOUT ANY SHOCK
 OR JAR
 ON PUMP OR PIPES
 THESE FEATURES GUARANTEED

CARTER, ALLEN & CO.,
TAMAQUA IRON WORKS,
 TAMAQUA, PENN.,
 BUILDERS OF FURNACES, ROLLING MILLS
 MACHINERY FOR COAL AND ORE WASH-
 ING, AND WINDING ENGINES OF
 THE MOST IMPROVED TYPE,

For Shafts, Slopes, Planes, &c.,
**ALLEN & BARTON'S PATENT DU-
 PLEX STEAM PUMPS.**

Sheaves for Wire Rope Transmission,
Cornish Pumps of the Largest Capacity.
BOILERS OF ALL KINDS.

Plans and Estimates for all kinds of Machinery fur-
 nished.
 GOOD WORK AND REASONABLE PRICES.

STEAM
PUMPS
 Manufactured by
CRANE BROS.
MFG. CO.,
 Chicago.

Don't THROW AWAY YOUR Money

BY USING INFERIOR HEATING APPARATUS.
 A MASS OF IRON, COLD, OR AT BEST BUT
 PARTIALLY WARM IS THE RESULT OF BAD
 CIRCULATION IN MOST STEAM RADIATORS.

The above cuts represent the sectional and outside views of
CARR'S STEAM RADIATOR
 which has a positive circulation
HEATS UP AT ONCE,
 the air being immediately expelled
 on the admission of steam.

FOR PRICE LISTS, DESCRIPTIONS ETC. SEND TO
A. CARR,
 43 COURTLAND ST. N.Y.

HYDRAULIC WORKS,
 MANUFACTORY,
BROOKLYN, N. Y.,

Steam Pumping Engines, Single and Duplex Worthington's
 Patent, for all purposes, such as Water Works Engines, Con-
 densing or Non-condensing; Air and Circulating Pumps, for
 Marine Engines; Blowing Engines; Vacuum Pumps, Station-
 ary and Portable Steam Fire Engines; Boiler Feed Pumps,
 Wrecking Pumps,

MINING PUMPS
 Water Meters, Oil Meters; Water Pressure Engines, Steam
 and Gas Pipes, Valves, fittings, etc. Iron and Brass Castings
H. R. WORTHINGTON,
 230 Broadway, New York.

VULCAN IRON WORKS,
WILKES-BARRE, PA.,

(FOUNDED BY RICHARD JONES)
 MANUFACTURERS OF
Direct-Acting Hoisting Engines
 With Cast Conical Drums,

Cornish Pumping Engines & Pumps,
 Improved **VENTILATING FANS**
 and **ENGINES,**

Improved **Steel-toothed Coal Break-
 ers,**
MINE LOCOMOTIVES,
TUBULAR, FLUE AND CYLINDER
BOILERS.

Jaw Crushers.
Steel Crushing Rolls,
Concentrators,
Revolving Screens,
Elevators,
Hangers and Shafting,
Pulleys and Belting,
Laboratory Crushers,
Laboratory Concentrators.

STEPHEN R. KROM,
MECHANICAL ENGINEER.
MANUFACTURER OF MACHINERY FOR
CRUSHING, SCREENING, AND CONCENTRATION OF ORES,


PLANS FURNISHED

FOR

Ore Dressing Works.

For Pamphlets and information, address : S. R. KROM, 206 Eldridge St., New York.

THE BAXTER STEAM-ENGINE.



Ready for Use.

Persons desiring to know all about the

"BAXTER"

may send their address, and receive, in reply, a 48-Page Illustrated Pamphlet, containing all particulars, with cuts showing all the details, so that an exact judgment can be formed of the superiority of this motor over any and all others now in the market, by addressing

WM. D. RUSSELL,
Office of the **BAXTER STEAM-ENGINE CO.,**
18 Park Place, New York.

WILLIAM TAYLOR & SONS,
COLUMBIA IRON WORKS,
25 to 39 Adams Street, Brooklyn, N. Y.,
MANUFACTURERS OF

Improved Steam Engines
AND
Hydraulic Presses.

Also, Hydrostatic Oil Presses for Cotton and Linseed Oil, and other purposes. Steamboat Engines, Hoisting, Mining, and Wracking Machinery. Brass and Iron Castings of every description.


The Root Safety Boiler.

OVER 1,200 IN USE.

The distinctive claims presented by this Boiler are Safety from Destructive Explosion, utmost Durability, highest Economy, and greatest facility for Enlarging, Cleaning and Repairing.

For Illustrated Catalogue, address

Abendroth & Root Manufacturing Company
GREENPOINT, BROOKLYN, N. Y.



J. CLAYTON'S
STEAM PUMP AND STEAM
ENGINE COMBINED,
With disconnecting arrange-
ment.

Fire and Mining Pump,
SINGLE OR DUPLEX.
AIR and VACUUM PUMPS,
Double Acting.

AIR COMPRESSORS,

SINGLE OR DUPLEX.
Compressors furnished, worked by Belt or other power, with Patent Weighted Pulley.
For Descriptive Circulars address :

JAMES CLAYTON,
14 and 16 Water Street, near Fulton Ferry,
BROOKLYN, N. Y.

Hoisting

Machinery

Mfd. by

CRANE BROS.

MFG. CO.,

Chicago.

HILLARD & HOLLAND,
MANUFACTURERS OF

Glass Oilers and Self-Lubricators, Water-
Gauges, Fittings for Steam, Water and
Gas, Heating Apparatus, Plain and
Galvanized Wrought Iron Pipe.

BRASS FOUNDRY :

62 and 64 Cold Street, New York.
J. I. HILLARD, T. HOLLAND.

"Machinery without Lubricant!"

METALINE.

MACHINERY METALINED AND METAL-
INE FURNISHED TO MACHIN-
BUILDERS.

No oil or attention required. Runs with little or no wear. No dirt or danger from fire. No damage to goods in process of manufacture. Years in use by best concerns who are refitting old and ordering new machinery to be metalined.

AMERICAN METALINE COMPANY,
61 Warren Street,
New York.


OTIS' Passenger and Freight
ELEVATORS,

For Hotels, Stores, Factories, etc.

A Special Hoist for Blast Furnaces.

Address, **OTIS BROTHERS & CO.,**
348 Broadway, New York.

The Shapley Portable Steam Engine.



Best and Cheapest.

COMPLETED POWERS.

Full Rated Power Guar-
anteed,

With Steam Pressure of 60 lb.

Send for Descriptive Circular
with Price List.

R. W. WILDE,


AGENT,

20 Cortlandt street, New York.

Agent for Clark's Multiple Pressure Blowers.

IMPROVED PORTABLE

Pipe and Bolt Threader and Cutter.




Cuts off and threads from
1/4 in. to 3 in. pipe and bars,
also TAPS, NUTS and CENTERS,
work ready for Lathe. One
man can thread 3 in. Pipe with
ease with the Dies furnished
with the machine. No work
spoiled by splitting. Requires
no skilled labor. A boy can
run it. All parts inter-
changeable.

For Sale by
Redfield, Bowen & Walworth
Co., Chicago, Ill.; McHenry &
Co., Cincinnati, Ohio; Bull &
Co., Indianapolis, Ind.; Love-
grove & Co., Philadelphia, Pa.;
Reuter & Mallory, Baltimore,
Md.; Newell & Fowler, Boston, Mass.; Rahm & Hunter
Richmond, Va.; and Joshua Hendy, San Francisco, Cal.

Send for Circular. Address,
Empire Manufacturing Company,
No. 48 GOLD ST.,
NEW YORK.


BARR'S ELLIPTIC



Steam Trap.

(Patented De-
cember 16, 1873.)
For draining the water of condensation from Steam Pipes
without loss of Steam.
Send for a circular.

Agents wanted.
RICHARDS & PIKE,
Engineers and General Machinists,
2205 Ledger Place, Philadelphia.



B. F. STURTEVANT'S
PATENT IMPROVED
PRESSURE BLOWER,

FOR CUPOLA FURNACES AND FORGES

Also manufacturer of the Sturtevant Patent Improved Fan
Blower and Exhaust Fan. Send for illustrated catalogue.
B. F. STURTEVANT, 72 Sudbury street, Boston, Mass.

J. S. MUNDY,

MANUFACTURER OF HIS


IMPROVED PATENT FRICTION HOISTING,
PUMPING AND MINING ENGINES

(FROM 5 TO 60 HORSE POWER),

Machinery of all Kinds, Steam Boilers, Etc.

No. 7 R. R. Avenue Newark, N. J.

SEND FOR CIRCULAR.



IMPROVED MINE LOCOMOTIVE. Can be run for \$5 per day.
Will do the work of 15 to 25 mules. Send for Circular giving
particulars. Burnham, Parry, Williams & Co., Baldwin Locomo-
tive Works, Philadelphia.

WIRE ROPE

Address, **JOHN A. ROEBLING'S SONS,** Manufacturers,
Trenton, N. J., or 117 Liberty street, New York.
N. E.—Wheels and Rope for conveying power long distances.
Send for Pamphlet and Circular.

MINING AGENCY.

ADOLPH MEZGER, Mining Engineer,
FREIBERG, SAXONY,

Is willing in connection with the Mining Agency and Bureau
which he conducts in that place, to accept the general or local
agency for valuable American Mining and Metallurgical Ma-
chines and inventions, for Germany, Austria or Russia. Pa-
tents obtained in European States. Information furnished or
supplies purchased and forwarded. Strangers visiting the
mines and works of Freiberg advised and assisted.
Reference: the Editor of the ENGINEERING AND MINING
JOURNAL.

"GIFFARD'S INJECTOR" BOILER FEEDER—Sellers' New Improvements.
New Patterns, Simple, Effective.

No. 2. 10 H. P.	No. 3. 25 H. P.	No. 4. 45 H. P.	No. 5. 70 H. P.	No. 6. 100 H. P.	No. 7. 140 H. P.	No. 8. 190 H. P.	No. 10. 275 H. P.
\$18.	\$25.	\$35.	\$45.	\$55.	\$65.	\$75.	\$95.

WM. SELLERS & CO., Philadelphia.

Send for circular giving particulars.

New York Office, 93 Liberty Street.

"The Colorado Springs Mining Agency," Colorado Territory,

The following Properties are now in the hands of the Agency for Sale, to which additions are made daily:

NAME.	LOCALITY.	ASSAYS.	PRICE.
SILVER WING, covering a group of 10 lodes.....	Eureka District, San Juan.....	\$130 to \$2,800 Silver per ton.	\$1,000,000
UTE AND ULE.....	Lake District, San Juan.....	\$60 to \$500 Silver.	80,000
VIRGINIA.....	Hardserabble District.....	\$300 to \$2,200 Silver.	75,000
LONE STAR.....	Mosquito District, Park Co.....	\$75 to \$900 Gold and Silver.	50,000
GERTRUDE AND LEGAL TENDER.....	Mount Lincoln.....	\$300 to \$3,000 Silver.	25,000
GRAND VIEW TUNNEL AND MILL SITE.....	Sunshine.....		25,000
NORTHERN LIGHT.....	Mount Lincoln.....	\$25 to \$1,500 Silver.	10,000
THEIRS.....	Horseshoe District, Park Co.....	\$150 to \$272 Silver—19 per cent. copper.	20,000
HARRINGTON.....	Mount Lincoln.....	\$40 to \$5,000 Gold and Silver.	10,000
NOVA ZEMBLA.....	" ".....	\$36 to \$250 Gold and Silver.	12,000
KANSAS.....	" ".....	\$119 Gold and Silver.	10,000
(The above three grouped.)			32,000
NABOB and LYON.....	Mount Cross.....	\$50 Silver.	11,000
PHENIX, 1/2 Interest.....	Grand Island District.....	\$50 to \$200 Gold and Silver.	12,000
(The \$12,000 to be spent in developing.)			

And a number of other desirable properties running from \$10,000 down.
SEND FOR PARTICULARS.

ADDRESS:
EDWARD COPLEY, MANAGER,
Colorado Springs.

TRI-NITRO-GLYCERIN,

THE MOST POWERFUL EXPLOSIVE KNOWN.

Mica Blasting Powder,

The New Explosive, whose safety, power and economy may be estimated from the subjoined letter.

HOOSAC TUNNEL CONTRACT.

DEAR SIR: NORTH ADAMS, MASS., Aug. 20, 1874.
Within the last six months we have used some 30,000 lbs. of your "Mica Powder," and with the exception of the "Tri-Nitro-Glycerin" itself have had no better explosive in our works here. It is light to carry, safe (as far as that term can be applied to any explosive) to handle, "nimble" to explode and thorough in combustion—a very essential quality in all preparations of Nitro-Glycerin.

Where pure Nitro-Glycerin is not wanted we do not ask any better substitute than Mica Powder.

Yours Truly,
GEO. M. MOWBRAY, Esq., North Adams. W. SHANLY.

Mowbray's "Powder Keg" Battery; for simultaneously firing a series of mines or drilled holes.

Gutta Percha insulated leading wire for electric blasting Electric Fuses for submarine blasting.

Electric Fuses for rock blasting.

Gutta Percha and Cotton covered Electric Wire.

Tape Fuse Exploders for Contractors' use, etc., etc.

All the above materials are manufactured by the undersigned, guaranteed to perform as represented, being the result of seven years' experience at the Hoosac Tunnel, and in various submarine works throughout the States.

GEO. M. MOWBRAY,

Hoosac Tunnel Tri-Nitro-Glycerin and Gutta Percha Works,
NORTH ADAMS, MASS.

A. W. DESPARD, Agent, 22 Cedar street, New York.

OLIVER'S POWDER.

This Powder recommends itself for its

SUPERIOR STRENGTH

AND

FREEDOM FROM SMOKE.

Direct orders to

PAUL A. OLIVER,
WILKES-BARRE, PA.

BLASTING POWDER.

LAFLIN & RAND

POWDER COMPANY

21 PARK ROW, NEW YORK.

P. O. Box, 2308.

Mills in several different States of the Union.

Manufacturers of the best Blasting Powder, and also of the celebrated

ORANGE SPORTING POWDER,

Known for many years as the best brands of the country.

ELECTRICAL BLASTING APPARATUS.

RIEHLÉ BROS.,

North Ninth Street, above Master,
Philadelphia.

New York, 93 Liberty St. : PITTSBURGH STORE, 285 Liberty St.



The Celebrated Stock House Scale—all sizes. Iron Lever Railroad Track Scales. Patented First Power Lever Wagon Scale—for Coal Dealers. Parallel Crane Beams and Mortising Machines. Hydraulic Jacks.

HELLER & BRIGHTLY, Engineering and Surveying Instruments, 33 N. Seventh St., Philadelphia.

Without decreasing size of any part of our "Engineers' Transit" we have reduced the weight one-half. An ordinary Transit Telescope magnifies from 10 to 12 diameters, our new Transit Telescope (length 10 1/2 inches, shows objects erect and not inverted) magnifies 20 diameters and will read time on a watch-dial at 983 feet. For description of our new Mining Transit (weight 5 1/2 lbs.) and Plummet Lamp, see Van Nostrand's Engineering Magazine, June, 1875.

Extract from report of Committee of Civ. Eng. appointed by Franklin Inst. to examine H. & B.'s new Transit (Dec. 1871): "It exhibits several novelties of construction which, in the opinion of the committee, render it superior to those now in use, and in its opinion the deviations which they have made from the common styles of Transit are decided improvements."
JOS. C. TRAUTMAN, Chairman.

Descriptive and Illustrated Price List sent Post-paid, on Application.

MORGAN IRON WORKS,

FOOT OF NINTH STREET, EAST RIVER, NEW YORK.

JOHN ROACH & SON, PROPRIETORS.

Land and Marine Engines; High and Low Pressure Boilers of all Descriptions; Sugar Mills, Sugar Kettles; Bridge Castings, Gasometer Castings, Light and Heavy Forgings.

IRON SHIP BUILDING.

THE DELAWARE RIVER IRON SHIP-BUILDING AND ENGINE-WORKS, CHESTER,
DELAWARE COUNTY, PA.

JOHN ROACH, Pres.

WM. PARKER, Treas.
WM. ROWLAND, Supt. of Joiner Department.

JOHN B. ROACH, Jr., Sec.

"BURDEN'S BEST" IRON.

BURDEN'S "H. B. & S."

A FULL ASSORTMENT OF THESE SUPERIOR BRANDS OF AMERICAN IRON, IN LOTS TO SUIT

FOR SALE BY

WETMORE & CO.,

363, 365 and 367 Greenwich Street, New York.

THE ENGINEERING AND MINING JOURNAL.

RICHARD P. ROTHWELL, C. E., M. E. } Editors.
 ROSSITER W. RAYMOND, Ph. D.

NOTE.—Communications relative to the editorial management should be addressed to Mr. ROTHWELL. The articles written by Mr. Raymond will be signed with a star.

CONTENTS.

EDITORIALS :	Arrangements for the Centennial.....	470
The Social Aspects of the Cleveland Meeting.....	Selected List of Patents for the Week ending Oct. 9, 1875.....	472
Arbitration and Co-operation.....	Notes.....	473
American Society of Civil Engineers.....	STATISTICS OF COAL PRODUCTION.....	474
Some Pressing Needs of Our Iron and Steel Manufactures.....	COAL TRADE REVIEW.....	474
The Mahoning Valley Coal Region.....	The British Coal and Iron Trade.....	476
Patton's Petroleum Gas Apparatus.....	IRON MARKET REVIEW.....	476
Investigations on Iron and Steel Rails made in Europe in the year 1873.....	Metals.....	477
Cushion Pressure.....	FINANCIAL :	478
Gallium.....	New York Stocks.....	478
The Construction of Gas Works.....	Philadelphia Stocks.....	479
The Lackawanna Steel Mill, Scranton, Pa.....	Gold and Silver Stocks.....	479
The Condition of Certain Classes of Laborers in England.....	Copper Stocks.....	480
	Gas Stocks.....	480
	American Mines in London.....	487
	Advertisements.....	487

The Social Aspects of the Cleveland Meeting.

THE Cleveland meeting of the Institute of Mining Engineers, like all its predecessors, was characterized by a delightfully cordial good-fellowship among the numerous members in attendance. It seems simple enough, that the primary object of a meeting is to meet somebody; yet in too many societies the original significance of the purpose is lost, and the meeting is an abstract sort of performance, to be "attended" as one would attend a show or an experiment. Now the meetings of the Institute are of the old and genuine sort. They begin all over the country, on steamboats, railways—wherever the streams of members begin to flow together toward the common rendez-vous. These preliminary meetings are called to order with a slap on the back, a hearty shake of the hand, and a "Hallo! old fellow; you going too?" Along the route to Cleveland, and in the office of the Kennard House, there was a perpetual *feu de joie* of such greetings, which reached its culmination when HEINRICH, arriving late, dusty with the long journey from his Virginia colliery, registered his name at the hotel, and was embraced with many a hurrah by the eager crowd who had been asking after him for hours. "The Cleveland meeting," indeed! When one considers that on such an occasion every one of fifty members has a separate meeting with every other, it is evident that there are at least twelve hundred and twenty-five meetings to be accounted for.

The gathering for certain sessions in a hall does not represent adequately either the social or the professional profit of the occasion. The discussions held in public are interesting and important; but the knots into which a car-full of excursionists breaks up, and the eager discussions which they carry on, are the most fruitful. We have often pointed out this fact; and we repeat our allusion to it, in order to enforce upon members a sense of the great advantage of personal attendance upon the meetings.

The duller mind could not fail to be impressed with this truth, on contemplation of the brilliant banquet with which the Cleveland people crowned their hospitality. Everybody united to pronounce that occasion an extraordinary one. The capital dinner seemed to inspire a series of capital speeches; and the members and their hosts evidently produced upon each other a mutually charming impression.

Not less enjoyable were the excursions to the coal and iron districts of Ohio, and to the immense industrial establishments upon which so much of the greatness of Cleveland is built. The imposing exhibition of the power and natural resources of a State and of the growth of a wonderful industry was studied with intense interest by many a representative of Eastern or Southern enterprise; and the admission of Ohio's favorable opportunity, in the competition that must come, was freely made.

We have not space enough to describe in detail the many delightful features of the Cleveland excursions and social festivities. In the retrospect of so much innocent and unalloyed pleasure, we feel sure that, with reference to this occasion at least, no member who participated in it will be forced to acknowledge the cynical maximum with which ASMUS set the company in a roar:—"Whoever has a good conscience, must have a bad memory!" *

Arbitration and Co-operation.

PRESIDENT SINEY'S ADDRESS BEFORE THE MINERS' NATIONAL ASSOCIATION.

THE *Miners' National Record* publishes in full Mr. JOHN SINEY'S address before the Miners' National Association; it is marked by the plain, sound common sense which characterizes its author. He devotes a large part of his attention to an explanation of the cause of the failure of all the strikes undertaken by the men during the past year. It has appeared on various occasions that Mr. SINEY encouraged, by his presence and acts, the strikes going on in several of the coal regions, yet in this address he throws the entire blame for failure on the men who commenced and carried them on, without having followed the course prescribed by the National Association. We strongly suspect that, had the men been successful, Mr. SINEY would have been ready to claim for his Association a large part of the credit, and we would have heard less about strikes being inaugurated without the approval or sanction of the Union.

The following brief extracts from the address will indicate the general policy advocated. Speaking of the causes of the decline in wages, Mr. SINEY says:

"No man in our movement has better opportunity to observe the spirit which moves employers than that afforded me by the position you have placed me in. Whilst many are cold, unfeeling, and some even malicious, among them, and ever ready to take advantage of workmen's needs, I know there are also many who desire to do strict justice to them, as far as that can be done under the prevailing system. To me it is impossible to class all mine employers in the category of thieves, robbers, and bad men, for it is not true. Like as it is among ourselves, I suspect the good among them are largely under the powerful sway of the reckless and unscrupulous. To live, that is, do business and maintain a position to compete, the minority must adopt the rules of the majority. This is the rule, and while it has been the fate of our members, and trade generally, to suffer for the common necessities of life, it has also been the misfortune of many of them to go into bankruptcy, and all to submit to a terrible contraction in the estimated values of their property. As with us, so is it with them, in the matter of organization. Except in the anthracite regions, and I might add, Pittsburgh, I do not know that a real, genuine combination exists that at any important point can hold the prices of our product up in the markets. In the course of my official term I have met lots of them who prayed that such a union could be organized and sustained. Those men I have met in Indiana, Illinois and Ohio, and at this hour they would give a good deal if such a controlling power could be built up for their protection. With them, all divided, and each man cutting his neighbor's figures, and trying to get a paying trade out of a languid and inactive market; with us, all divided—for this has really been our condition, taking our trade as a whole—and thus holding no perceptible control over their actions as the producers; nothing else but reductions in prices could be the result, and the semi-organized resistance on our part fail of its purpose. The consequence was that coal fell in the markets, by the 'cutting under' plan of the dealers, and this largely at the expense of the working miner."

"I am aware of the objections raised by our own men to such an overshadowing monopoly as the coal combination, with its almost illimitable power to not only control the man who consumes, but him also who produces. But while I appreciate the arguments used on general principles, I cannot, as a trade unionist, be consistent and condemn its members, because what they now are doing, we, in a large measure, aim to do for the purpose of maintaining 'a fair day's wages for a fair day's work.' When our miners will put themselves in a position such as those companies have done, in the management of their supply to the demand, then shall they have attained to such a standard of perfection in organization as will be of real practical benefit to them, and which all comprehensive unionists have striven to reach."

"You understand, to keep wages up is the leading object of a trade union. The means to be employed to accomplish this is to put ourselves in a position whereby we can intelligently regulate our labor to the demand there is for it in the markets."... "As union men, we claim the right to so manage our own affairs as to bring us the greatest returns. This is what employers very often refuse, and this refusal makes turmoil and trouble. Our labor is our own, and if we can make the better bargain by combining together, the right to do so ought to be as readily conceded as that which allows any number of capitalists to associate together, such as the anthracite combination, for this purpose."...

"The great want among us is perfect organization."... "Another point of the greatest importance to the Association, is the matter of too many men getting on a strike at one time. When a given number are out—all that can be supported and not tax the society beyond a decent point—any more coming out only add assistance to the enemy and make the success of their fellowmen an impossibility."

In advocating the principle of arbitration for the settlement of disputes, the address says:

"No man who has taught himself to think and has studied the relations existing between capital and labor, and the rights of individuals, hesitates one second to pronounce in favor of arbitration and conciliation in the settlement of trade disputes."... "What is claimed by the best advocates of this method is that it will determine what is right in more cases than the old brute force plan of striking, as is our practice, and by so doing prevent the suffering, the hard feelings, the excitement, and the sometimes lawlessness that grow out of strikes."... "In the light of this truth, let us, of this body, give some adequate expression to our appreciation of arbitration and conciliation in the settlement of all our difficulties over the system of striking, as is and has been the custom. My sincere wish is that not only the miners but the employers will show a desire to cultivate this principle. There can be no well-founded doubt in the mind of the fair man, whether of the one class or the other, as to its desirability. Our members are really more concerned in this than any other set of men, and it appears to me they cannot be good members of the Miners' National Association, who are not prepared to make as great sacrifices to win by its adoption as they are and have been in fighting by strikes. As I view it, the true interests of both parties are to be faithfully served in this way, and they have not been so in the other."

Mr. SINEY'S panacea for all labor troubles, and for all the ills the class is heir to, is in co-operation; he says:

"In co-operation I see the revolution of the entire social fabric in the generation to come. All members of a co-operative institution, whether of a productive or distributive nature, receive their just dues, and this is genuine republican doctrine. Trades unions are the stepping-stones to this higher principle. Out of them, I expect, will spring the development of this idea till the condition of their members has attained to the highest standard. The wages system keeps us slaves, and to perpetuate it with all our remedies, which only touch effects, is to make our children heirs to an inheritance men should be ashamed of. It is a blot on our age—the fact that we keep running in the same old ruts as did our forefathers. They adopted combinations and strikes to defend themselves against a certain set of circumstances. These did bring them a wider sphere of action. They did, by this means, obtain greater liberties. But must we stand still where they left off? Must we live on what they gave us? Is it not as incumbent upon us to free ourselves from ills we know we labor under, as it was for them? Have we no tax upon tea and other obnoxious duty to throw off? Do we owe nothing to posterity? If so, then is our boasted civilization and boasted age of progress a farce, and life has no object. I claim we have wrongs we can right. I claim we have a higher end in life than simply to live and enjoy the fruit of others' toil. I claim there are thousands in our ranks who are ripe to adopt the scheme of co-operation and look to this body to make the start."...

"When we consider the amount of money that has been subscribed by our members this year to support strikes, it is something astonishing; it must have been no less than \$75,000. To what purpose was it paid? The object was de-

aidedly to keep the prices of the employed labor up higher than it would otherwise be if all were employed. The object was to deplete the markets, to an extent, and bring better prices. This being the purpose, if some plan could have taken the surplus men out of the field of production, and have them in some way profitably employed by that money, it would surely be of the very highest consideration and benefit." . . . "A well-matured co-operative coal mining company engaged during the present dull season in developing new fields and making ready to enter into the arena as a competitor for a full share of the coal trade as soon as the business of the country will improve, promises this."

A proposition was made to the Association to organize a co-operative colliery in Tennessee, and Messrs. JOHN SINEY and ANDREW ROY, State Inspector of Mines of Ohio, were appointed a Committee to examine the property, and on the receipt of a favorable report measures are to be taken to organize and issue stock in a co-operative company.

The general recommendations of Mr. SINEY to the organization over which he presides indicate that the National Association is by no means powerful at present, but that was to be expected after the series of defeats the miners have suffered during the past year, even though the responsibility for these is disowned by the Association.

We cordially approve the adoption of the principle of conciliation and arbitration; it is one for which we have always contended. Some legislation is, however, required that will make the award of an arbitrator, or the conclusions of a board of conciliation, binding in law on the parties submitting the question to such a court.

There can also be little question of the *theoretical* advantages of co-operation in mining enterprises, but, unfortunately, experience has shown such undertakings have been almost invariably miserable failures. We strongly suspect that a similar fate will befall the Tennessee Co-operative Coal Mining Co., which it is proposed to organize. The reason for this non-success, probably, is that the limited experience working miners have of general business and of the various conditions which go to make up successful management of a colliery, is insufficient to carry on such an enterprise. This, and the dissensions and bickerings which have generally arisen among the members themselves, have caused the failure of all previous attempts in this country. Nevertheless, we are, on general principles, advocates of co-operative enterprise, but in reducing the principle to successful practice, a much greater amount of thought and ability is necessary than is generally supposed.

It has always appeared to us that one of the first duties of trades unions should be the promotion of education among workmen. There is no possibility of "enslaving" intelligent men who have that enlightened education which gives them a better appreciation of the causes that affect wages, and of the rights due to employers as well as employes. Yet the subject of education seems to be ignored, or at best to receive but little attention, by any of the workmen's associations.

This duty of elevating the laboring classes, while most binding on the leaders of labor associations, is no less the duty of the educated classes. Ignorance is the bane of industry. The more intelligent the workman the better for himself, his employer, for industry, and the world at large. Employers and the Government, as well as the labor associations, should move in this matter and wipe out this blot upon our modern civilization.

Assuredly it is to the interest of every employer, of every capitalist, to have the laboring classes educated and improved, and if a tithe of the money now wasted in the periodical strikes and conflicts between employers and their workmen was devoted to the improvement of the latter class it would not be many years before we would have that degree of intelligence governing their counsels as would effectually prevent strikes, and make so disgraceful a picture as that of Sub-Inspector BREWER, given in another column, no longer applicable, even in the workshops of the "Black Country" of England. Fortunately, we believe, no such facts at present exist in this country.

No better preparation for the adoption of the great principles of conciliation and co-operation can possibly be devised than the better education of the laboring classes.

American Society of Civil Engineers.

The twenty-third annual meeting of this Association was held on Wednesday last.

The annual report of the Board of Directors upon the affairs of the Society was read, from which it appears that the increase in membership during the year was 48, and the present number is 492. By donation and purchase, there were added to the library about 850 books and pamphlets, many photographs, and other illustrations of engineering structures.

The Treasurer's report shows the finances of the Society to be in satisfactory condition, the increase in receipts keeping pace with increased expenditures during the year, incident to change in location of the society-rooms.

Officers were elected as follows:

GEORGE S. GREENE, President.	
THEODORE G. ELLIS,	} Vice-Presidents.
W. MILNOR ROBERTS,	
GABRIEL LEVERICH, Secretary.	
JOHN BOGART, Treasurer.	
OCTAVE CHANUTE,	} Directors.
ALEXANDER L. HOLLEY,	
FRANCIS COLLINGWOOD,	
QUINCY A. GILLMORE,	
JULIUS W. ADAMS,	

Subsequently the Standing Committees were appointed as follows:

On Finance—Messrs. ROBERTS, GILLMORE and COLLINGWOOD.

On Library—Messrs. HOLLEY, BOGART and ELLIS.

The Norman Medal was awarded for a paper, "Description and Results of

Hydraulic Experiments with large apertures, at Holyoke, Mass., in 1874," by Gen. THEODORE G. ELLIS.

Reports of Committees on "Tests of American Iron and Steel," "Time and Place of the Eighth Annual Convention," "Mutual Benefit Society," and on "Policy of the Society," were accepted. It was determined to hold the next annual Convention at Philadelphia, June 13-15, 1876. The matter of presenting American engineering at the Centennial was referred to a committee. A proposition that action be taken towards adopting the metric system of weights and measures was discussed, and amendments to the by-laws relating to the appointment of committees to report on professional topics, or perform expert services; annual conventions being declared business meetings; making Past-Presidents of the Society members of the Board of Directors; holding social meetings at the Society's rooms during the winter, and other matters, were considered and duly referred.

The annual dinner was held at DELMONICO'S. Gen. THEODORE G. ELLIS presided, and informal speeches were made by Messrs. ROBERTS, BRIGGS, HOLLEY, BLOOR, WESTERN, THURSTON and others.

Some Pressing Needs of our Iron and Steel Manufactures.

[ADDRESS OF President A. L. HOLLEY at the opening of the Cleveland Meeting of the American Institute of Mining Engineers, October 26, 1875.]

CONTINUED FROM PAGE 451.

III.—*Refractory Materials.* Improvements in this direction are probably the most important that can be considered, and they increase in importance as iron and steel processes become cheapened, and as products become more refined. A better blast-furnace lining would be desirable; better heating furnace walls would be very valuable; better Bessemer vessel linings would lead to great economy; better open-hearth furnace roofs are absolutely essential to cheap Martin-steel manufacture, and better refractory materials generally must be provided before the Siemens direct process, high-pressure furnaces, the cheap compounding of various metals with iron, and many other promising processes, can be carried on at all with commercial success. It is not too much to say that a better and cheaper fire-brick will be the key to the situation.

The cost of maintaining refractory linings and fixtures in the Bessemer process averages nearly \$1 per ton of ingots, of which the cost of vessel-bottoms is about one-third. Merely doubling the life of bottoms would save some \$6,000 per year, in a single works. As the life of a bottom frequently exceeds double the average life, it should not seem impossible to raise the average in this proportion. The cost of refractory materials and maintenance in the American Siemens-Martin manufacture is not far from \$5 per ton of ingots, while in Wales and in France it is about \$1. This difference lies largely between bricks which cost \$50 to \$60 per 1,000 and stand 50 to 70 heats, here, and those which cost \$18 to \$20, and endure 200 to 250 heats, abroad. Merely equaling the foreign practice would of itself make a good business profit.

Our metal manufacturers seem less serious and methodical in their attempts at this, than at any other improvement. They can copy the steam-engine results of others, but the refractory material problem is all their own. That it is difficult cannot be denied; but the average attempts to solve it, which consist largely in traveling round in a circle, are wholly inadequate, and unworthy of the profession. Bricks, tuyeres and fire-clay mixtures generally, have not been notably improved for a decade, except here and there, accidentally, by the discovery of better clays, or empirically, by trying all sorts of mixtures hap-hazard. There have of course been some attempts at scientific improvement. Mr. SNEZUS gives the following facts in his late valuable paper before the Iron and Steel Institute: The presence of 2 or 3 per cent. of oxide of iron renders bricks unfit for open-hearth furnace roofs, and 1 per cent. of alkalis makes them fusible at high temperatures. There are some apparent anomalies: lime fluxes ordinary fire-bricks, but 1 per cent. of it used to bind together pure silica sand makes the most durable furnace roofs known. Alumina by itself, and in the proportion with silica of 30 to 38 per cent., as in some of the best clays, is extremely refractory, but 3 per cent. of it in a silica brick will flux it at high temperatures. These facts explain the bewilderment and discouragement that usually attend experimenting on a limited scale; they also show the necessity of combining the results of a vast number of experiments and analyses; and they especially show that the direction of these experiments should be in accordance with chemical probabilities. Merely varying mixtures, even with a knowledge of their constituent parts, might never lead to improvement, if the laws of chemical affinity were misunderstood or ignored.

The same conclusions may be drawn from another group of facts, viz.: the very different behaviour of refractory linings in contact with different metals, slags and ores, such as the cutting of sand bottom in the pig-and-ore open-hearth process. The best furnace-roof brick we know of—as nearly pure silica as possible—is the worst brick to stand the manganese reactions in a spiegel cupola. In the first case, it might endure 250 charges at an excessively high temperature; in the second, it would hardly stand 25 heats at a low temperature.

In view of these complications and of the obvious necessity for prolonged and searching chemical work of the highest class, and for a systematic series of experiments—also, in view of the extremely limited progress which has been made by present methods, it really seems that the time has come for a new departure. No individual works can, nor should, afford the cost of such an investigation, which would be for the general benefit. A clay-bank owner, or a brick-maker, can hardly be expected to do more than develop his own products, since complete experiments might prove them inferior. Why should not the iron and steel makers of the country unite in carrying out a series of investigations which, if properly managed, would inevitably lead to important savings

in the old processes, and to revolutionary economies in the new and developing ones? It has been objected to this kind of effort, that "what is everybody's business is nobody's," and that valuable results rarely follow mixing up the interests of independent companies. If these remarks are ever true, they do not apply to this case. In general, the history of associated effort is the history of civilization; and in particular, the association of individuals, through governmental and private organizations, to test the strength of metals, to inspect boilers, to analyse ores, to collect facts, and to do numerous things of general and of special interest, is often the foundation of success in commerce and the arts. The proposed investigation would be entirely relieved from those uncertainties which embarrass combinations to sell products under certain limitations of price and quantity. It would be simply a search after physical facts, by a corps of experts in whose ability and integrity all parties would have confidence. However difficult the problem may be, the manner of its solution is plain, and the means of experiment are numerous.

Not to anticipate the proceedings of such a commission, but merely to observe how large and hopeful is the field for investigation, let us for a moment consider the situation and probabilities.

I. The comparative failure of previous attempts to improve refractory materials has been due to the varying presence of unknown elements. Three materials each make a good fire-brick; mixing the first with the second makes a better one, but mixing the first with the third makes an inferior one—and the experimenter is all adrift. The more alumina, between 40 and 60 per cent., we mix with silica, the better the result, but the more alumina, between 3 and 10 per cent., we mix with silica, the worse the result. Repeating apparently the same mixture sometimes gives different results. But there are no anomalies in nature; apparent contradictions are merely want of knowledge. Therefore one important step in this inquiry would be to variously compound pure silica, alumina and other substances, to imitate nature in their mixing, and then to try their refractory qualities, rather than to confine experiments to variable natural mixtures. Even if we must use materials as we find them compounded in nature, it is better to know, first, exactly what we want, by means of artificial mixtures of pure materials, and then to come as near it as we can.

It is not certain, however, that we shall be confined to natural mixtures just as we find them. The chief ingredients of that remarkable refractory material bauxite (which is somewhat rare and expensive), alumina and oxide of iron, can be obtained more free from other substances than bauxite is. Why cannot artificial bauxite be made? The intimacy of mixture, indeed, has much to do with the character of the product. We know that five per cent. of alumina, incorporated by nature with siliceous sand, give more adhesiveness, both wet and glazed, than three times that amount as ordinarily mixed by hand. The artificial distribution of manganese ore with iron ore in a furnace makes iron pigs and manganiferous slag, while, if the manganese ore had been rubbed into the iron ore by nature, the result would have been spiegeleisen. More than intimacy of mixture may be necessary in some cases. Dr. STERRY HUNT has suggested that the difference in the behavior of silica in furnaces may be somewhat due to the manner of its formation—either as an animal secretion, or as found in igneous rocks, or in rocks stratified from their debris. The shape of sand-grains has also much to do with their binding qualities, angular fragments being better than rounded ones. There is, however, a strong probability that refractory materials may be artificially compounded out of pure, or nearly pure, substances, more uniformly than they are compounded by nature. So that the synthetical method we are considering should be useful, not only in showing what we want, but in enabling us to produce it.

II.—Other substances than silica and alumina are extremely refractory, indeed indestructible, by mere heat; such as lime, magnesia and carbon. The great difficulty has been to form them into compact bricks without adding such binding substances as will flux them, and so impair their refractory qualities. But as pulverized silica—a rope of sand—is sufficiently held together by $1\frac{1}{2}$ per cent. of lime, to make the best heat-resisting brick we know of, the other incoherent refractories should offer a promising field for experiment.

We may learn much on this subject from the experience with crucibles. The two required qualities to be chiefly considered are—1st, resistance to softening, or to melting by contact with neutral flame—by mere heat; 2d, resistance to the chemical action of metallic oxides, slags and free oxide. Both these qualities are attained by lining a crucible that will resist fire well, with one that will resist chemical action well. For instance, a carbon crucible wastes more rapidly than an earthen one, in the fire; but by lining an earthen crucible with carbon, it perfectly resists the action of manganese oxide, which would soon destroy any vessel containing much silica. Carbon mixtures, however, are affected by oxygen in a surprisingly small degree. The endurance of graphite crucibles in a fire of coke driven by a powerful blast, and graphite Bessemer tuyeres in contact with air blast and oxide under intense heat, are examples. The use of carbon, even in the form of wood, is already on trial by Mr. SIEMENS, and, in another form, by one of our members.

Lime is extremely refractory, never having been fused by mere heat. Crucibles cut from blocks of well-burned, slightly hydrated lime are used to melt platinum. Magnesia is also infusible at the highest attainable temperatures. Mr. TESSIÉ DU MOTAY, of Paris, has made some remarkable magnesia bricks, of which I have specimens. They are, certainly, expensive, but they are said to resist not only heat, but the dissolving effect of manganese oxide and various corroding slags. There is a prospect of this manufacture being started in this

country. Dr. PERCY says of this material, in his new *Metallurgy*: "Reverberatory furnaces for melting steel may be lined with a paste formed of the prepared magnesia and water, which will undergo the necessary drying and firing after the furnace is lighted, without any special precautions being required." He also gives directions for preparing magnesia for use in crucibles and bricks. This material is also used at Creusot in Bessemer vessel linings. The only difficulty is to make it sufficiently coherent.

Still another requirement of Bessemer vessel lining and revolving open-hearth linings is hardness, to resist the mechanical erosion of the contained metal. All the foregoing considerations, indeed, point to the importance of making refractory materials hard and dense, without running into the other extreme of increasing their liability to crack and crumble on the exposed surfaces. But even this tendency may be prevented by proper treatment. Silica bricks require slow heating. In some Bessemer vessel linings, made of natural siliceous stones, trimmed like bricks to make a wall, which are now in successful use, the "spalling off" was permanently stopped by glazing the wall at its first heat, by blowing a charge of metal within it.

III.—It is, further, possible that refractory linings must, in many cases, be made where they are used. This is already the case with the silica bricks we have mentioned, as at Landore and Terrenoire. They are too tender to bear transportation, but are remarkably refractory when once set in a wall. The apparatus for making them is not very costly, nor elaborate. The quartz is crushed to fine sand, wetted down with lime-cream ($1\frac{1}{2}$ to 2 per cent. of lime), and moulded by hand into bricks. These are dried and burned in kilns, containing 32,000 each, for seven days. Bessemer vessel linings are also necessarily made where they are used, and it seems reasonable to believe that the use of monolithic linings will become more general in all kinds of furnaces. It is very obvious that the cost of a furnace roof and sides, rammed up like a Bessemer vessel, dried out and glazed, would be much less than that of bricks individually moulded, pressed, dried, burned, trimmed and set. And if the material is equally good, the continuous wall should stand much longer, because it has no joints, which are always the first parts to fail. We know that such linings in Bessemer vessels will outlast a dozen linings made of any fire-bricks yet tried. The vessel-lining is, indeed, a continuous arch of small radius, while the furnace roof is nearly flat, and, consequently, more liable to fall by shrinkage, due to variation of temperature. But could not a flat arch be sustained by a lathing of water-pipes, either in tension or in compression, which would also cool it, and thus increase its endurance? This subject will be further considered under the following head.

IV.—It has been a matter of surprise to me, that the cooling of refractory linings by means of water-jackets has not been developed in heating and open-hearth furnaces, when it has been so remarkably successful in blast furnaces, puddling furnaces, and, especially, in SELLE's and in CRAMPTON's revolving puddlers. I have seen the fettling of the Crampton furnace purposely knocked off for more than a square foot of the shell and front ring, during the boiling of the metal. The naked iron plates were thus exposed to the molten iron and slag on one side, and to water on the other; in a very few moments the lining was completely renewed by the chilling action of the jacket. Some jacketed cupolas are running with success, but where increased durability is most needed, as in Bessemer cupolas, the attempt has not been carried out, although it has been frequently planned.

If a firebox sheet of naked iron, in immediate contact with a white-hot anthracite fire, will remain sound for years, it is probable that it would be nearly indestructible under a four-inch coating of fire-brick. Of course, the cooler the bricks are kept, the more heat will go into the water; but, as we can melt down a gas furnace roof in an hour or two, there is, evidently, reserved power enough to furnish the necessary units of heat to the bath, while passing as many other units, at the same temperature, through the roof. Nor would water-jacketing, say, an open hearth furnace, be comparatively-wasteful. Even if a quarter more fuel were thus required, half a dollar per ton of ingots (at average rates of fuel) would pay for it, while even doubling the endurance of furnace bricks would save four or five times this sum.

Water-jacketing should protect the bricks not only from destruction by mere heat, but from chemical dissolution, as this is generally a question of temperature.

The effects of heat are notably lessened as walls become thinner, so as to conduct heat more rapidly to the atmosphere. The thickness at which a lining will remain, in the Crampton revolving furnace for instance, is exactly regulated by the amount of cooling. Where the lining is knocked off, the fluid slag quickly sets, up to a certain thickness, but beyond this thickness the water cannot chill it, and it cannot, therefore, accumulate. The amount of cooling by water can be perfectly regulated. The two features requiring experiment are—1st, Decreasing the water supply in such a regular manner, when the furnace has to be stopped, that the lining shall be neither overheated nor rapidly cooled; 2d, How to sustain very thin linings. Water-jacketing a furnace roof a foot thick would not do the maximum good until it was nearly burned out—and then it would fall in. As before mentioned, I believe that a roof composed of groups of wrought iron water pipes, either in tension for a drooping one, or in arch-form for a convex one, each group having its separate water connections, the whole to be filled in and rammed with a ganister mixture, like that of a Bessemer vessel, or with a natural or artificial bauxite, would be very durable. Certainly, there might be some very promising experimenting in this direction.

In concluding these observations on refractory linings, I must again call at-

tention to the importance—the necessity, I believe—of putting this whole subject into the hands of a Commission of Chemists, who are familiar with the requirements of metallurgical processes. It really ranks in importance with government tests of metals and boilers; but as governments can with difficulty be got to sustain experiments which seem to be of greater public interest, the expenses of refractory material tests would have to be borne chiefly by iron and steel makers. They can well afford to do it, and some important results can, doubtless, be determined without a very large expenditure. But such a commission should be nothing, if not thorough. Immature conclusions would do more harm than good, as they have done heretofore in iron and steel tests.

TO BE CONCLUDED.

The Mahoning Valley Coal Region.*

By ANDREW ROY.

THE Mahoning Valley coal region lies on the extreme northern outcrop of the Ohio coal field, and all the mines, with one exception, are opened on the lower coal of the series—No. 1 of the Ohio Geological Survey. The coal ranges from an inch to five, six, and sometimes seven feet of thickness, the workable height being between two and a half and six feet.

There are two varieties of coal, known in market as "Briar Hill coal" and "Mineral Ridge coal," both varieties are drawn from the same seam. The Briar Hill coal is generally called block coal, and is the kind so largely used in smelting iron in a raw state. It possesses a laminated structure, easily splitting into horizontal sheets, but is very difficult to break in the opposite direction. The faces of the layers are often covered with a soft, dead, carbonaceous material, like charcoal, and the white seam throughout is marked by alternate layers of dead and bright-looking coal. In the act of combustion the coal neither swells nor changes form, the masses retaining their shapes until they fall to ashes in the furnace.

The Mineral Ridge variety is much softer, and is also shorter in the grain than the Briar Hill kind, and it contains a good deal of sulphur and pyrites of iron, which forbid its use in the furnace. It, however, makes an excellent fuel for household purposes, for rolling mill purposes, and for the generation of steam.

The Briar Hill coal is invariably found in a solid bench, while the Mineral Ridge variety is almost always found in two layers, forming a double seam. Between the two layers there are, generally, a layer of black band ore from 3 to 10 inches thick, and also a stratum of gray shale, called "wide-awake" by the miners. The black band is mined and sent to the surface, and after being calcined at the pit's mouth, is used in connection with the rich ores of Lake Superior, the resulting product being a very superior brand of pig metal, known in the market as "American Scotch."

Unlike other coal seams, where the strata have not been subjected to upheaval and erosion by mechanical agencies, this bed, instead of extending in a continuous, unbroken sheet, in a level plane, or with a natural dip, lies in a series of hollows and ridges, and the coal is frequently wanting altogether where the mining engineer, unacquainted with the peculiar structure of the troughs in which it reposes, would confidently pronounce its existence.

The upper surface of the Waverly Sandstone, upon which the coal rests—for the foundation stone of the Coal Measures, the Conglomerate, is wanting in this part of the coal field—is very wavy and uneven forming long, narrow and serpentine troughs, which the miners call "swamps." These troughs are of varying widths, and in one part of their line of direction may not be more than 50 or 60 yards wide, while in another part they may widen out to 200 and 300 yards. Sometimes a number of them lie alongside of each other. In such cases the basin, in an unbroken chain, may be a mile in width, the coal stretching across in a series of hills and hollows, like synclinal and anticlinal arches. The coal is always thickest in the bottom of the trough, growing gradually thinner as it ascends the hill sides, till it disappears altogether, or is suddenly cut out by a fault—a "horseback," as the miners term it. The approach of a horseback is first indicated by a change in the roof, the gray slate being supplanted by a stratum of fireclay or sandstone; then the place of the coal itself is usurped by this foreign matter.

These faults very frequently occur on the sides of the hills in mines where there is but a single swamp, suddenly cutting away the coal while it is yet of good workable height. Such faults are also found in the bottom of the troughs, as well as on the hills. They appear to have been formed, during the subsidence of the land, by currents of water in rapid motion flowing over the coal marsh and cutting away the coal, the mud and sand finally settling down in its place.

These synclinals and anticlinals on which the coal reposes do not appear to have been formed by internal disturbing forces, upheaving and eroding the coal strata, after the close of the Carboniferous age, as in the case of the anthracite basins of Pennsylvania, but have been caused by erosive agencies, by a scooping of the coal floor anterior to the deposition of the coal vegetation. The coal and its incumbent strata may pitch at an angle of 20° or 25°, but the material underlying the coal does not partake of the inclination; on the contrary, it occupies a horizontal plane.


The line of direction of these swamps is generally southwest, but they are very serpentine in their courses, and they sometimes cross each other. How far they extend in line of direction, is matter of much conjecture among practical men. Mines are now opened along their line of direction for ten or twelve miles. Southward, towards the Ohio River, along the dip of the Coal Measures, the increasing thickness of the overlying strata has, till this time, forbidden any vigorous exploration for coal.

Wherever the lower coal of the Ohio series has been opened in the State, the coal has been found resting on an irregular floor, and the coal itself partakes, in a greater or less degree, of the qualities which characterize it in the Mahoning Valley. At Massillon, in Stark County, the mines are opened in No. 1, and the coal, though softer in nature, and shorter in the grain than the Briar Hill coal of the Mahoning Valley, is used in the furnace from several of the mines, as it comes from the workman's pick. In Jackson County, also, where No. 1 is in course of vigorous development, it makes a good furnace coal in a raw condition. In both of these districts, as in the Mahoning Valley, the floor of the coal is wavy and irregular, though in Jackson County the troughs, instead of being long and serpentine, are generally round like a bowl.

* A paper read before the American Institute of Mining Engineers, at the Cleveland Meeting, Oct., 1875.

Patton's Petroleum Gas Apparatus.

THE Philadelphia and Reading Rail Road Company, who for twenty years past have used coal gas for the illumination of their passenger cars, have recently changed to petroleum gas, finding, after repeated tests extending over a period of two years, that it is far better adapted to their purpose. It proves to



be more permanent and less condensible under high pressures and continued exposure to extreme cold, besides containing a much greater volume of light in a given space, and is also more economical than coal gas.

For this purpose more particularly, but also for general use in their extensive shops, depot, and offices at Reading, Pa., they erected last year a very complete gas-works under the patents of Mr. J. D. PATTON of Trevorton, Pa. We give herewith an engraving showing a side elevation of the interior of these works, giving a view of the entire manufacturing apparatus, and showing the course of the oil from the oil tank "A," through the oil feed pipe B. B. B. to the upper retort C, where the oil is vaporized and partly decomposed, and thence to the lower retort "D," where the decomposition of the oil is completed, and whence the gas passes through a hydraulic main "H" and scrubbers E. E., and thence through the pipe K, to the condensers and gas-holders.

From the gas-holder an ordinary outlet conveys the gas to the depot and shops, and a separate outlet leads to the compressing apparatus. If taken from the same outlet the rapid motion of the pumps would impart a vibratory motion to the entire flow of gas that would be plainly perceptible at all the burners. The compressing apparatus consists of an upright pumping engine designed by Wm. E. Good, of Reading, and made for this purpose in the shops of the company, with one steam cylinder and two gas cylinders or pumps. These pumps are kept surrounded with water to prevent them from heating, as they otherwise would, both from their rapid motion and from the great amount of latent heat evolved by the compression. From the pumps the gas is forced into a series of cylinders, forming a reservoir for the compressed gas and is kept stored in them under a pressure of three hundred pounds to the square inch. From this reservoir a special set of pipes carries the gas, still under this high pressure, to cylinders underneath the passenger cars. The filling of the cylinders, through very strong rubber tubes, is done during the regular stops of each train and causes no delay. These cylinders, though only fifteen inches in diameter by seven feet long, contain enough gas to meet the ordinary requirements of a car for several days, or for two full nights. The reduction in pressure necessary between the cylinder and the burner is accomplished by means of a regulator, the invention of A. H. PHILLIPPI, of Reading.

The following further particulars of the manufacture and cost of this gas appeared in our report, last week, of the Gas Association meeting, where Mr. PATTON stated that "his experience with petroleum in gas-making was almost entirely with the grade of oil known as naphtha or benzine. The result of that experience is a yield averaging about seventy feet per gallon of seventy-candle gas, in constant running day after day. He never had been able to exceed 100 feet per gallon, or obtain results below 56 feet per gallon. Amount of fuel for converting 1 bbl., about 7½ bushels coke. The gas thus made stands all tests that coal gas will. Retorts last, on an average, 6 months, and cost \$90 per bench to renew. Cost of 70-candle gas, \$1.17½ per thousand, exclusive of labor and interest. The labor required is less than half that of coal-gas. 'As far as established companies are concerned, can it be used profitably in connection with coal-gas?' His experience shows that it can, by using 8 or 10 per cent. of oil-gas. By working out all the gas you can, you may, from Westmoreland coal, get 13,000 feet gas, of 16 candles, from one ton of coal and 16 gallons of oil; or 1 ton coal and 32 gallons of oil would give 14,000 feet of 20-candle gas, etc. He stated these as facts, and refrained from advocating any special mode of oil-gas making.

"In reply to numerous questions, Mr. PATTON stated that by a "ton of coal" he meant 2,240 lb. That the oil was brought in contact with the red hot surface, by dropping it into the retorts. That he ascertained the quality of the gas by using a one-foot burner, and applying the photometric test. That the gas thus produced possessed five times the illuminating power of coal-gas. That he was not able to state what effect leakage would have on the result, as he tried to have as little leakage as possible. That he was not able to state the weight of the mixture he referred to in the paper, and that the price charged for the gas, and actually obtained, was \$10 per thousand feet."

The burners used are ordinary open burners of very small size, and four of them in each car render reading easy and conductors' lamps unnecessary.

This mode of lighting cars is not only to be recommended for its economy, but also for its entire safety; while, as a matter of illumination, it is the only

real one in use for passenger cars, and, compared to it, the lighting of passenger cars with kerosene lamps or candles is a relic of the dark ages.

The officers of the Philadelphia & Reading Rail Road Company deserve the thanks of the travelling public for this important addition to their safety and comfort; and those rail road managers who persist in subjecting their passengers to the dangers and smell of kerosene lamps, or the profanity-provoking glimmer of candles that only serve to "to make darkness visible," cannot be too strongly censured.

We commend this improvement to the managers of the Great Pennsylvania road, where even the Pullman palace cars are still run in this uncertain and tantalizing twilight of old-fashioned candles.

Investigations on Iron and Steel Rails made in Europe in the Year 1873.*

BY T. EGLESTON.

DURING the year 1873, my attention was called to the frequent accidents, resulting from the breaking of rails, on the different railroads in this country, and I was requested to investigate the subject. The plan of investigation I proposed was to ascertain, in as many cases as possible, the exact history of broken rails, both in this country and in Europe; to collect information in Europe relating to the tests which rails used there were required to undergo, and to experiment upon the pieces of rails broken on the road, with a view to ascertain whether their fracture was due to their chemical constitution, bad manufacture, to a reduction in strength owing to temperature, or to physical changes in the constitution of the rail. The investigation was commenced by the collection of statistics, and for this purpose I spent several months in Europe, collecting information on the subject of broken rails, as well as the life of iron and steel rails generally, and inquiring into the systems of purchasing and of testing them employed by the railroads there, intending, on my return, to make a series of analyses of rails broken, both in this country and in Europe; to ascertain, if possible, how far great cold had an influence on the fracture; to examine whether the rail broken, either on the road or afterwards, underwent, at or about the fracture, any physical change, and to make a series of experiments on the strength of rails manufactured in the United States or sold in the American market.

Unfortunately, the panic of 1873 came on, just before my return from Europe, and prevented the carrying out of the larger part of the plan proposed; as, however, I had collected, in the meantime, a large number of statistics of different kinds from all parts of Europe, and had made a number of interesting experiments and investigations, I have thought it would be worth while to communicate some of the results to the Institute. These investigations are, unfortunately, not complete in any sense, since they were suddenly brought to a close shortly after they were commenced in Europe, and before anything had been done in this country, so that what I have to communicate will be mostly results obtained in France and Belgium from experiments made on broken rails, and statistics collected with regard to them, and information relating to the purchase of rails and their wear upon some of the principal roads. Some of these results have not, as yet, to my knowledge, been published, and most of them are interesting as they bring together a series of facts collected over a number of years, on some of the longest and most important lines in Europe.

The purchase of railway supplies and material in Europe differs entirely from that in vogue in this country. Rails are very rarely purchased in the open market, but are almost invariably made by contract with the manufacturer, after patterns furnished by the railroad companies, and expressly for them. For the purchase of supplies a large number of forms of contract, which are either autographed or printed, are provided. Each railway has from twenty to twenty-five of these documents relating to the road-bed and its supplies alone. They enter into every detail with regard to the ties, chairs, plates, wedges, spikes, bolts, nuts, screws, fish-plates, and every possible material that the railroad company has to buy. These contracts are drawn up by the engineers in charge of each one of the different departments, and are submitted to the engineer-in-chief for approval. They are altered from time to time, as the necessities of the case may require. They bind the contracting parties in such a way as would scarcely be tolerated in this country, but their general result is most careful management on the part not only of the contractors, but of all of the employes of the road. These printed or autographed contracts are furnished, on application, to the manufacturers wishing to bid for the contract for furnishing any of the supplies. All the supplies, of whatever nature, are subjected to the closest inspection, not only when finished, but in all stages of their manufacture, and the contract specifies that during the time of the execution of the contract the engineers of the company shall, both during the day and at night, have free access to the works, and be at liberty to examine every part of the article being manufactured, in every stage, from the crude material up to the time of delivery, in order to verify that the conditions of the contract are being fulfilled. During this time the engineer in charge is always at liberty to reject the whole or any part of the material which is not up to the standard. As the strength of the rail is stipulated in the contract, a certain number of experiments are made in the presence of the engineer of the manufacturer furnishing the rails, but under the direction of the engineer of the railroad company, sent to the works for that purpose. None of the verifications, however, have the effect of in any way diminishing the responsibility of the guarantee of the life of the rail for the time fixed in the contract. No manufacturer is allowed to underlet any part of his contract to another manufacturer without the written consent of the company. The acceptance of the works by the company does not guarantee the whole payment until the article contracted for, whether it is a car, a rail, a water-tank, steam-engine, or any other material about the railroad, has worn well and without repairs during a certain specified time.

Most of the rails manufactured are of the ordinary American pattern, though some companies still use the double-headed rail.

Iron rails are not so generally used as formerly. On all the principal roads their place is being rapidly replaced by steel.

Steel-headed rails are used by some of the companies, but there is no certainty that the weld of the iron to the steel will always be perfectly made. The general experience is that there is a tendency for the two materials to separate. There have been a great many ingenious plans proposed, to make the iron clamp the steel, or the steel clamp the iron, but in view of the experiments made at the Northern R. R. of France, it does not seem worth while to lay any but steel rails, more especially as the old steel rail has a value which no combination of iron and steel could have.

It does not necessarily follow, that what is done in Europe, is better than what is done in this country. On the contrary, European railway companies have a great deal to learn from the practice of this country, as is shown by the

* A paper read at the St. Lou's meeting of the American Institute of Mining Engineers, May, 1874.

repeated reports made by engineers of different countries, sent here for that purpose by their governments; but in the manufacture of rails and the study of their wear and tear, we have something to learn from them. I have taken some pains to compare the contracts for the purchase of rails made by different companies, and give below an abstract of the contracts made for the purchase of both iron and steel rails, including the stipulations of all the roads of France whose contracts I have been able to procure. There is, necessarily, a great deal of sameness in these contracts, and as one of the roads imposes all of the conditions which I give below, I have given the contracts somewhat in detail, at the risk of being tedious, since I do not know that they have heretofore been published in English. They are, certainly, not generally within the reach of our members.

CONTRACTS FOR IRON RAILS.

All of the roads furnish either a drawing or a steel pattern of the form of the rails, and the manufacturer is not allowed to make the rails, until the company is assured that the rolls agree perfectly with the shape furnished. The toleration allowed in the transverse section is only $\frac{1}{4}$ m. more or less. This is done in order to take into consideration the difference which may arise from the wearing of the rolls, and accidental differences in the distance between them. They require a specimen showing the quality of the iron to be used in the rails to be sent to the office in Paris. The iron rails used by the Lyons and Orleans R. R., are several types of the American and of the double-headed rail. For the double-headed rails the length is 5 m. for 9-10th of the order; the last tenth may be composed altogether or in part of rails 4.96 m. To facilitate the manufacture, 1-30th part of the rails may be admitted 3.75 m.

For the American rail, on the Lyons road, the length is 6 m. for 9-10th, and 5.96 m. for the last tenth; 1-30th of the order may be in lengths of 5 m. and 3.75 m. The Northern R. R. contracts for rails of the American pattern of 37 kilo. The normal lengths of this rail are 6 and 7 m. For a part of the contract which may not exceed 1-10th, and which is fixed by the chief engineer, the rails may be 6.96 m. to 5.96 m. long. One rail in twenty may be delivered of a shorter length than these, and may be either 4 or 5 m. It is always understood by all the roads that the short rails are to be manufactured from the long ones which have to be cut on account of defects at their extremities. All the roads stipulate that they may order a certain number of rails of exceptional lengths, providing that the greatest length shall not exceed 10 m. The Lyons road agrees to pay for all rails exceeding 6 m. in length 5 per cent. above the ordinary price. The Northern R. R. agrees to pay only 4 per cent. A toleration of two millimeters, greater or less, is accorded by the Lyons & Orleans R. R. in the length of the rail, provided that on the whole order it shall not exceed 1 per cent. The toleration fixed by the Northern road is never more than $1\frac{1}{2}$ millimeters. All rails which have been manufactured in the trials of the rolls, and all others manufactured after the rails have been accepted, but which are not in accordance with the model furnished, are rejected. The companies are always at liberty to change the shape of the rails, providing always that the special expenses necessary for these changes shall be allowed to the manufacturer. The weight of the rails is determined by the model, and is ascertained by trial of the first rails delivered. In the reception of the rails, a toleration of 2 per cent. above or below is allowed, providing that the weight of the whole contract does not vary more than one per cent. Within this limit of toleration, the rails are paid for at their actual weight. Above it, the iron is not paid for, and any rails outside of the limits, either weighing too little or too much, may be rejected entirely if the company think best. The blast furnaces which produce the cast iron used are required not to use any ore which gives a brittle iron.

If the rail is allowed to be made of different qualities of iron, the head *must* be fine grained, but in general, the manufacture must be so conducted as to produce only fine grained iron. It must be weldable, as hard and compact as the specimen which is furnished to the manufacturer, and not cold-short; in short, of a quality to resist the action of the wheels of the train without breaking, crushing or becoming unwelded. The Northern R. R. classifies the iron to be used into three distinct classes, namely: first, granular iron; second, iron composed partly of grains and partly of fibers, and third, fibrous iron. In the packages for making refined iron, only first class granular iron must be used. The Lyons R. R. prescribes that the foot of the American rail shall be made of fibrous iron. It requires that the piles shall be composed of two-third puddled iron and one-third merchant iron; that the width of the package shall be 20 centimeters at least and its height 22 centimeters, and that its weight shall be 40 kilogrammes heavier, at the least, than that of the rail. All the bars used in making up the different layers must be of rectangular section. Each layer of puddled iron may be made up in width of two or three pieces at the most. The layers of refined iron which form the upper part of the package must all be of a single piece, and must represent one-fifth of the total weight of the package, in order to have in the section of the finished rail, on the surface exposed to the wheels, a thickness of at least one centimeter. The layers which are next to them should be entirely composed of the best puddled iron. All the pieces composing the package must be of a single length and strength. For the puddled iron, however, a few bars are allowed of two pieces, at the most, the smallest piece of which must be at least 30 centimeters in length. They, however, must be adjusted end to end, with care, in such a way as to leave the least possible space in the interior of the package. No joint in the package should be directly above another joint, and for this reason the bars of puddled iron should not be of the same width. Fibrous iron may be used only in the last third of the package. Between it and the two first layers, granular iron only must be used. The Orleans R. R. allows the rail to be made entirely of puddled bar, or with such a proportion of old rails as the manufacturers think best. The packages, of which the covering for the head is made, must be made exclusively of rectangular bars placed together on the flat side, in regular layers, with cross joints, and each bar should be 54 m. m. in width at the least. The packages for the head of the rail should be rolled flat, and not on the edges, so that the width of the covering will be parallel to the direction of the layers. The cover must be made of puddled iron of the best quality. It must be of a single piece, and represent one-third of the total weight of the package.

The Lyons R. R. requires that the puddled iron used, either in the body of the packages for rails, or in the manufacture of the merchant iron for covers, should be of good quality, carefully worked, and the edges of the bars should be smooth. When they are shorter than the package, they must be placed together carefully end to end, in such a way as to leave the least possible space between them. In the works where the rails are rolled in a single heat, the packages must be turned in the furnace, end for end, when the heat is three-quarter finished.

In the works where there are two heats, it must be turned at the commence-

ment of the second heat. All the companies reserve the right to prescribe in what direction the packages shall be rolled, and all require that the name of the manufacturer must be engraved in the last curve of the rolls, so as to be distinctly seen in each rail. The dimensions, form, and composition of the packages, as well as the drawings of the successive curves in the rolls, must be submitted to the company, without, however, this diminishing in any respect the responsibility of the manufacturer. All the roads require that the rails shall be as carefully manufactured as possible, and that all those badly welded, laminated, cracked, or broken in any way, must be rejected. They require that they must be perfectly flat, both on the foot and head, and if they are not so, must be straightened or rejected. That they must be straightened on their four faces with the greatest care. This straightening is invariably required to be done, as far as possible, hot, immediately after the rails leave the rolls. If they, afterwards, when cold, require to be straightened, it must never be done by percussion, but by gradual and slow pressure produced by means of a screw. All the surfaces of the rails must be clean and uniform. All the roads require that the ends of the rails must be cut off at a sufficient distance to be sure that the rail end is perfectly sound. All projecting iron must be removed either with a file or a graver, and the ends of the rail must be square with its axis. They all require that the final length should be made by cutting one of the ends in a lathe, planing machine, or with a milling tool, in such a way that there shall be no tearing or any other alteration of the surface at the end, and that all excess of matter shall be removed with a file or graver, but on no account with a hammer. Reheating any part of the rail, either to cut off the ends, or for any other reason, is positively forbidden, except in case of temporary accidents to the machine used for cutting them, and then, if absolutely necessary, only during the time that is strictly necessary to repair it. Every kind of repair done to cracks or other inequalities in the rail, whether done cold or hot, is forbidden. Each extremity of the rail is pierced with two round holes, to receive the bolts of the fish-plates, the dimensions and position of which are fixed by a drawing furnished by the engineer. The Lyons road provides that in some cases one of these holes may be half round. Two cuts of a rectangular form must be made at the extremity of the American rail to receive the wedges which prevent its motion forward, the position and size of which are also given. These holes and cuts may be made by any process which shall suit the engineer of the company, but in any case the edges of the holes and of the cuts must be filed smooth and not left rough.

If the positions of the holes and cuts are not conform to the drawing, the rails may be rejected. The rails must be classified in series, according to the manufacture of different days.

The Northern & Orleans R. R. require the rails to undergo the following tests. Each one of the rails selected for trial is placed on supports 1.10 m. apart, and must support, in the middle between the two supports, a pressure of 12,000 k. for five minutes, without preserving any sensible set after the test. The same rail, in the same position, must support during five minutes, without breaking, a charge of 30,000 k. The Orleans R. R. requires 25,000 k.

At the Lyon R. R., the rails are placed on supports 1 m. apart, and should support a pressure of 13,000 k. for five minutes, without showing any perceptible set, and then for another five minutes, without breaking, a charge of 27,500 k.

After these tests, all the companies require that the rail should be broken by an increase of the weight. The Northern & Orleans R. R. require, that each one of the two pieces of the rail broken should be placed between supports 1.10 m. apart, (the Lyons R. R. makes the distance 1 m.) and should then support, without breaking, the shock of a weight of 200 k. (the Orleans R. R. requires 300 k.) falling in the middle between the supports from a height of 2 m. for the Orleans R. R., and for the Lyons & Northern R. R., from a height varying, according to the temperature, from

0° C., and below, of.....	1.30 m.
From 0° C. to 20, of.....	1.50 "
From +20° C. and above, of.....	1.70 "

This variation is made as the rails are not considered as capable of resisting as great a strain in cold weather as in warm. All the roads require that for this test the two supports should rest upon a block of cast iron, weighing at least 10,000 k., placed upon masonry at least 2.30 m. in diameter and 1 m. thick. The Orleans R. R. allows the foundation to be of oak or masonry. If one of the rails tested does not resist the tests are continued upon a greater number. If more than 1-10 of the rails do not resist, all the roads reserve the right to reject the entire series.

Provisional receptions are being made at the works, as the rails are manufactured, for the object of sorting, weighing, and marking them. Up to the time of their being sent to the company, the rails must be preserved in a dry place, and kept from oxidation as far as possible. Those accepted must be marked at their end, and in case the name of the works, made by a cutting in the last curve of the rolls, should not have come out in rolling, it must be marked cold in such a way that it shall be visible. The rails which have been rejected must either be broken, or marked in such a way that the mark cannot be effaced.

All the roads provide that the tools for making the tests, as also all the labor of accepting and testing the rails, must be made at the expense of the manufacturer. The report of the tests and receptions are made every day. Every rail marked, and comprised within the report of acceptance made at the works, becomes, by the act of reception at the works, the property of the company.

TO BE CONTINUED.

Cushion Pressure.

By J. F. FLAGG.

THE writer's attention has been called to a criticism in the ENGINEERING AND MINING JOURNAL, for September 25th, upon the report of Mr. JOHN W. HILL, contained in the "Fifth Annual Report of the Cincinnati Industrial Exposition," by Mr. RICHARD H. BUEL.

Being a fellow-member, with Mr. HILL, of a Board appointed by the Commissioners of the Exposition for the present year, for making similar tests, the writer takes the liberty of criticising, in turn, one of Mr. BUEL's paragraphs, viz.: that marked VIII., relative to cushion pressure.

It appears to me that the proper solution of this point is far from being reached in this criticism. In the first place, in the formula given for the "pressure in pounds per square inch required to give reciprocating parts the velocity of the piston when at half stroke," the numerical factor in the denominator should be 32.16 instead of 16.08, making the resulting pressure only 6.54 lb.

By referring to page 193, of the 3d edition of "PORTER'S Treatise on the Steam


Engine Indicator," and substituting the same values in the formula there given, this pressure will be found to be only 5.48 lb.

One of these formulas is directly deducible from the other, and they should therefore give the same results.

The trouble is that Mr. BUEL, in his formula, has apparently acted on the theory that the motion of the piston is a uniformly accelerated or retarded motion, which is very far from being the case. (Vide Table XII., column C, of PORTER'S Treatise.)

According to the theory of uniformly accelerated motion, $s = \frac{1}{2}gt^2$, half length of cylinder = $\frac{vt}{2}$, v being the velocity at the mid-point of the cylinder, and t the time consumed in traversing the half length; or $v = \frac{2s}{t}$; substituting the values for the Harris engine, $v = \frac{2 \times 2}{.25} = 16$ ft. per second, instead of 12.56, which is the true velocity at this point (neglecting angular motion of connecting rod); another proof of the errors arising from the assumption of uniformly accelerated motion. If 16 ft. were used as the velocity, the pressures obtained from the formulas of Mr. BUEL and of PORTER'S Treatise would be identical.

The following is submitted as, in the writer's opinion, a more correct solution of the question, but with the supposition that during the period of compression the connecting rod is disconnected from the crank pin; in other words, that the entire vis viva of the reciprocating parts is taken up by the cushion.



Let W = weight of reciprocating parts,
 g = acceleration of gravity,
 v = velocity of piston at point of compression, (B in figure.)

Then $\frac{Wv^2}{2g}$ = mechanical effect, or units of work in reciprocating parts which are to be overcome in the distance d , of compression by the cushion.

- Let d = distance of compression.
- c = increase of length of cylinder equivalent to clearance.
- A = area of piston in sq. inches.
- p_s = mean pressure per sq. inch on steam side of the cylinder for distance d .
- p = counter pressure.
- p_c = mean cushion pressure for distance d .
- f = friction of reciprocating parts.

Then, in order that the cushion may exactly overcome the vis viva of reciprocating parts,

$$(1) \frac{Wv^2}{2g} + A p_s d = A p_c d + f d;$$

substituting for g its value and transposing

$$(2) p_c = \frac{Wv^2}{64.33 A d} + p_s - \frac{f}{A}$$

also we have, by the usual formula, for mean pressure in the expansive curve

$$(3) p_c = p \frac{c+d}{d} \text{ hyp. log. } \frac{c+d}{c}$$

substituting the values for Harris-Corliss engine in equations (2) and (3), viz.:

- $W = 900$ lb.
- $\frac{f}{A}$ (assumed for reciprocating parts alone) = 1.00 lb.
- $c = .029 \times 4 = .116$ ft.
- $A = 202.6$ sq. inches.
- $d = .044 \times 4 = .176$ ft.
- p (for forward stroke) = 14.95 lb.
- p_s (taken from indicator diagrams for forward stroke) = 3.60 lb.
- v (for forward stroke, including angular motion of connecting rod) = 4.726 ft. per second, connecting rod being $5\frac{1}{2}$ times the length of crank.

From equation (2) $p_c = 8.76 + 18.03 - 1.00 = 25.79$, or above atmosphere = 11.36
 " " (3) $p_c = 22.89$ " " " " = 8.46

Mr. BUEL gives this average pressure p_c as approximately 20.52 lb.; but this would be more than the arithmetical mean of initial and terminal pressures; in other words, in order to be correct, the compression line would have to be concave instead of convex to the atmospheric line.

If steam is admitted before the end of the stroke, the average cushion pressure would have to be obtained from the indicator diagram, which would doubtless give the actual average pressure in any case more accurately than the theoretical mean obtained from equation (3).

As before stated, this argument is predicated upon the hypothesis of disconnection of the crank pin. In point of fact, although the acceleration of motion of the piston is greatest at the very end of the stroke, when the resistance of the cushion is also greatest, yet this acceleration does not diminish towards the point B with anything like the rapidity of diminution of the cushion pressure; (in the Harris-Corliss engine the value of piston acceleration at the instant of termination of stroke is but $\frac{1}{4}$ of a lb. more than given by expression $\frac{Wv^2}{64.33 A d}$,

whilst the compression pressure by card mounts up to 33 lb.); consequently, the cushion pressure at commencement of compression cannot be sufficient to absorb entirely the vis viva which is given out by diminution of velocity of piston, part of the vis viva is still transferred through the crank pin, and the average cushion pressure required is somewhat less than demanded by formula (2), not more, certainly, than is given by formula (3).

MEADVILLE, PENN., November 1, 1875.

The Hocking Valley Strike. - COLUMBUS, Ohio, Nov. 8.—The coal-miners' strike in Hocking Valley continues. The operator, who last week acceded to the demands of the miners has withdrawn his agreement because other operators refuse the advance to sixty cents per ton. The miners at the Tunnel mines, Perry County, who have been paid sixty-two cents, are on a strike for sixty-eight cents. Five coal trains on the Hocking Valley road have been withdrawn.

Nickelisation.—In Plazanet's process a bath is used of 87.5 grammes of sulphate of nickel, 20 sulphate of ammonia, 17.5 citric acid and two litres of water. A bath much used in France is formed of a solution of four parts of nitrate of nickel in four of liquid ammonia, and 150 water, in which fifty parts of sulphate of soda have been dissolved. Using a moderately weak current the operation is at an end in a few minutes. There is no need to interrupt it by taking the objects out and brushing them. When the film of nickel is of sufficient thickness the objects are withdrawn from the bath and dried with sawdust.

Gallium.

We gave lately an abstract of the memoir presented by the discoverer of the new metal, gallium, to the Academy of Sciences. M. Lecoq's note in full is as follows: (1) The oxide, or, perhaps, a subsalt, is precipitated after some time by metallic zinc from solutions of the chloride and sulphate. It does not appear to be the metal itself which is reduced by zinc. (2) The chloride is precipitated by a small quantity of ammonia. In a mixture containing an excess of chloride of zinc, the new body is precipitated before the zinc when the liquid is thus treated by ammonia. After the second precipitation the proportion is small, nearly all being found on the first fractionation. (3) Even in conditions which ought to correspond to a state of preoxidation the oxide is soluble in an excess of ammonia. (4) The salts are precipitable by hydrosulphide of ammonium, an excess of which does not appear to redissolve the precipitate to any great extent. (5) The salts are precipitated by hydrosulphuric acid in presence of acetate of ammonium and much free acetic acid. In the presence of zinc the new body is concentrated in the first-formed sulphides. Yet six successive precipitations have been required to separate it, within a trace, from the sulphide of zinc. (6) The salts are not precipitated by hydrosulphuric acid in a solution slightly acidulated with hydrochloric acid. (7) The oxide is redissolved in an excess of carbonate of ammonium, at the same time with the zinc. (8) The extremely small amount of the substance at my disposal has not allowed me to isolate the new body from the excess of zinc which accompanies it. The few drops of chloride of zinc in which I have concentrated the new substance give, under the action of the electric spark, a spectrum composed principally of a line in the violet, narrow, easily visible, having a place close to the number 417 of the scale of wave-lengths. I also perceived a very faint streak near No. 404. (9) The sulphide is really insoluble in an excess of hydrosulphide of ammonium. (10) Although the quantity at my disposal is very small, I have obtained the chloride in such a state of concentration that the ray No. 417 is already very distinct under the action of the induction spark. (11) The chloride gives the ray 417 in the gas flame, but it is feebler than with the spark passed over the solution. (12) The salts are easily precipitated in the cold by carbonate of barium. (13) In a mixture with a large excess of chloride of zinc the new body is precipitated by the hydrosulphide of ammonium with the earliest portions of the sulphide of zinc. (14) Repeated evaporations with a large excess of *aqua regia* do not appear to occasion any loss by volatilisation of the chloride. (15) The sulphide, it seems to me, will be white, like that of zinc. This point will be cleared up after a complete purification of the substance. (16) When hydrated chloride of zinc containing traces of the new body is heated so as to form a small quantity of oxychloride of zinc, the whole amount of the gallium remains in an insoluble condition, under the form, as I suppose, of an oxychloride. (17) The spectrum is more brilliant with a spark of medium length than with a very short spark.—*Iron.*

The Construction of Gasworks.*

By HARRY EDWARD JONES, Assoc. Inst. C. E.

CONTINUED FROM PAGE 429.

MR. H. GORE remarked that in the case of a large retort house, capable of manufacturing 1,000,000 cubic feet of gas per day, a certain quantity of coals was required, and, in order that it might be properly carbonized, a sufficient amount of fuel was needed to heat the retorts. Common sense would suggest that the less the volume of cooled air admitted into the furnace the better, and also, that the deeper the fire, commensurate with the construction and solidity of the furnace itself, the better for the purposes in view. Every time an ordinary furnace was opened a cooling effect would be produced, and when fuel was put on, the combustion would be comparatively incomplete until a fresh supply was required. This was sufficient to demonstrate one advantage in connection with a stage house. Another advantage was the facility for rapidly drawing and charging the retorts. When he had the control of a retort house connected with the Chartered Gas Company in Horseferry Road, he was in the habit of timing the charging of the retorts as compared with a ground-floor house, and he found that he could charge five, seven, or eight retorts in a stage house in a third less time than in one built on the other plan. Much, also, was favorable in the stage system to the comfort of the men employed. So confident was he of the advantage of the stage house, that in reconstructing a gasworks in South America he made a pit in front of the retorts, for the purpose of gaining the advantage of a deep fire, less frequent opening of the furnace door, and facilities for drawing and charging. The cost of coal at Valparaiso was £2 15s. 6d. per ton delivered in the retort house, and the saving effected by the use of deep fires was 33 per cent. of fuel. The system of setting a large number of retorts to a single fire was, he believed, to a certain extent wrong. If the terminal retorts in any large setting were to be of a temperature sufficient to carbonize the coal perfectly, the retorts immediately above the furnace must be at such a temperature as would more or less destroy the illuminating power of the gas, unless these retorts were charged with cannel coal. It was essential to the carbonization of cannel coal that it should be effected as quickly as possible; therefore, high heats were absolutely necessary. In Aberdeen, in order to obtain rapid carbonization, it was now the practice to set three retorts to two furnaces; they were worked at three-hours' charges, and the illuminating power of the gas produced was from 26 to 30 candles. With regard to condensation, he wished to ask what was really meant by it. If it was desired to make good gas, the method of procedure of the manufacturers was extraordinary. He always thought it an object to keep as much as possible of the light-giving material in contact with the conveyance employed to transmit it to the burners, especially where coals of a different chemical constitution were used in the process of manufacture, such as a mixture of ordinary bituminous coal and cannel. It was well known that the gases resulting from such a mixture were simply in mechanical contact, and anything which impaired this contact must cause the partial precipitation of the light-forming constituents. He had noticed curious illustrations of the effect of this condensation in gasworks in South America, the result of mixed gases passing through small apertures. The company with which he was connected were bound by the terms of their concession to supply gas of 19-candle illuminating power. In order to produce this, he used from 20 per cent. to 25 per cent. of Boghead or other rich Scotch cannel, 20 per cent. of English or Australian bituminous coal, and the residue of Chile coal. This mixture gave about 10,000 cubic feet per ton of 21-candle gas, measured at the works. The temperature of the gas was never below 60°, generally from 68° to 70°. So long as the gas was conveyed through ordinary-sized mains, or service pipes of tolerably large diameter, no inconvenience was experienced from reduced illuminating power; but whenever it entered small service pipes or

fittings, condensation of the hydro-carbons took place. In order to test this accurately, he placed several screens of wire gauze in a condenser, similar to a plan he had seen at Geneva, which was, he believed, a suggestion made by the late Mr. GEORGE LOWE. Three screens removed the greater portion of the naphtha and hydrocarbon oils. This principle was in effect the same as that recently patented in England by MM. PÉLOUZE and AUDOUIN, of Paris. It formed an admirable condenser for gas from ordinary bituminous coal, which was of low illuminating power, and comparatively homogeneous; but when gas was manufactured from mixed coal, it was very injurious, as it caused the light-giving constituents to be precipitated by the concussion of the particles of gas against the sides of the apertures through which it was forced. To some extent he indorsed the opinions of Mr. LIVESEY, believing as he did that the facility with which capital was raised in this country had placed gas engineers in their present position. If a paper had been read from twenty to twenty-five years ago, describing the processes then in vogue, it would have been a duplicate of that now brought forward. In other branches of the engineering profession there had been vast improvements; gas engineering was at a standstill; and simply because the incentives to improvement—that of setting brains to work instead of bank-notes—had been wanting. Let those incentives be brought into action, and the day would not be far distant when gas engineering would advance as other branches of the profession had done.

Mr. A. F. WILSON expressed surprise that the author had omitted to mention almost anything that had not been known for the last twenty years, and had given so little indication of his ideas of possible improvements. He could not but conclude that the reticence was intentional. No paper, with such a title, was complete, that did not include an exhaustive consideration of the principles of gas-making. Works should be subordinate to the method, not the method to the works. He agreed that one of the main points to be considered was the retort house; but the retorts themselves, not the mere shell of the building, should be principally studied. Upon the manipulation of the retorts, and the use of the exhauster, most gas companies depended for their dividends, and improvements in this direction were the chief means of cheapening production. What was greatly needed was to overcome the inability to control the temperature in the retort. Dr. LETHEBY's suggestions only related to the starting points from which distillation began. Nothing was really known of the temperature at which coal was, or should be, distilled, and the sooner that fact was acknowledged the better. A profound ignorance existed as to the effect of temperature on the various combinations formed during the distillation. Coal was put into a glowing retort, and immediately the heat fell. The absorption of calorific by the coal was in excess of the conductivity of the retort; and for a considerable time the heat was low and irregular, only the outer crust of the coal encountering it; and carbonic acid and carbonic oxide were formed in the filtration of gases from the interior, which, under other circumstances, would probably be avoided. The remedy lay in smaller charges, and, if possible, in continuous charging; not in ingenious mechanical stokers, but simple mechanical stoking, with the retorts built to suit the working. Retorts set diagonally, instead of horizontally, would suit, and the coke would be improved by cooling gradually of itself in air-tight vaults, instead of being disintegrated by the present 'drowning-out' process. It did not seem impossible to design such a bed of retorts or such a system of stoking. Want of control over the temperature was felt as an evil by all who really thought of the matter; and there was no doubt gas-making would never be an exact science so long as the present method was pursued. The pioneers in bringing about a change ought to be the metropolitan gas companies, who, although no doubt they must be credited with a certain desire of improvement, were really not earnestly seeking it; and it was to be hoped the law would be altered, so as, without harshly bearing on the shareholders, to stir them up in the matter. He trusted his suggestion would not be lost sight of, as to obtaining some useful data, from those persons in a position to give it, of the comparative advantages of very large works, such as that at Beckton, with its facility of position for the receipt of coal, and its concentrated apparatus and superintendence, but with the attendant disadvantages of distance from the field of supply of gas and coke, entailing the necessity of large trunk-mains, and loss in the wholesale removal of the coke, as against smaller works more centrally situated for the supply of both. He inclined to the former, although conversant with both sides of the question.

Mr. H. E. JONES, in replying upon the discussion, said he felt that the principal points raised in the paper were such as called for discussion. Believing as he did that the construction of gasworks in the metropolis had lately been drifting in a direction that was needlessly expensive, he had addressed himself to the task before him; and if the paper failed to carry conviction, it would at least have served the purpose of eliciting the views of those who differed from him. With regard to Dr. LETHEBY's remarks on the temperature best suited for carbonizing, he believed every engineer would agree that low temperature failed to secure the best results from coal, having regard both to quantity and quality. What was wanted was the greatest number of candles that a ton of coal could be made to equal in illumination; and that could not be obtained by a low temperature, the employment of which was an imitation of the process of the mineral oil maker, who endeavored to get all the liquid product of distillation he could, to the exclusion of the gaseous product. The gas-maker, on the other hand, used a high heat to obtain permanent gas with as little liquid or tar as possible, robbing the latter of its light hydrocarbons, and leaving it poor in secondary products, not rich, as was suggested. Dr. LETHEBY cast a stigma upon the London Engineers for trucking to the board-room in using a high heat to make much poor gas. That was quite beside the question. The illuminating power was fixed by an independent authority, and that must be obtained, whether the directors liked it or not. The object of the engineers was no other than to obtain the best possible results. In reference to the remarks as to the efficacy of washing gas with strong ammoniacal liquor for removing bisulphide of carbon, he might mention that at the Ratcliff works 36,000 cubic feet of gas per hour were washed by 900 gallons of ammoniacal liquor (from 14 ounces to 18 ounces). According to Dr. LETHEBY's calculation, the bisulphide of carbon normally due to that quantity of gas ought to be combined with the sulphuretted hydrogen in the ammoniacal liquor 133 times over; and if it was said that the liquor would in time get charged and there was an end of its action, the reply was that the liquor was changed every twenty-four hours. Nevertheless, without using lime he altogether failed to modify the bisulphide of carbon. That being so, the sooner the pernicious notion that had been propounded was abandoned the better. The gas was cooled because in winter it had to be distributed through mains, some of them not far from the surface of the ground, which were liable to great fluctuations of temperature; and it was useless to send out a body like gas, containing condensable illuminating vapor, at a temperature of 60°, when, before it reached the burner, it had to pass through a temperature of 30°. It only resulted in filling the syphons with liquid, while the naphthaline, con-

*A paper read before the Institution of Civil Engineers of London, January 12, 1875.

densed out of it, gave the consumer endless annoyance by causing stoppages in the pipes. Mr. LIVESER's only objection to a ground-floor house was that it did not admit of mechanical stoking. But he knew of no patent of any value which sought to imitate exactly by machinery the manœuvres of a human agent. What was wanted was mechanical carbonizing; and to effect that the whole retort house must be swept away. It was obvious that a system having the coals at the top, the gas passing away in the middle, the coke going out at the bottom, and the tar running off elsewhere, would be all that could be desired; but if Mr. WILSON would realise his beau-ideal, he would find serious mechanical difficulties in the way. With regard to the distribution of the liquor at the top of the scrubber, however well it might be arranged, there would always be a gummy oil that would choke up the pores of the material and divert the liquor. Mr. HODGSON JONES referred to some retorts on a ground-floor that had settled; but they would have equally settled with a bad foundation, if built on a stage. Objections had been made to his comparison of the manufacturing wages in a stage and a ground-floor house, and to his taking the figures from the Home Secretary's returns, which included wages foreign to the stoking house. He had preferred to go to the most authoritative source for his information, rather than travel into the region of speculation, and fall into such serious error as he would show Mr. KIRKHAM and other speakers had done. It was true that the figures he had quoted included a few insignificant charges not due to stoking; but he contended that the comparison was a fair one and substantially correct, inasmuch as in his own case 78 per cent. of the entire sum was for stoking wages, including foremen, scurfers, &c., and all the other companies returned their accounts on the same system. Mr. KIRKHAM's estimate for wages was quite wrong. A gang of men to carbonize 26 tons, in the Rateliff ground-floor houses, was only nine, viz., two scoop-drivers, four stokers, two barrow-men, one fireman, and half a coke-trimmer, one coke-trimmer doing the work for two gangs. The cost came out at 2s. a ton, not 2s. 6d., as Mr. KIRKHAM said, estimating for twelve and a half men, or three more than were actually employed. He had been informed by Mr. HARRIS, of the Chartered Gas Company, who worked both systems, that there was no saving whatever in the wages by the use of a stage house as compared with a ground-floor house. Mr. KIRKHAM put the cost of a stage house for 1,000,000 cubic feet at £22,190; and he was glad to hear that statement, because Mr. MORTON and Mr. WOODALL seemed to doubt that they cost so much, and stated that they made houses for little more than half the money. In allotting only £3,500 as the extra cost of the stage, he thought Mr. KIRKHAM had overlooked the foundations required for the extra height of the walls, and the additional thickness of the walls of the whole building, rendered necessary by the expanding and contracting of the iron stage, which was subject to extreme variations of temperature; indeed in no other way could he account for so high a figure of total cost as that given. Mr. KIRKHAM's remarks on gasholders, of which he had constructed a large number, were entitled to great respect; nevertheless, such holders as he disapproved were found to work well, and not to be subject to the difficulties suggested. His plan of tying down the sheets to the truss obviously threw unequal strain upon them, and prevented their taking that form in which they bore equally over their area the strain due to the entire weight of gasholder.

The Lackawanna Steel Mill, Scranton, Pa.

On the 23 ult., the Lackawanna Iron & Coal Co. made the first cast in its new steel mill, at Scranton. This magnificent establishment is admirably situated, as far as the supply of fuel is concerned, and is also so located as to command a variety of ores at moderate prices. The following description of the works we take from the *Scranton Republican*:

"The building consists of a cupola room, 44 feet span, 71 feet long, and 49 feet high to eaves; a converting room, 84 feet span, 124 feet long, and 31 feet high; an engine room, 54 feet span, 77 feet long, and 26 feet high; a boiler room, 46 feet span, 73 feet long, and 16 feet high to eaves, all arranged so as to form a rectangle of 124x120 feet.

"In the cupola room are located four cupolas of seven and a half feet in diameter, four feet in depth of tuyeres, and fifteen feet in depth of charging doors, each capable of smelting five tons in thirty minutes; also, two six-ton ladles mounted on scales for receiving the molten pig-iron from the cupolas, and in which it is weighed before being converted into steel; also, two reverberatory furnaces for smelting the franklinite, the office of which is to impart to the converted product its requisite hardness and to remove impurities.

"In each end of the cupola room is located a hoisting tower, furnished with a hydraulic elevator of six tons capacity and fifty feet travel.

"The converting room contains two five-ton converters of eight feet external diameter and fifteen feet high. These are lined with refractory material, ten inches thick at the bottom of the vessel, and are provided with trunnions eighteen inches in diameter, and with a hydraulic gear for rotating, mounted on massive beams and columns.

"The center of the converters are ten feet nine inches above general level.

"The casting-pit is situated immediately in front of the converters, and is 38 feet in diameter, two and a half feet deep, and commanded by a central hydraulic ladle-crane of twelve tons capacity.

"The crane is swung over the several ingot-moulds in rotation, when the liquid metal is tapped by a system of machinery, allowing it to flow from the bottom of the casting ladle to avoid the slag becoming mixed with the steel. The slag forms in a solid crust upon the surface.

"The first casting, made on Saturday evening, proved eminently satisfactory, and yielded some excellent ingots, but the second was not so happy, and completely demolished the moulds, by reason, doubtless, of the sudden expansion.

"The size of the ingots will depend on the weight of the rail to be produced, but will average twelve inches square and forty-five inches long, and for thirty-two-foot rails sixty-five pounds per yard.

"The hydraulic machinery seems very perfect, and is actuated by a hydraulic duplex force pump having two steam cylinders, 30 inches in diameter, two water cylinders of nine inches in diameter and twenty-four inch stroke.

"The water is forced from these pumps under a pressure of 300 pounds per square inch into a system of pipes which communicates with the various hydraulic motors throughout the works.

"In the engine room are located two independent horizontal and condensing blowing engines, fifty inches in diameter, and a blowing cylinder 54 inches in diameter and five-feet stroke. These furnish the blast for the conversion to the converters at the rate of 9,500 cubic feet per minute and under a pressure of twenty pounds per square inch, making a loud roaring noise, fairly deafening to hear.

"The boiler house is occupied by a battery of six boilers of the locomotive type, having each 34 square feet grate surface, 1,504 square feet heating surface, and 112 tubes 16 feet long and three inches diameter."

Cost of Lake Superior Charcoal.—The Deperre furnaces pay from \$1.35 to \$1.75 per cord for hard wood delivered at kilns. At this rate their charcoal ought not to cost them over six cents a bushel—at which rate of fuel expense every charcoal furnace on Lake Superior could be made to pay at even the present low prices offered for charcoal iron. We are not surprised, therefore, to learn that the furnaces there will continue blowing through the winter.—*Marquette Mining Journal*.

The Condition of Certain Classes of Laborers in England.

WE are reminded, from time to time, of the fact that wages have largely increased in England, and this is undoubtedly, true in nearly every branch of industry; but something more than high wages is necessary to make a satisfactory change in the condition of the working classes. They are ignorant to the last degree, and addicted to all the low vices that are the natural outgrowth of ignorance, so that in many cases the very receipt of high wages only affords a more abundant means for indulging the most degrading instincts.

What could be more sad and humiliating than the condition of things described by Sub-Inspector BREWER, as existing in the workshops of the "Black Country" of England?

Writing his half-yearly report to the Home Secretary, Mr. BREWER, the Sub-Inspector of Factories, says:—"The root of all evil in the Black Country appears to be drunkenness, no matter whether the drinker be puddler, collier, chain or nail maker. The outcry against the colliers and puddlers' wives working is very great; not, perhaps, so much from their influx into the trade, but from the fact that they work night and day, and toil and slave; and for what? Not for the price that straightforward masters would give, but for any price any crafty knave of a master chooses to offer. These people work, and do not stand out for 'tommy' or 'beer' so long as they can get something to satisfy their half-starving families, whilst the ought-to-be bread-winner is luxuriating in some public-house at his ease, in 'training his wippet,' for some future running, on beef steaks and the best of good fare. Day by day I am more and more convinced that this woman's labor is the bane of this place. Nor do I confine this remark to the nail and chain trade alone. It was only the other day that a young woman, addressing me, said: 'I say, master, I wish you would make my man do a little more work and me less! I married a swell, I did.' On my inquiring what she meant by a swell, she replied: 'Why, when I married him in the morning he had a smart gold watch and chain, and a smart dickey; but when we came to go to bed at night, I'm blessed if he had e'er a shirt on; and ever since I've had to keep him by working in the brickyard, and not only keep him, but find him money to drink.' Nor is this state of things confined to the Black Country. I went one day over to Bromsgrove, and in conversation with a nailer, to whom I preached my usual sermon on women's labor, and the growing custom of idle, lazy young lads looking out for skilled industrious wives, in order to obtain 'an easy life,' he said: 'That is true! There is my wife's brother, who got a decent girl into trouble and then wouldn't marry her, though we all did what we could to persuade him; for he said he weren't a-going to marry a lass as couldn't work; and he should look out for a nailer, and has found one.' The evil of this is, that in marrying a girl that can work they both marry young, but neither has anything put by, and they must needs run into debt for the little furniture and tools they require. Things go on smoothly for a short time, perhaps, and the skillful wife keeps not only the house going, and her lord and master in drink, but, in addition, pays off the debt. But the day of reckoning comes in the shape of one baby, and then another; then sickness, and other troubles, and the once skillful wife is now a haggard untidy woman, no longer able to earn much. Starvation is in the house, and where, then, is the legitimate bread-winner? If he has ever attempted to work, his career of idleness has caused his hand to lose its craft, or a course of drunkenness has so debilitated him that he can no longer stand the fatigue and heat. Nor is this the whole of the mischief. Whilst the mother toils and slaves, the children are left uncared for, to wander shoeless and in rags, till they are old enough to blow the bellows for their father at a miserable pittance per week—to be kicked and cuffed, hear filthy, indecent, and blasphemous language, and are then sent into the shop amidst men degraded by drink and gambling, in time to follow the same course. Take, again, the instance of a collier's wife in the Black Country, who works at chain-making about ten hours a day, for which she is paid 8s, though, if she had taken her work to an honest master, she might have had 12s. Out of this, before she can take any for herself, she has, probably, to pay 1/6 for a child hired to nurse her baby, whilst she works; 2/ a week for her breezes (i.e., firing for her nail-making), and 1/ for the hire of her stall, leaving her half-a-crown for her subsistence. It is true, this may not be the same in every case; but in far too many it is. My experience is, that the chief encouragers of such labor as this are the 'middlemen,' the 'foggers,' and the 'drunkards.' Intelligent chain-makers suggest that all females commence work not earlier than eight a. m., and do not work later than seven p. m.; that every occupier or owner of a chain-shop should be served with a copy of the rules of the trade, which it should be compulsory by law to have hung up in the shop; that the factory act holidays be applied to chain shops. The 'middlemen' are a great curse to the trade, for to such the poor drunkard flies who cannot carry on from week's end to week's end, to receive the wages of a few hours' labor, and, of course, at reduced prices. The woman with a drunken husband is much in the same plight. Lots of these 'middlemen' keep public-houses and 'tommy' shops, and carry on a system of 'truck.' Thus, if a workman would decline to spend his money at his employer's house, he gets no more work, and cannot, therefore, refuse. Drink they must have, and drink they will have, whether they starve their families or not. The sanitary condition of the shops is often bad. Women, certainly, work often in an advanced state of pregnancy; but then, in the chain shops most of it is handwork and no oliver. Not many days since a tale was related to me, by an ironmaster, of what happened in a brickyard, near Bilston, a short time back. The manager noted a girl, carrying clay, looking exceedingly ill. Thinking she had been drinking over night, he exclaimed: 'Why, Clara, you don't look up to much this morning?' 'No more would you,' was the retort, 'if you had had a child during the night.' On another occasion I called in at Mrs. COOLIS' school, close to which was a chain shop. After the visit to the school I called in at this chain shop, and found a tall, lanky boy 'blowing.' I said, 'I supposed he was 13?' This he indignantly denied. To my question if he went to school, I got the reply that 'his mother said he was not to go.' 'Where is your father?' 'In jail.' 'What for?' 'For deserting mother and us.' The following is the truth of the story:—Her husband, an anchor smith, could earn £3 a week. For eight months he had not given her a penny. She had a large family, which she supported as best she could. The poor woman, at last getting wearied out, threw herself on the parish, who prosecuted her husband, and the justices sent the man to jail, though he offered to pay all expenses."

Lake Superior Iron Ore Shipments.—It will be seen by our tabular statement that the lake shipments of ore for the season about to close, were, up to November 3rd, 743,103 tons, against 747,161 tons up to the 5th of the same month last year—a falling off of only 4,058 tons. The total shipments last year were 880,147 tons up to the close of navigation. A comparison of figures at the close of the present season will show a decreased production by at least 100,000 tons.—*Marquette Mining Journal*.

Arrangements for the Centennial.

The Exhibition will be opened on May 10th, 1876, and remain open every day, except Sunday, until November 10th. There will be a fixed price of 50 cents for admission to all the buildings and grounds.

The Centennial grounds are situated on the western bank of the Schuylkill River, and within Fairmount Park, the largest public park in proximity to a great city in the world, and one of the most beautiful in the country. The park contains 3160 acres, 450 of which have been enclosed for the Exhibition. Besides this tract, there will be large yards near by for the exhibition of stock, and a farm of 42 acres has already been suitably planted for the tests of ploughs, mowers, reapers, and other agricultural machinery.

The Exhibition buildings are approached by eight lines of street cars, which connect with all the other lines in the city, and by the Pennsylvania and Reading railroads, over the tracks of which trains will also run from the North Pennsylvania and Philadelphia, Wilmington and Baltimore railroads. Thus the Exhibition is in immediate connection with the entire railroad system of the country, and any one within 90 miles of Philadelphia can visit it at no greater cost than that of carriage hire at the Paris or Vienna Exhibition.

The articles to be exhibited have been classified in seven departments, which, for the most part, will be located in appropriate buildings, whose several areas are as follows:

Department.	Buildings.	Acres Covered.		
1. Mining and Metallurgy,	Main Building.	21.47		
2. Manufactures,				
3. Education and Science,				
4. Art,			Art Gallery	1.5
5. Machinery,			Machinery Building	14.
6. Agriculture,			Agricultural Building	10.
7. Horticulture,			Horticultural Building	1.5
Total.....		48.47		

This provides nearly ten more acres for exhibiting space than there were at Vienna, the largest International Exhibition yet held. Yet the applications of exhibitors have been so numerous as to exhaust the space, and many important classes of objects must be provided for in special buildings.

An important special exhibition will be made by the United States Government, and is being prepared under the supervision of a Board of Officers representing the several Executive Departments of the Government. A fine building of 4½ acres is provided for the purpose, space in which will be occupied by the War, Treasury, Navy, Interior, Post Office, and Agricultural Departments and the Smithsonian Institution.

The Women's Centennial Executive Committee have raised \$30,000 for the erection of a pavilion in which to exhibit every kind of women's work. To this collection, women of all nations are expected to contribute.

The list of special buildings is constantly increasing, and present indications are that their total number will be from 200 to 250. Most of the important foreign nations—England, Germany, Austria, France, Sweden, Egypt, Japan, and others—are putting up one or more structures each, for exhibiting purposes, or for the use of the commissioners, exhibitors and visitors. Offices and headquarters of this kind, usually of considerable architectural beauty, are provided by the States of Pennsylvania, Ohio, Indiana, Illinois, Michigan, New Jersey, New York, Connecticut, Massachusetts, New Hampshire, Missouri, Kansas, Virginia, West Virginia, Nevada, Wisconsin, Iowa, and Delaware; and it is likely that others will follow the example.

A number of Trade and Industrial Associations, which require large amounts of space, will be provided for in special buildings. Among these are the photographers, the carriage builders, the glass makers, the cracker bakers, the boot and shoe manufacturers, besides quite a number of individual exhibitors. The great demands for space will probably render this course necessary to a considerable extent, especially for exhibitors who have been tardy in making their applications. In the Main Exhibition Building, for example, 333,300 square feet of space had been applied for by the beginning of October, by American exhibitors only, whereas the aggregate space which it has been possible to reserve for the United States Department, is only 160,000 square feet, about one-third of which will be consumed by passage ways.

The Machinery Building, like the others, is already fully covered by applications. There are about 1000 American exhibitors in this department, 150 English, and 150 from other European countries—which is about 250 more than entered the Vienna Machinery Exhibition. Extra provision is being made for annexes to accommodate the hydraulic machinery, the steam hammers, forges, hoisting engines, boilers, plumbers, carpenters, etc.

Power in the Machinery Hall will be chiefly supplied by a pair of monster Corliss engines. Each cylinder is 40 inches in diameter, with a stroke of ten feet; the fly-wheel is 31 feet in diameter, and weighs 55 tons; the horse-power is 1400; and the number of boilers is 20. This engine drives about a mile of shafting.

For the Art Exhibition, the most eminent American artists are understood to be at work, and it may be confidently stated that, especially in the department of landscape painting, the United States will present a finer display than the public has been led to expect. Quite aside from the contributions of American artists, applications from abroad call for more than four times the exhibiting space afforded by the great Memorial Hall. Provision for the surplus will be made in temporary fire-proof buildings, though all exhibiting nations will be represented in the Central Art Gallery.

More Good Blast Furnace Work.—HENRY FORD, Esq., general manager of the Bangor (Mich.) furnace, sends the *Marquette Mining Journal* the following report of the make of that furnace for the two months ending October 31st:

BLAST ENDING SEPT. 30.

Furnace run—4,145 charges, 25 bushels of coal to the charge. Gross tons iron made—69½ No. 1, 18½ No. 2, 36 No. 3, 22 No. 4, 7 No. 5, 8 No. 6—total, 957½. Bushels charcoal per ton of iron made, 108½; yield of ore, 61½ per cent. Stopped six hours, making actual running time 29¼ days—an average of 32 1-5 tons per day.

BLAST ENDING OCT. 31.

Furnace run—4,494 charges, 25 bushels coal to the charge. Gross tons iron made—913½ No. 1, 126½ No. 2, 23½ No. 3, 8½ No. 4, 1½ No. 5—total, 1073½. Bushels charcoal per ton of iron made, 104½; yield of ore, 61½ per cent. Stopped six hours, making actual running time 30½ days—an average of 34½ tons per day.

BLAST REPORT FOR TWO MONTHS ENDING OCTOBER 31.

Furnace run—8,639 charges, 25 bushels coal to the charge. Gross tons iron made—1608½ No. 1, 316 No. 2, 59½ No. 3, 30½ No. 4, 8½ No. 5, 8 No. 6—total, 2031. Bushels coal per ton of iron made, 106½; yield of ore, 61 3-5 per cent.

Stopped 12½ hours, making actual running time 60½ days, with an average of 33 3-5 tons per day. Mr. FORD informs us that at least one-fifth of the coal used was made from soft wood, but neglects to state the kind of ore used.

SELECTED LIST OF PATENTS.

FOR THE WEEK ENDING NOV. 6, 1875.

RELATING TO MINING, METALLURGY, GAS MAKING, ENGINEERING, &c. REPORTED FOR THE "ENGINEERING AND MINING JOURNAL" BY LOUIS BAGGER & CO., SOLICITORS OF PATENTS, WASHINGTON, D. C.

169,033. Inclined Revolving Puddling Furnaces, Charles Pernot, St. Chamond, France.—In this furnace are combined an inclined rotating and removable hearth, arranged to leave an open joint between the hearth and the body of the furnace, and a regenerator from which heated gases are passed to the furnace under a pressure greater than that of the external atmosphere. The inclined revolving hearth is run into the Siemens furnace on rails, and, by revolving, mechanically puddles the iron. The joint is kept open, the internal pressure of the gases, caused by their expansion in the regenerators, and additional expansion or bursting into flame in the hearth being sufficient to exclude the air.

169,047. Puddling Furnace, C. J. Scofield, Clayton, near Manchester, Great Britain.—The annular chamber contains water in which the annular hearth revolves on friction rollers. Flame and products of combustion enter the annular chamber from the fire at one side, and dividing into two streams, find exit at the other, impinging on the metal in the revolving annular hearth. A mechanical tool puddles the iron, and a slide let down through the top of the chamber dips into the revolving hearth, across which it is obliquely arranged, and diverts the puddled iron upon a shelf leading out of the furnace. The iron is removed through a door opening in front of the shelf.

169,071. Three-high Rolling-Mills, J. I. Williams, Millvale, Pa.—The middle roll is balanced by weights and levers, to the last named of which is attached a crosshead, connected to and raised and lowered by the piston of a steam cylinder. Attached to the bearing of the middle roll is a small fore-plate, which moves with the roll and its bearings.

168,909. Gas Apparatus, Charles Lord, Shelbyville, Ind.—For crude oils, fats, and resins. The gas material is heated in the feed-pipe, which coils in the furnace, is vaporized in the inner iron retort and the vapors are fixed in the outer clay retort. The liquid gas material cannot touch and penetrate the clay retort, and the iron retort is protected from the severest heat.

169,037. Manufacture of Gas for Burning and Lighting, T. B. Redwood, Fairlawn Finchley, England.—This claims to be an improvement in the manufacture of permanent gas rich in carbon, and consists in bringing hydrocarbon vapor, together with water gas, into contact with a largely-extended and highly-heated surface of copper and alloy of copper.

168,906. Gas Washing Machinery, T. K. Lees, Brooklyn, N. Y.—A revolving vertical shaft, provided with horizontal perforated disks, is mounted centrally in a cylindrical case. Below each disk is a grating of wood. Water enters at the top of the case, and is showered down through it, while the gas passes up from below. The disks are corrugated concentrically, to prevent the water being thrown off at their peripheries by centrifugal action.

Notes.

An Important Decision has just been rendered by the Supreme Court of Iowa, to the effect that railroads are liable for damage caused by fire from sparks from locomotives.

A new Siemens Furnace, of twenty tons capacity, and a new train of rolls, seventy-eight feet by thirty feet in dimensions, are being erected in the Chester, Pa., rolling mills.

Professor Bell, the Canadian Geologist, is at work on the North Shore, in behalf of the Dominion Government, collecting mineral and geological specimens for the Centennial Exposition at Philadelphia.—*Portage Lake Mining Gazette.*

Messrs. Hillard & Holland, of 62 and 64 Gold street, N. Y., are offering railway and machinists' supplies at prices which should attract attention; the facilities and experience of the firm enable them to produce goods of the best quality at the lowest cost, and dealing direct with the consumers, these obtain an important advantage. We note their cast-iron elbows of size from ¼ inch to 8 inches, at from .02 to \$5 10; tees of the same sizes from .04 to \$7 56; brass globe valves from ¼ inch to 3 inches, at from 31 cents to \$7 00; malleable iron fittings, 12 cents per lb., net; water gauges from \$1 85; lubricators for steam cylinders from \$1 25; gauge cocks from 50 cents; Messrs. H. & H.'s brass straightening valves, sizes from ½ inch to 3 inches, at from 72 cents to \$13 50. The mere mention of these prices is sufficient; they are claimed to be from 25 to 50 per cent. below current market prices of goods of similar quality.

Nederland Mill Report, Colorado.—This mill works the ores from the Caribou mine in Boulder County, Col., and, occasionally, custom ores from the vicinity. Of late the ores of the Caribou have decreased very much in value, and the quantity raised per month is not at all commensurate to the large price paid by Dutch capitalists for the property. By economical management it has, however, been possible to continue running the works. The ore is roasted and chlorinated in Brückner cylinders preparatory to amalgamation.

The following monthly statement of the mill work for September speaks for itself:

	TONS.
Caribou ore (mine)	151,808
Caribou ore (dump)	81,312
Custom ore	13,080
Total.....	246,200 tons.

Average assay of Caribou ore received	43.6 oz. per ton.
“ “ “ “ from dump	26.2 “ “ “
“ “ “ “ Custom ore.....	87.4 “ “ “
“ “ “ “ Tailings	4.3 “ “ “
Average Chlorination	89.1 per cent.
Time for roasting a charge	11 hours.
(A charge contains 3,700 lb. of ore and 175 lb. of salt.)	

RESULTS.	
425 pans produced.....	1450 lb. Amalgam.
25 “ scraped produced.....	1,310 “

Total put in retort	2,760 lb.
Retort of crude bullion produced.....	675 lb.
Weight after refining (6 bricks).....	9,260 oz.
Average fineness	0.8929

WORKING EXPENSES.	
Pay Roll	\$2,065 55
Apparent loss of Quicksilver, 0.5 lb. per ton of ore, at \$1 00	123 10
Salt, 27,440 lb., at 2½c.	583 10
Wood, 358 cords, at \$3 00	1,074 00
Oil, Candles, etc.....	100 00
Total.....	\$3,945 75

Total running time.....21 days.

STATISTICS OF COAL PRODUCTION.

Duties. Anthracite free, Bituminous, per ton of 28 bushels, 80 lb. to the bushel, 75c., gold. All slack, or cain, such as will pass through a half-inch screen, per ton of 28 bushels, 80 lb. per bushel, 40c. gold. Not otherwise provided for, per ton, 40c. gold.

This is the only Report published that gives full and accurate returns of the production of our Anthracite mines. Comparative Statement for the week ending Nov. 6.

Table with columns for 1875 and 1874, subdivided into Week and Year. Rows include Wyoming Region, Lehigh Region, Schuylkill Region, Sullivan Region, and Total.

* Year beginning January 1st. The above table does not include the amount of coal consumed and sold at the mines, which is about seven per cent. of the whole production.

The following Table does not give the entire production of our Bituminous mines, but it is by far the fullest report published.

The Production of Bituminous Coal for the week ending Nov. 6, was as follows:

Table listing production of bituminous coal by region (Cumberland, Barclay, Broad Top, Clearfield, Allegheny, Pittsburgh) and railroad (Chesapeake and Ohio RR).

The Production of Coke for the week ending Oct. 28. Tons of 2000 lb. Week. Year.

Table showing coke production by region (Tyrone and Clearfield, Allegheny, West Penn., Southwest Penn., Penn. & Westmoreland, Pittsburgh) and Total.

The receipts at Port Richmond for the week were 45,000 tons, shipments 50,000 tons, and balance on hand 195,000 tons.

The decrease of shipments of Cumberland Coal over the Cumberland Branch, and Cumberland and Pennsylvania Railroads amounts to 80,686 tons.

The Exports of Coal from Baltimore for the week were 782 tons, and for the year, 33,554 tons as compared with 65,366 tons to the corresponding time in 1874.

Receipts of Coal at Boston, for week ending Nov. 5, and years from September 1st, 1874 and 1875.

Table comparing coal receipts at Boston for 1875 and 1874, categorized by source (Alexandria and Georgetown, Philadelphia, Baltimore, etc.).

Shipments from Pictou, N. S., for the week ending Oct. 23:

Table showing coal shipments from Pictou, N.S. to United States, West Indies, South America, Canada, and Other Provinces.

Belvidere Delaware RR. report: Receipts of coal at Coal Port (Trenton), South Amboy.

Table showing coal receipts at Coal Port (Trenton) and South Amboy for 1875 and 1874.

Shipments from Block House, Cow Bay, C. B., to the following destinations, from Oct. 15 to Oct. 25, 1875:

Table showing coal shipments to Provinces, West Indies, and United States for the week of Oct. 15-25, 1875.

COAL TRADE REVIEW.

NEW YORK, Friday Evening, Nov. 12, 1875.

Anthracite.

The demand for anthracite coal is much smaller than a week ago. Firms, who last week could not supply the demand for certain sizes, now find it requires an effort to move them. The greatest demand is for chestnut coal, which is followed by stove. Egg and broken sizes are, in most cases, dull, while lump and steamer are exceedingly quiet.

The Philadelphia Public Record, of the 6th inst., describes the situation in that city as follows:

"At Port Richmond the wharves and sidings are blocked full, while Smith's Island and other places for storing coal are all full to their utmost capacity. It is, therefore, impossible for coal shipments to continue. Great efforts are making to increase sales, and the charge is freely made that offers are accepted that are below the schedules of the combined companies.

The Pennsylvania Coal Company has reduced its retail prices, and quotes, per ton at yard, as follows: Grate and egg, \$5 70; stove, \$6, and chestnut, \$5 30. These are reductions of 50 cents per ton on grate and egg; 40 cents on stove; and 30 cents on chestnut.

The Production of anthracite coal for the week ending November 6, was 460,462 tons, and from January 1, 1874, 16,437,331 tons. The production for the corresponding week of 1874 was 450,347 tons, and from January 1, 1874, 17,066,970 tons.

Close of the Legislative Investigation into the Affairs of the Reading Company.—A dispatch from Philadelphia, dated yesterday, says:—The Joint Committee to investigate the affairs of the Philadelphia and Reading Railroad Company and the Philadelphia and Reading Coal and Iron Company held a final meeting to-day and agreed upon the character of a report to be submitted to the Legislature. There was a general unanimity of opinion among the committee. It is understood the committee hold that the constitutionality of the act incorporating the Philadelphia and Reading Coal and Iron Company is only for the decision of the courts, and not for the committee of the Legislature, and they recommend that the evidence taken in the case be submitted to the Attorney General for his examination, he being the proper law officer to institute proceedings against the corporation, should the facts warrant such action.

THE CHARGE OF CONSPIRACY TO REGULATE THE PRICE OF COAL.

The committee thinks that the combination has not been injurious to the public, and if it should become detrimental hereafter the law can be resorted to to remedy it.

Bituminous.

The output of bituminous coal fell off considerably last week. This was the result of various causes—light demand, election day, and All Saints' Day. Prices are low and somewhat irregular. The Clearfield trade is only fairly maintained, while from several sources we learn that there has been a very much increased demand for Cumberland coal. Many consumers appear to have delayed stocking up for the winter, fearing that their business would not warrant further purchases.

We are receiving very full reports of coal production throughout the country, for this and past years, and are led to anticipate an increase in the production of bituminous coals this year, as compared with 1874.

Foreign and Gas Coals.—There is an occasional cargo of foreign coal arriving on orders. Small sales of domestic gas coals are being made, but the majority of deliveries are on contracts. Prices remain as they have been for months, with no indication of a change this year.

Freights.

Vessels are very scarce at all the shipping ports, and to many ports rates have advanced—especially around the Cape. There is much anxiety on the part of shippers to fill orders to such ports as are liable to be closed early by ice. Many vessels are preparing to lay up for the winter, and some have done so already.

Wholesale Prices of Anthracite Coal for Nov. 1, o. b. at the Tide Water Shipping Ports per ton of 2240 lb.

Table showing wholesale prices of anthracite coal for November 1st, o. b. at tide water shipping ports. Columns include Lump, Steamer, Grate, Egg, Stove, Chestnut, and various locations like Wyoming Coals, Lehigh Coals, and Schuylkill Coals.

Per ton. Freight from Hoboken and Weehawken to New York... 40c. " " Elizabethport & Port Johnston to N. York... 45c. " " South Amboy to New York... 50c. *Freight on Lackawanna coal from Rondout to New York, by boats or barges of the D. and H. Canal Co. 50c. per ton, the expense of towing vessels from New York harbor to Rondout and back will be borne by the Company. † Freight from Port Richmond to New York (free of discharging) 85c. per ton. ‡ Prices to the Trade. § By Canal at New York, Jersey City and Brooklyn, 300 additional alongside. Schuylkill coal is delivered f.o.b. of boats in New York harbor at 50c. per ton additional to these rates. Pittston coal is delivered to carts in New York or Brooklyn at 65 cents per ton in addition to the above rates.

Wholesale Prices of Bituminous Coal.

Table with columns: Domestic Gas Coals, Per ton of 2240 lb., At the Shipping Ports, Alongside in New York. Lists various coal types and prices.

Foreign Gas Coals.

Table with columns: Foreign Gas Coals, Sterling, Am. cur'cy. Lists coal types from Newcastle, Liverpool, etc.

Steam and House Coals.

Table with columns: Steam and House Coals, Broad Top, Cumberland, etc. Lists coal types and prices.

Retail Prices in New York.

Table with columns: Anthracite, Grate and Egg, Stove, Chestnut. Lists retail prices for various coal types.

Williamsburgh, N. Y.

Table with columns: Lackawanna Coal at Yard, Stove, Egg, Chestnut. Lists prices for Williamsburgh coal.

Bituminous.

Table with columns: Liverpool House Orrel, American, Red Bank Cannel, Cumberland. Lists prices for bituminous coal.

Baltimore, Md.

Table with columns: Reported by our Special Correspondent, Anthracite, Wholesale or Trade Prices. Lists prices for Baltimore coal.

Boston.

Table with columns: Reported by our Special Correspondent, CARGO PRICES TO TRADE. Lists prices for Boston coal.

Buffalo, N. Y.

Table with columns: Reported by our Special Correspondent, Anthracite, Afloat, Retail. Lists prices for Buffalo coal.

Chicago, Ill. Nov. 9, 1875.

Specialty reported by Messrs. RENO & LITTLE, Coal Merchants. Retail prices per ton of 2000 lb. delivered to buyer.

Table with columns: BITUMINOUS, Lehigh Lump, Lehigh grate and egg, etc. Lists prices for Chicago coal.

Cincinnati, O. Nov. 6, 1875.

Table with columns: Reported by our Special Correspondents, Per ton of 2000 lb., Bush, Ton. Lists prices for Cincinnati coal.

Cleveland O. Nov. 10, 1875.

Table with columns: Specially reported by Messrs. WARNER, BATES & Co., WHOLESALE, Per ton of 2000 lb. f. o. b. vessels. Lists prices for Cleveland coal.

Detroit, Mich. Nov. 6, 1875.

Table with columns: Specially reported by Messrs. ROBINSON & KEYS, Dealers in all kinds of coal. Lists prices for Detroit coal.

Erie, Pa. Nov. 6, 1875.

Table with columns: Reported by our Special Correspondent, Wholesale, per ton of 2000 lb. Bituminous f. o. b. Lists prices for Erie coal.

Indianapolis, Ind. Nov. 6, 1875.

Table with columns: Specially reported by Messrs. COBB & BRANHAM, Wholesale on board cars, and retail delivered to consumers. Lists prices for Indianapolis coal.

Louisville, Ky. Nov. 6, 1875.

Table with columns: Specially reported by Messrs. BYRNE & SPEED, WHOLESALE, per bushel. Lists prices for Louisville coal.

Montreal. Nov. 6, 1875.

Table with columns: Specially reported by Messrs. ROBERT C. ADAMS & Co., With the close of our season of importation prices of coal have advanced and are firmly maintained. Lists prices for Montreal coal.

Milwaukee, Wis. Nov. 6, 1875.

Table with columns: Specially reported by Messrs. R. P. ELMORE & Co., Retail price per ton of 2000 lb. Lists prices for Milwaukee coal.

New Orleans, La. Nov. 6, 1875.

Table with columns: Specially reported by Messrs. P. & R. DE VERGES, Wholesale and Retail Dealers in Pittsburgh, Anthracite, Cannel and other Coals. Lists prices for New Orleans coal.

Pittsburgh, Pa. Nov. 10, 1875.

COAL.—There is a fair degree of activity, as there usually is at this season of the year, but operators generally continue to complain that, in consequence of an active competitor, there is little or no margin for profit.

COKE.—Trade continues rather dull, in consequence of the continued depression in the pig iron business; and there does not appear to be much prospect just now of any early change for the better.

Richmond, Va. Nov. 6, 1875.

Table with columns: Specially reported by S. H. HAWES, Dealer in Coal, Per ton of 2240 lb., f. o. b. Lists prices for Richmond coal.

San Francisco.

Table with columns: From the Commercial Herald, Oct. 28, 1875, Imports from January 1st to Oct. 16. Lists prices for San Francisco coal.

Toronto, Ont. Nov. 6, 1875.

The receipts during the week have been of considerable importance, the bulk of which was sold prior to arrival upon terms withheld—spot prices for cargoes not yet placed, more or less nominal.

Toledo, Ohio. Nov. 9, 1875.

Table with columns: Specially reported by Messrs. GOLINE & BARBOUR, Per ton of 2000 lb. on cars. Lists prices for Toledo coal.

Halifax, N. S. Nov. 6, 1875.

Table with columns: Prices per ton of 2240 lb. in gold, Sydney (old mines), Gowrie, Victoria. Lists prices for Halifax coal.

vent a recurrence of the famine prices occasionally obtained here in winter, as it is said coal can be laid down by this route at a cost of seven dollars per ton.

Bituminous coal, which has been a drug in the market all the season, is now inquired for, and stocks appear to be light. An advance of one dollar per ton has taken place, and the loss of 1000 tons of Pictou coal in the steamer *Normanton* will give increased firmness. Quotations are:

Wholesale per ton of 2240 lb.	
Scotch Steam	\$6 00
Cape Breton Steam	\$5 25
Pictou "	5 75
Newcastle Smiths	7 00
Anthracite at retail, per 2000 lb., delivered.	
Egg	\$8 50
Chestnut	8 25
Stove	9 00

Rates of Transportation on Anthracite Coal to Tide Ports.

Lehigh and Wyoming Coals. per ton of 2240 lb.	From Hazleton**			
	From Penn Haven.	From Mauch Chunk.	From Upper Lehigh.	From Ashley and Sugar Notch.
To Newark, N. J., via Central Railroad of New Jersey	2 60	2 46	2 93	2 93
Mauch Chunk, Pa., via Central Railroad of N. J.	14	56	47	71
Phillipsburg, N. J.	99	85	1 32	1 65
Elizabethport, Port Johnston, Hoboken and South Amboy, N. J., shipping and wharfage 35c. add.	2 24	2 10	2 59	2 57
High Bridge, N. J.	2 40	1 95	2 80	2 54
Somerville and Raritan, N. J.	2 80	2 35	2 20	2 35
Elizabeth, Cranford, Westfield & Elizabethport, for consumption, via L. V. R.R. and Morris Canal.	2 60	2 46	2 95	2 93
Jersey City, N. J., and New York, via L. V. R.R. and Morris Canal.	2 85	2 40	3 17	3 24
Andover, via Delaware, Lackawanna and Western R.R.	3 30	3 10	3 70	3 69
Trenton, Somerset Junction and Greensburg, via P. R.R. Belvidere Division	2 65	2 45	3 05	3 04
Trenton, for shipment, including shipping and wharfage	2 11	1 95	2 45	2 46
From Mauch Chunk to New York (towing limits) and Jersey City via Lehigh Valley R.R. and Morris Canal ..	2 37			
From Mauch Chunk to Philadelphia via L. V. R.R. and North Penn. R.R.	1 75			
From Phillipsburg, N. J., to Hoboken for shipment via Delaware Lackawanna and Western R.R., Morris and Essex Division	1 24			
From Lackawanna Junction to Auburn, N. Y., for shipment, via Southern Central R.R. in connection with Pa. and N. Y. R.R.	2 53			
From Lackawanna Junction to Weehawken for Rochester and Charlotte	2 59			
From Lackawanna Junction to Sterling for Oswego, N. Y.	2 02			
To this point for all places between Rochester and Buffalo the rate is	2 53			
* The rate to this point for Syracuse is	2 05			
** Rates on line coal from Hazleton are 10c. per ton above these figures.				
† The cost of unloading is to be added to these rates. No charge less than 40c. per ton will be made for any distance. Tolls from Mauch Chunk to Phillipsburg for way points will be \$1 15 per ton.				
‡ Twenty cents per ton less when five cars at a time to one party. Provided that where the reduction makes the rate \$1 a ton, or less, the rate will be \$1.				
§ 20 cents per ton additional for transferring coal from boat to boat, and 30 cents per ton for reshipment of same from wharves.				
¶ Transportation on Coal destined for re-shipment from this point is 20c. less than above rate.				
The rate for consumption to this point is \$1 80.				

CANAL TOLLS, exclusive of towage, Bordentown to New Brunswick, when towed by the Company's Steam Tugs:
 For Anthracite Coal

Freight on Nova Scotia Coals.
 Pictou, Nova Scotia, to New York

Delaware and Raritan Canal.
 Tolls and Steam Towage.
 Per 2240 lb. Cargoes to exceed 110 tons.

From Fairmount to New York, towing limits within 53d st. 74c.	
" Greenwich " Bituminous	64c.
" " Anthracite	69c.
" Lambertville " Anthracite	6c.
" Port Richmond "	68c.
" " Semi-bituminous coal, 63c.	
" Philadelphia " Cumberland " 58c.	
" Trenton " Anthracite " 37c.	

Towing.
 From foot of 23d Street, East River, and return, per ton

Freights.
 Per ton of 2240 lb.
 Representing the latest actual charters up to Nov. 12, 1875.

Ports.	From Philadelphia.	From Baltimore and Georgetown.	From Elizabethport, Port Johnston, South Amboy, Hoboken and Weehawken.
Augusta, Me.	2 25		
Albany	*85	1 70	
Amesbury, Mass.			
Bangor, Me.	1 00	2 00	1 30
Bath, Me.	1 60	1 70	1 30
Baltimore			
Boston, Mass.	\$1 80	2 20	1 30
Bridgeport, Ct.	*85	1 60	80
Bristol, R. I.			
Cambridgeport, Mass.	\$1 50@1 60		90
Derby		1 60	1 30
Dighton		1 65	
East Cambridge	1 60		
Fall River	1 50	1 60	\$1 30
Hackensack			90
Hallowell, Me.			
Hartford	1 90	2 50	1 30
Hoboken	1 85	1 30	40
Hudson	1 65	1 35	
Jersey City		1 30	40
Lynn, Mass.	1 20		1 30
Middletown			1 00
Mystic			
Newark			
New Bedford	1 35	1 65	90
Newburyport	1 65	1 80	1 45
New Haven	*85	1 60	90
New London	1 45	1 65	85
Newport	1 60	1 45	90
New York	85†	1 35@1 40	40
Norfolk, Va.	1 45†	1 60	
Norwalk	1 50†	1 65	90
Norwich	1 72½	1 65	\$100
Pawtucket			
Philadelphia			
Portland	1 60	1 70	1 30
Portsmouth, N. H.	2 05@2 10	2 20	1 55
Providence	1 50	1 65	90
Petersburg, Va.			90
Portsmouth, Va.			
Poughkeepsie, N. Y.	*85	1 50	
Richmond, Va.	1 45	70	
Rockport			
Saco	2 00		
Sag Harbor			1 00
Salem, Mass.	1 65	1 70	1 30
Salisbury Pt., Mass.			1 50
Savannah, Ga.	*85	1 50	
Stamford			90
Stonington			
Taunton			1 30
Trenton, N. J.			
Troy			
Warren, R. I.			90
Washington, D. C.	1 10		
Wareham		1 65	
Weymouth		1 80	
Wilmington, Del.	1 50	85	
Wilmington, N. C.		1 50	

* And discharging and towing. † And discharging.
 ‡ And towing. § 3c. per bridge extra.
 ¶ The rate to this point by barge is \$1 65.
 †† Afloat.

THE BRITISH COAL AND IRON TRADES.

LONDON, October 30, 1875.
 THE IRON TRADE.
 Prices of both pig and manufactured iron have an inclination to decline. Shipments have stopped, for the season, to many ports. In cases where prices are now firm, concessions are offered for forward delivery. The manufactured iron trade is more quiet than that of pig iron. The great decrease in iron shipbuilding is much felt by makers of iron plates, as is also the substitution of steel boiler plates in large quantities for iron. Rail orders are pretty well worked up, and but few new ones are being received, and even those at very low prices. The prospect is very discouraging for the winter. The financial condition of the iron-manufacturers is very bad. Many are now assisted; with the hopes that they will be able to pass through to better times, but, with the prospects ahead it looks as though there may be much trouble in the near future—

The following are the leading quotations of iron:

	Tees, f.o.b.	Barrow, f.o.b.	Liverpool, on trucks.
No. 1 Pig	54/6	*80/	70/6
No. 2 "	52/	*77/6	
No. 3 "	49/6	*75/	68/
No. 4 Forge	48	74/	65/
Common Bars	142/6@147/6		162/6
Rails	130/@135/		140/@145/

* Bessemer Pig.
 Common bars in South Staffordshire. £8 and marked bars, £10-12/6 for Lord Dudley's. Iron rails in Wales £6 10/@£6 15/, and bars £7 10/; Steel rails, £9@£9 10/. Steel rails at Liverpool and on the East Coast, £9 10/@10 10/.

THE COAL TRADE.
 There is a good demand for house coals, but manufacturing coals and coke are very quiet. In Wales the coal trade is fairly active, although, in some cases, prices are very low. Tyne coals are quoted f. o. b. as follows:

steam, 10/6d.@14/; households, 11/@15/; and gas coals, 8 6d.@10. Hetton gas coal f. o. b. Sunderland is quoted at 20/6d.; common steam coal f. o. b. Liverpool, 10/; South Wales coals f. o. b. Cardiff, as follows: best double screened coal, 12/9d.; colliery screened, 11/3d.@12/; household, 10/; coke, 14/6d.@16/.

THE LABOR MARKET.
 The strike of 13,000 iron ore miners at Cleston Moor, near Whitehaven, terminated on the 23d. inst.—the masters having compromised with the men.
 The North Wales colliers have struck for an advance of 20 per cent. on their wages, and refuse to submit to the 15 per cent. reduction awarded by SERJEANT WHEELER. Public sympathy is against the men because they agreed to abide his decision.

The Forest of Dean coalmasters propose a reduction of wages, to be based upon a sliding scale varying with the selling price of coal.
 The South Wales and Monmouthshire Board of Conciliation held its first sitting at Cardiff, on the 27th inst. It is thought that the meeting may last several months.
 SALE OF THE PHENIX BESSEMER STEEL COMPANY'S WORKS.
 This company, which recently failed with £220,000 liabilities, and £84,000 assets, is now at an end, the works having been purchased by Mr. HARRY STEEL, the well-known turf commissioner or betting agent. The price is £37,000, which is considered exceedingly moderate. It is understood that Mr. STEEL has a partner in this undertaking, and that he is entering upon the business on behalf of his son. The results of this sale must be very unsatisfactory to the shareholders, who will now lose all they have invested, besides having to pay off the £10 remaining on each of the shares. Since the liquidation the works have been carried on by Messrs. MURBET and BARBER, the liquidators appointed by the creditors, and the result of their operations has been that the concern, under their management, has yielded a fair profit. The works are capable of producing 50,000 tons of steel ingots per annum and 800 tons of rails per week.

SCOTLAND.
 THE IRON TRADE.

Under a quiet business wairants have ranged from 60/@60/7d, and closed yesterday at 60/6d.@60/7d. The best qualities of makers' brands have commanded more money, but No. 3 has shown a tendency to decline. Stocks in CONNELL & Co's stores showed, yesterday, a decrease of 1252 tons as compared with a week previous, and were 71,885 tons. The number of furnaces in blast remains unchanged.

The shipments for the week ending October 23, were 8108 tons, against 9723 tons for the week ending October 23, 1874. The increase in shipments from December, 25, 1874, as compared with the same period of 1873-4 is 86,466 tons. Makers' brands of No. 1 iron are quoted as follows: Gartsherrie, 71/; Coltness, 77/; Summerlee, 67/6d.; Langloan, 75/; Glengarnock, 68/6d.; and Eglinton, 62/6d. Freight rates are as follows: To New York, 2/6d.; Boston, 14/; New Orleans, 5/; Baltimore, 8/ Philadelphia, 10/; and San Francisco, 27/6d. There is only a limited demand for ship and boiler plates, and but a moderate inquiry for rods and bars.

THE COAL TRADE.

The advance in house coals is maintained, while in some other descriptions there has been a decrease of 3d. The wholesale prices are as follows: Household coals, 8/ 6d. to 10/6d. per ton; Wishaw main, 7/3d. to 7/9d.; steam, 8/ 9d. to 10/; splint, 8/ 3d. to 8/ 9d.; smithy, 13/ 9d. At one or two places in Ayrshire the miners have been sending deputations to their employers asking for an advance of from 6d. to 1/ a day on their wages. They have in every case met with a refusal, some of the masters telling them that they had more need to get than to give, and others stating that trade was so bad they were contemplating the expediency of closing their pits altogether for a time.

The First Shipment of Coal from Mexico.

We are advised that a cargo of 200 tons of gas coal has been shipped from Tampico, Mexico, consigned to Messrs. J. W. WILSON & Co., of this city, for trial. A sample of three tons was previously sent to the Manhattan Co., and has, we understand, been very favorably reported on. This coal is from mines discovered about a year ago, some distance inland from Tampico, between the mines and which port there is river navigation.

IRON MARKET REVIEW.

New York.
 FRIDAY EVENING, Nov. 12, 1875.

American Pig.—We are reported sales of 400 tons of No. 1 foundry, 500 tons of No. 2, and 500 tons of forge, all Thomas iron, at \$24, \$22, and \$21, respectively; 1000 tons of No. 2 foundry and 1000 tons of forge, all Port Oram, on private terms; 265 tons No. 1 and No. 2 North River iron, at \$23 and \$21; and 300 tons of North River mill iron on private terms, but very low. Although the above would indicate more business than usual, yet most of the sales appear to have been forced at considerable concessions. The market is, as a rule, very quiet. It is encouraging to learn that some companies that are making a good grade of iron find a profit in even the very low prices of to-day. If all of our iron makers were to read carefully the address of President A. L. HOLLEY at the opening of the Cleveland Meeting of the American Institute of Mining Engineers, a portion of which is pub-

lished on another page of this Journal, and act upon the suggestions made, there might be more who could report profits.

The Boston *Commercial Bulletin*, of the 6th inst., in a very sensible editorial, which reiterates the views expressed by this Journal frequently during the past two years, gives a very correct and practical view of the present condition of the iron trade. We regret that our limited space will not permit us to republish the article, as it contains many truths that our iron masters should hasten to realize.

Scotch Pig.—The arrivals of this article are light, and the demand in this market is equally so. Freights from Glasgow are as low as it is possible, ranging from nothing (ballast) to 2/6d. The Glasgow quotations of pig iron remain fairly steady, although this is the result of speculation, as all information would point to a decline. We note sales of 200 tons of Coltness, at \$33, and 75 tons of Eglinton, at \$29.50. We quote Coltness, \$33; Eglinton, \$29.50@30; Glengarnock, \$32; and Gartsherrie, \$32.50.

Rails.—We are now permitted to report a sale which took place several weeks ago, of 3000 tons English rails on private terms. We quote iron rails at mills at \$45, and steel at \$70, although we know of offers to shade these quotations.

Old Rails.—We note a sale of 2000 tons f. o. b. Portland, at \$25, 4 mos. interest added. We quote at \$26.

Scrap.—We are unable to report further business and continue to quote at \$31@32.

Spiegelisen.—We note a sale of 500 tons on private terms, and quote at \$36@37 gold, here. At European ports £5 10/ is quoted.

Baltimore. Nov. 10, 1875.

Specially reported by Messrs. R. C. HOFFMAN & Co.

We have to report continued dullness in the iron market, and no prospect of any improvement for some months to come, as navigation is now drawing to a close. We quote:

Baltimore Charcoal....\$32@35	Anthracite No. 3.....\$21@22
Virginia Charcoal.....31@34	Mottled and White.....19@20
Anthracite No. 1.....24@26	Charcoal C. B Blooms, 7@7.5
" No. 2.....23@24	Refined Blooms.....6@6.5

Boston. Nov. 6, 1875.

Specially reported by Messrs. E. P. CUTLER & Co.

We have nothing new to report in regard to the iron trade, sales are only in small parcels as required by consumers, and prices for pig iron somewhat lower than last month. Scotch iron is rarely inquired for and the stock here is quite small, bars are in moderate demand at about former prices from store. Scrap is dull with sales at \$30 per ton.

Pig remains as last noted, wholly unsettled, with buyers dictating terms rather than holders suggesting values. The quotation on the fancy No. 1s does not run above \$26, while two or three prominent lots have been offered at \$25 at the close, with holders giving the refusal until Monday to take the situation into consideration. No. 2s quote at \$23 to \$25, and gray forge \$20 to \$23, with no buyers.

BAR has had a quiet week, with prices just about as irregular as a week ago, running from \$55 50 to \$57 50 on warranted refined, just according to the whim of seller or cuteness of buyer. The advance of 5c. per hundred on Western freight, now quoting 30c., has had a trifling influence to stay any further downward movement, although the market is not firm.

STEEL is moving along in a small way, this week, showing a call for sleigh shoes and machinery. Prices are a trifle steadier.

We quote American tool, 14@15c.; American machinery, 9@9.5c.; Bessemer tires, 7@7.5c.; Sweet's Excelsior tire, 8 1/2@12c.; English tire, 16@18c., gold.

COPPER remains without improvement. The reports from foreign markets show a full stock and small demand, while hereabout brass-founders, copper-workers, and the copper manufacturing companies never were doing less. The market shows no noticeable strength on ingot which is quoting at 23c. For manufacturers we quote new sheathing 30c.; bolts and braziers 31c.; yellow metal bolts, 20@20c.

LEAD is very dull, and prices seem to hold nominally at last quotations. We quote pig 5 1/2@5 3/4c. for domestic, and 6 1/4@6 1/2c. for foreign; tin-lined pipe 15 1/2c.; bar lead, 9c., less usual trade, or 10 per cent. discount.

ANTIMONY is firm, with inquiry at 13 1/2c. SELLER is strong and quiet at \$7 45, 30 days, and \$7 35 prompt cash, all currency. Silesian is having a trivial business at \$7 30.

TIN has had a small jobbing business at somewhat irregular prices, our quotations representing the full measure to holders' expectations. We quote Straits, 19 1/4c.; Banca, 24c.; Refined English, 19 1/2@20c., gold. Plates are active; we quote charcoal I. C. \$7 25@7 75; coke, \$6 50@6 75; and Terne at \$6 15@6 50, gold.—*Commercial Bulletin.*

Cincinnati. Nov. 9, 1875.

Specially reported by Messrs. TRADER & AUBERY, commission merchants for the sale of pig iron, blooms, ore, etc.

Below please find the closing quotations of our pig iron market, viz:

CHARCOAL.	
Hanging Rock, No. 1 Foundry.....	\$25 00@26 00—4 mos
" No. 2, ".....	23 00@24 00—4 mos
" Mill.....	21 00@22 00—4 mos

Tennessee No. 1, Foundry.....	24 00@25 00—4 mos
Tennessee, No. 2, ".....	23 00@23 50—4 mos
" Mill.....	21 00@22 00—4 mos
Missouri, No. 1, Foundry.....	26 00@27 00—4 mos

STONE COAL.	
Ohio, No. 1, Foundry.....	23 00@24 00—4 mos
" No. 2, ".....	22 00@23 00—4 mos
Ohio Mill.....	20 00@21 00—4 mos
Missouri, No. 1 Foundry.....	27 00@28 00—4 mos
" No. 2, ".....	26 00@27 00—4 mos
" Mill.....	26 00@27 00—4 mos

CAR-WHEELS.	
Hanging Rock, C. B.....	40 00@50 00—4 mos
Tennessee.....	30 00@35 00—4 mos
Missouri.....	35 00@40 00—4 mos
Alabama.....	30 00@35 00—4 mos

BLOOMS.	
Charcoal.....	60 00@80 00—cash
SCRAP IRON.	
Cast.....	50c.@ 65—cash
Wrought.....	1 00@1 25—cash

Cleveland, Ohio, Nov. 9, 1875.

Messrs. C. E. BINGHAM & Co., quote as follows:
Per gross ton, on four month's time. Subject to change in market. Discount for cash 4 per cent.

FOUNDRY IRON.	
No. 1, Lake Superior Charcoal.....	30 00@....
No. 2, ".....	29 00@....
No. 1, Anthracite.....	27 50@....
No. 2, ".....	27 00@....
No. 1, Bituminous foundry.....	27 00@....
No. 2, ".....	25 50@....
American Scotch, No. 1, Cherry Valley.....	30 00@....
" " B-1, ".....	28 00@....
" " No. 2, ".....	26 50@....
No. 1, Massillon.....	29 50@....
B-1, ".....	27 50@....
No. 2, ".....	25 00@....

CAR WHEEL AND MALLEABLE IRON.	
No. 3 Lake Superior Charcoal.....	28 00@....
No. 4 ".....	30 50@....
Nos. 5 and 6 ".....	30 00@....

BESSEMER IRON.	
Nos. 1 and 2 Lake Superior Charcoal.....	30 00@....
FORGE IRON.	
No. 1, Gray.....	24 00@....
White and Mottled.....	23 00@....

Louisville. Nov. 10, 1875.

Specially reported by Messrs. GEORGE H. HULL & Co.

There is only a moderate demand for metal, and prices are without change. The usual time, four months, is allowed on the quotations below.

HOT BLAST—CHARCOAL.	
No. 1 foundry, from Hanging Rock Ores.....	\$25 00@26 00
No. 2 ".....	23 00@24 00
No. 1, Mill, from ".....	@
No. 1, foundry, from Alabama, Georgia and Tennessee ores.....	23 00@24 00
No. 2, foundry, from Ala., Geor'a and Tenn. ores.....	22 00@23 00
No. 1, Mill, from ".....	21 00@22 00

HOT BLAST—STONE COAL AND COKE.	
No. 1, foundry, from Hanging Rock ores.....	23 00@24 00
No. 2, ".....	22 00@23 00
No. 1, Mill, ".....	21 00@22 00
No. 1, foundry, from Ala. Ca. and Tenn. ores.....	23 00@24 00
No. 2, ".....	22 00@23 00
No. 1, Mill, ".....	21 00@22 00
No. 1 foundry, from Missouri ores.....	24 00@25 00
No. 2 foundry, from Missouri ores.....	24 00@25 00
No. 1 Mill, from Missouri ores.....	25 00@26 00

COLD BLAST—CHARCOAL.	
Car Wheel from Hanging Rock ores.....	35 00@40 00
" Tennessee ".....	28 00@30 00
" Alabama and Georgia ores.....	28 00@30 00
" Kentucky ores.....	28 00@40 00

Pittsburgh. Nov. 9, 1875.

Specially reported by A. H. CHILDS, Esq.

No. 1, foundry.....	\$25 00@26 00—4 mos
" 2, ".....	24 00@25 00—4 mos
Gray forge.....	23 00@24 00—4 mos
White and mottled.....	20 00@22 00—4 mos
Hot blast charcoal.....	25 00@30 00—4 mos
Cold blast charcoal.....	30 00@35 00—4 mos

PIG IRON.—Wednesday, Nov. 10, 1875.—The general position of the pig iron trade has not varied much since the date of our last review: there has been no change for the better, and there does not appear to be much prospect for an early improvement. As a rule, the mills have very light stocks, and stocks in the yards of commission men are very much reduced, but the market is weak, nevertheless, and the tendency downward. The mills have no difficulty in getting good brands at \$23 4 mos., or \$22, cash. We have heard of hot blast charcoal iron having been offered as low as \$23@24, 4 mos., and it is worthy of notice in this connection that the depreciation in these irons has been much greater than that in coke or coal, as the stock of the former was much larger than that of the latter, and the consumption considerably less. There has been an increased activity here in charcoal iron in the past few weeks, in consequence of strong inducements held out in the shape of low prices, and some buyers have been anticipating future wants in consequence; we understand the stove manufacturers have been buying pretty freely, and it is not strange in view of the fact that it is about as cheap as anything they can buy.

Cold blast charcoal car wheel iron is quoted at \$50@55, 4 mos., and while there are other brands thought to be equally as good, manufacturers of car wheels, as a rule, have a very decided preference for Hanging Rock, and will have no other kind, hence the price is holding up much better than for any other kind.

MANUFACTURED IRON.—Manufacturers continue to report trade in manufactured iron of all kinds as being very dull and unsatisfactory. At the present writing trade is very much depressed; one of our oldest and largest manufacturers remarked the other day that the iron business has not been as dull and unsatisfactory at any time since the panic as just now, that not only is there a scarcity of orders, but prices have been cut so close that there is no margin for profit.

STEEL.—The steel mills are still in operation, some of them working up to their full capacity. So far as we can learn our steel manufacturers generally have had about all they could do all this year, but they complain that they made but little money.

Richmond, Va. Nov. 9, 1875.

Reported by ASA SNYDER, Esq.

The market for charcoal irons is depressed. Although receipts are very light, still they are adequate for present demand. Good wheel irons will command former quotations—but inferior brands are from \$3 to \$5 under.

Virginia Cold Blast Charcoal Pig Iron.....	\$30 to \$35
" Warm ".....	28 to 32
" " " " " " 1 X.....	26 to 27
" " " " " " 2 X.....	25 to 26
" " " " " " 3.....	24 to 25
" Anthracite 1 X.....	27 to 29
" 2 X.....	26 to 27

San Francisco, Cal.

From the *Commercial Herald*, of October 28, 1875.

Supplies of pig iron, tin plates, etc., continue to pour in upon us from all quarters, causing low and nominal prices to prevail. The fact is patent that buyers of pig iron can purchase on better terms from foundry-men (2d hand) than from importers direct, for the reason that the foundries purchased too largely to arrive at low prices, far beyond their own consumptive wants. The ship *Three Brothers*, from Liverpool, brought 300 tons pig iron; *British Statesman*, 300 tons same from same, etc. We quote the range of the market for pig iron, \$32 50@35 50. Tin plate is without movement, quotations nominal. The stock is thought to be large. The supply of Sydney tin is liberal, with a limited demand; price, 22 1/2c. Banca pig tin is held at 25@26c. The stock of yellow metal is not large, and when suits are required they are ordered from the East by rail. The market for American cast steel is well supplied, and is fast taking the place of best brands of English.

St. Louis. Nov. 9, 1875.

Specially reported by Messrs. SPOONER & COLLINS, Commission Agents for all kinds of Iron.

We report no change in our market. The demand is comparatively light, and prices getting lower and lower. We quote, on 4 mos.:

Mo. Stone Coal No. 1 Fy. \$26@27	Massillon Iron, A No. 1. 34@35
" " " " " " 24 1/2@25	" " " B " 1. 32@33
" " Gray Mill, 23 1/2@24	" " " " " " 2. 30@31
" Charcoal No. 1, Fdy. 26@27	Cold Bl. Car Wheel, Mo. 3. @35
" " " " " " 23 1/2@24	" " " " " " Tenn. 30@32
Tenn. " No. 1, Fdy. 25@26	" " " " " " Ala. 30@32
" " " " " " 23@24	" " " " " " H. R. 35@40
" " Gray Mill, 22@23	Mo. Charcoal Blooms.. 6@6.5
" Coke, No. 1, Fdy. 25@26	" " " " " " Scrap " 6@6.5
" " " " " " 23@24	" " " " " " ed Billets " 8@9.0
" " Gray Mill, 23@24	Assorted Bar Iron... 4-1cc.
H. R. Char. No. 1, Fdy. 26@27	No. 1 Wrought Scrap... 10
" " " " " " 24@25	Heavy cast " 1/2c.
" " Gray Mill, 24@25	Light " " 3/4c.

METALS.

NEW YORK, FRIDAY EVENING, NOV. 12, 1875.

There is only a fair jobbing business doing in most metals, although there is more inquiry for some in a larger way.

ERNEST W. S. MURRANT, Esq., of London, under date of October 25, says:

"The increased steadiness which has lately been observable in the metal market is a feature of considerable interest. The credit system is almost dead, and transactions limited to genuine business. The return of confidence is believed to be making good progress, and with it may be expected a general improvement."

Gold Coin.—During the week past gold has ranged from 114 1/2@115 1/2, and closed at 114 1/2.

Bullion.—Fine silver bar is quoted at \$1 23 1/2@1 23 3/4, gold, per ounce, and fine gold bar at par (\$20 67 gold, per ounce,) to 1/4 per cent. premium.

Copper.—The sales during the week have been about 1,000,000 lb. for future delivery, at 23c.@23 1/2c. There has not been much available copper offering, so that spot sales have been small at 23 1/2@23 3/4c., which are the asking prices to-day. The latest London quotation is £82 10/ for Chili bars. To-day's cable advices say "copper is easier." Manufacturers have, in most cases no stock, and are constantly coming into the market for current necessities, being unwilling to purchase beyond immediate wants.

Mr. MURRANT says of copper:—"Chili has not been in any great demand, there being no speculation, and the sales which have transpired were chiefly for consumption. In the result, bars are about 10/ cheaper than they were a week since. The position of the article is undoubtedly good, and with another low charter the Birmingham would have to come in at the higher rates. Furnace stuff has maintained its rates, a cargo of ores being sold on Wednesday at 16/9 per unit. At the Swansea ticketing on the 26th instant, about 260 tons of ore in fine, with an average produce of 14 7-16 per cent., fetched an average price of 16 1/2 per unit. The business of the week was 1000 tons g. o. b. and named brands, at £81 15/ to £83 for cash and arrival."

Tin.—There is only a jobbing business doing in this article. We quote Straits, 19 1/4@20c.; Refined, 19 1/2c.; L. & F., 19 1/2@19 3/4c.; and Banca, 24c., gold per lb. During the week, Straits declined in London, under a strong bear influence, to £82, but upon receipt of advices from

Penang, of prospects of a religious war in the mining district of Malacca, prices immediately took an upward tendency, and to-day the quotation is £86, although the bear element is still a very strong one. L. & F., in London, as per day's cable advices, is quoted at £87 10/.

The Penang market is not quoting. Mr. MURRANT says of tin:—"There was scarcely any fluctuation in foreign during the week, the position of the article seeming to be too sound to admit of any attempts to manipulate prices succeeding at present. There have been delivered out of London stock during the present year over 3000 tons for home requirements, and this appears to point to an increased consumption in this country. The late low prices, according to recent advices from Australia, tended greatly to attenuate the production in that part of the world. Whether any of the above circumstances will influence the future course of prices is, perhaps, doubtful, but it is pretty certain that the statistics at the end of this month will be more favorable than of late. The week's sales were 250 tons Straits and 200 tons Australian, a, 82/6 to 85/6, for cash and forward delivery."

Tin Plates.—A fair jobbing business is doing. We quote charcoal tins at \$7 25@7 37 1/2, gold, per box, and ternes, \$6 87 1/4@7; coke tins, \$6 25@6 50, and ternes, \$6@6 25.

Messrs. ROBERT CROOKS & Co., of Liverpool, under date of Oct. 28, say of tin plates:—"We have little change in price to note, but the tone of the market is decidedly weaker, if it is not actually lower. Where makers have room for orders there would be a chance of obtaining concessions, but most of them are well stocked till well on into December."

Lead.—The sales during the week are estimated at 300 tons, at prices ranging from 5'65c. @ 5'75c., gold. There is more inquiry, and prices more firm than a week ago.

Spelter and Zinc.—Domestic spelter is very quiet, and we are unable to learn of any sales of importance having taken place at the advanced combination rate—7'40c., currency. There have been a few outside lots offering down to 7 1/4c., currency. Sheet zinc is firm at 9c., gold.

Antimony is in fair request and firm at 14c. gold. **Quicksilver** is quoted at 72 1/2c. gold per lb., in this city, and 67 1/2c. in San Francisco. The London price has declined to £11 10/.

The San Francisco *Commercial Herald* of Oct. 28, says: "The price in London is now given at £13 per bottle. This is a serious decline from rates recently ruling in that hitherto "primary" market. It looks now as though the time had about arrived when California is to be the primary market, and her supplies to control the world's market. The *City of Tokio*, unfortunately, is on the berth for Hongkong, to sail the 1st proximo. The difficulty experienced in getting satisfactory insurance upon this steamer will no doubt diminish the shipments, although prices with us have fallen to 70@72 1/2c. within a week. We have now 80 many productive mines, and so many different parties receiving large and small parcels, all anxious to realize, that it is hard to govern, control, or regulate price, even for a single day. Some sell for prompt cash, others allow 2 per cent discount, hence it is a difficult matter to give exact prices. Sales for the week, in lots, 1000 flasks at 70@72 1/2c. The exports by sea for the past week, 444 flasks, valued at \$26,386.

FINANCIAL.

New York Stocks.

FRIDAY, NOV. 12, 1875.

The tone of the New York Stock Market during the past week has been generally strong, with prices, in the majority of instances, fairly maintained. The dealings for the week exhibit a slight increase, compared with the sales reported in our last. The shares of the Central R. R. of New Jersey have declined one per cent., compared with our last quotations. The coal tonnage of this road for the month of October exhibits an increase of about 38,000 tons, as compared with the amount carried during the same period last year. The gross earnings of the company for the month are reported at over \$1,000,000.

At an auction sale on the 10th inst., the following securities were sold at the prices annexed: \$20,000 Union Coal Co.'s 1st mtg. 7 per cent. bonds, due 1887, guaranteed by the D. & H. Canal Co., at 102 1/2; 18,000 American Dock and Improvement Co., 7 per cent. Cons. bonds, guaranteed by the N. J. C. R. Co., at 99 1/2 to 100 1/2.

It is announced that the Hoffman Petroleum Co. will hold their annual meeting on Nov. 15th.

Quotations and Sales of Stocks and Bonds,

For the week ending Nov. 12, 1875.

STOCKS.			
	Highest	Lowest	Closing
Pennsylvania Coal Co.	—	—	275
Consolidation Coal Co.	47 1/2	47	47 1/2
Spring Mt. Coal Co.	—	—	300
American Coal Co.	—	—	65
Maryland Coal Co.	—	—	50
Del., Lack., and West. RR. Co.	118 3/4	118	118 3/4
New Jersey Central RR. Co.	105 3/4	103 1/2	105
Delaware and Hudson Canal Co.	121 1/4	120 3/4	120 3/4
Quicksilver Mining Co. pref'd.	23 1/2	22 1/2	23 1/2
" " Common.	17 1/2	17 1/4	17 1/2
Mariposa Land & Min. Co. various.	—	—	8
St. Louis & Iron Mountain RR.	—	—	14 1/2
Lehigh & Wilkes-Barre Coal Co.	—	—	200
Total Shares sold..... 5252			
Sales for the week previous..... 4056			
Increase..... 1196			
† Seller 60 days.			

BONDS.

	Sales.	Price
Ches. & O. R. R. 6s, 1st. cou. on...	3,000	@ 111 1/2
" " " ex coupon	—	@ 24
Central RR. of N. J. 1st Mtg. N.	6,000	@ 111 1/2
" " " 1st Cons.	7,000	@ 107 1/2
" " " Conv.	53,000	@ 106 1/2
Del. and H. Canal, 1st Mtg. '94	11,000	@ 107 1/2
" " " Reg. '91	—	@ 111
Del., Lack. & W. R. R., 7s, conv.	—	@ 112 1/2
" " " 2d Mtg.	—	@ 112 1/2
St. Louis & Iron Mount'n 1st Mtg.	12,000	@ 90 1/2
St. Louis & Iron Mt'n 2d Mtg.	—	@ 56 1/2
Lehigh & Wilkes-Barre Cons.	3,000	@ 95 1/2
Total Sales \$95,000		

Closing quotations, in the absence of sales, represent the latest prices bid.

† Asked.

Philadelphia Stocks.

PHILADELPHIA, NOV. 12, 1875.

We note an improvement in the quotations of a majority of the stocks dealt in at the Philadelphia Stock Market, with an increase of sales amounting to some 27,000 shares over the volume of business reported in our last. The stock of the Pennsylvania Railroad Co. has been very active during the week, the total sales aggregating over 55,000 shares, were made at figures ranging from 1/2 to 1 1/2 per cent. in advance of quotations ruling in our last. The Pennsylvania Railroad Company is putting a 6 per cent. loan upon the market, through DREXEL & Co., bankers, for the purpose of paying off the entire floating debt and all the equipment and construction charges for the year 1875.

The Catawissa Railroad Company announces a dividend of 3 1/2 per cent. on the preferred stock, and 2 1/2 per cent. on the second preferred stock, payable on the 15th instant.

At a recent auction sale the following securities were disposed of at the prices annexed: 55 shares Allentown Iron Co. at 50; 50 shares Crane Iron Co. at 48; and 20 shares of the Huntington and Broad Top R. R. Co. at 6.

Interest and coupons, in addition to those reported in our last, are due and payable during the month of Nov. on the following: On the mortgage bonds of the Camden and Amboy Railroad Company, payable at the office of the Pennsylvania Railroad Company; also on the chattel mortgage 108 of the Catawissa Railroad, and on the second mortgage 78 of the North Pennsylvania Railroad. Interest matures on the sevens of 1892-93 of the Philadelphia and Reading Coal and Iron Company, on the six per cent. improvement loan, six per cent. boat and car loan, and seven per cent. boat and car loan of the Schuylkill Navigation Company.

Quotations and Sales of Stocks and Bonds,

For the week ending Nov. 12, 1875.

STOCKS.			
	Highest	Lowest	Closing
Lehigh Valley RR. Co.	62 1/2	62 3/4	62 1/2
Pennsylvania RR.	50 1/2	50 1/4	50 1/2
Reading RR.	55 1/2	55 1/2	55 1/2
Lehigh Coal and Nav. Co.	51 1/2	50 1/2	51 1/2
Penn. Canal.	—	—	7
Buck Mountain Coal Co.	—	—	9
Fulton Coal Co.	—	—	3 1/2
Locust Mountain Coal Co.	—	—	—
Westmoreland Coal Co.	—	—	80
St. Nicholas Coal Co.	—	—	1
Cambridge Iron Co.	—	—	16
Crane Iron Co.	—	—	20
Emaus Iron Co.	—	—	—
Pennsylvania Salt Manufact. Co.	78	77 1/2	78
Total shares sold..... 78,603			
Sales for the week previous..... 50,935			
Increase..... 27,668			
† Ex Dividend.			

† Ex Dividend.

BONDS.

	Sales.	Price
H. and B. T. RR. 1st mortgage, 7s.	—	@ 106
" " " 3d " " "	—	@ 102
" " " 3d " cons.	3,000	@ 54
Lehigh Valley RR. Con. mtg. 6s, Reg.	1,000	@ 99 1/2
" " " 7s, 1910	—	@ 107 1/2
" " " con. mtg. 6s reg.	—	@ 102
Pennsylvania RR., 1st mtg. 6s.	—	@ 104
" " " gen. " cou. 1910	12,000	@ 102 1/2
" " " gen. " 6s, reg.	8,000	@ 101 1/2
Phil. & Reading RR. 6s.	—	@ 104
" " " deb. bonds.	43,000	@ 81
" " " G. M. 7s, cou. 1911	4,000	@ 109 1/2
" " " " 7s, Reg.	1,000	@ 109
" " " new convertible 7s, '93	9,100	@ 108 1/2
Phil. & Reading C. & I. Co. 7s deb. '92	20,000	@ 83
Lehigh Coal & Nav. Co., 6s '84	2,000	@ 91 1/2
" " " RR. '97	—	@ 101 1/2
" " " 77	—	@ 98
" " " conv. '82	—	@ 104
" " " gold, '97	2,000	@ 104
" " " Reg.	—	@ 70
Penn. Canal, 6s	—	@ 107 1/2
Penn. and N. Y. Canal, 7s.	5,000	@ 88
Ches. and Del. Canal, 6s.	3,000	@ 70
Susquehanna Coal Co. 7s.	—	@ 97 1/2
Buck. Mount Coal Co. 6s.	—	@ 100 1/2
Penn. Gas Coal Co.	700	@ 100 1/2
Total amount of sales..... \$119,100		

Closing quotations, in the absence of sales, represent the latest prices bid.

Gold and Silver Stocks.

NEW YORK, NOV. 5, 1875.

We have quotations from the San Francisco Stock Board dated the 10th inst. The market is irregular with but few alterations in quotations worthy of note. The Directors of the National Gold Bank and Trust Company have decided to put the bank in liquidation and wind up its affairs as speedily as possible. Their liabilities are reduced to \$800,000, and they have no doubt of being able to pay depositors and stockholders in full. The bank is not likely to open again, at least with the present executive.

The Comptroller of the Currency says that the proceedings of the British Banks of California in refusing to accept the notes of the gold banks has caused the gold banks to retire their circulation. The gold banks at Stockton, California, has retired eighty thousand dollars of their circulation.

With the November dividend, the Consolidated Virginia Mining Company will have paid to its stockholders \$11,880,000; from May 1874 until February 1875, \$3 per share per month were paid, and from that time up to the present dividend the stockholders have received \$10 per month or an aggregate of \$110 per share, during the period from May 1874 to October 1875.

Ten of the mills employed by the Consolidated Virginia Mine, capable of reducing four hundred tons per day, were saved from destruction in the recent fire. It is estimated that the Company has produced \$1,300,000 in bullion since the fire.

The Secretary of the Eureka (Grass Valley) Mining Company reports the receipts for the past year as \$105,968 13, and the disbursements \$127,638, an excess of \$21,680 over the receipts. \$100,000 of the Company's receipts represents the bullion product for the year. The ore reduced amounted to 4,810 tons, the mining of which cost \$994 and the milling \$334 per ton. They have a balance on hand of \$76,975. Since the Company went into operation, October 1st, 1865, there has been \$4,414,997 produced, and out of this amount \$2,054,000 was paid in dividends. No dividends have been paid since December, 1873, and no assessments have ever been required.

There are upwards of 900 tons of ore in sight which will pay a small profit. The Superintendent regrets not being able to give a more favorable report of the last year's workings, and the immense amount of prospecting that has been done, and the large amount of money expended, without making any favorable developments, but there are still three places worthy of a further prospect, viz: the 12th level, the Roanouse from No. 3 shaft, and the Morehouse claim.

Assessments, with dates when delinquent: Young America, 25 cents, Nov. 20th; New Coso, 50 cents, Nov. 30th; New York, 75 cents, Dec. 1st; Caledonia, \$3, Dec. 4th; Kennedy, \$1, Dec. 6th; Table Mountain Alpha, 10 cents, Nov. 30th; Stanislaus, 20 cents, Nov. 30th; Sheba, 10 cents, Nov. 20th; Utah, \$2, Nov. 22d; Oceanic Quicksilver, 50 cents, Nov. 23d; Ward Ellis, 10 cents, Nov. 29th; Empire, 50 cents, Nov. 29th; Gould & Curry, \$1, Nov. 27th; Troy Cons., 20 cents, Nov. 26th; Maxwell Gold Creek, \$10, Nov. 12th.

The mining dividends paid in October, 1875, in San Francisco, amounted to \$1,170,000, against \$988,800 same time last year.

MINING NOTES.

The gold mines of Southern California are attracting attention. Some of them have been extensively worked during the past season with satisfactory results. The Kernville Mine, belonging to Senator Jones, will, it is said, show a profit of \$4,000,000 on the twelve months' run; the Summer Mine, on the Big Blue Lode, has yielded about \$650,000, and the Panamint Mine has yielded \$100,000 during the past two months. The St. John Mine started its fine new mill on October 27th, and will hereafter make regular returns. The great mines on the Mother Lode of California show an increased yield, and a considerable reduction in the expenses of mining and milling.

A new mining company, recently organized in London, has purchased a lease of the silver mines Lenoir and Stanley, Idaho, and the company's engineer and superintendent have arrived in this country to take possession and begin work.

A certificate of the increase of capital stock of the Alta Silver Mining Company from \$3,600,000 in 36,000 shares to \$10,800,000 divided into 108,000 shares, has been filed in the office of the County Clerk.

An extension of the famous Blue Lead, which has produced millions of gold, has been found in Nevada County, Cal., and preparations are making to work it.

A rich body of ore, assaying \$4,000 to the ton, has been struck, in the Mariposa Silver Mine, near Belmont, Nevada.

It is reported that the Julia Mine is lately coming into prominence, the Stock having sold as high as \$16 per share in the Stock market. The San Francisco *Credibility Report*, with regard to this report, says: "We are credibly informed that important developments have been made in the 1,000 and 1,400 levels, and that the shaft, at a depth of 1500 feet, is in seams of quartz."

The bullion product of all the mines of California during the past ten years amounted to \$219,500,000. The treasure shipments from the port of San Francisco during the same period were \$365,487,200.

For the week ending, Oct. 30, \$1,638,398 38 in treasure was shipped to New York.

The shipments of gold coin from San Francisco overland by express, from Jan. 1st to Nov. 3d, 1875, amount to \$22,898,515.

The coinage of the San Francisco mint, from July 1st, 1874, to Nov. 1st, 1874, amounted to \$12,403,000, about 90 per cent. of which was gold coin. The coinage for the same period this year amounts to \$12,784,000, \$2,650,000 of which was silver coin.

QUOTATIONS :

Table with columns: No. of shares, Nov. 2, Nov. 10. Lists various stocks like Sierra Nevada, Union Consolidated, Mexican, Ophir, California, etc.

Copper Stocks.

Specially reported by Messrs. WILSON W. FAX & Co., Bankers and Brokers, room 7 Traveller Building, 31 State street, Boston.

Boston, Thursday Evening, Nov. 11.

The Copper market still remains in an inactive condition. Alouez has sold at 14. Calumet has advanced from 160 to 161, and closes 161 1/2 bid.

The Shamus O'Brien Mining Company of Ishpeming, Mich., has filed its articles of association with the Secretary of State, and shows a paid-up capital of \$500,000.

The Wolverine Silver Company, of Negaunee, Mich., has filed its articles of association with the Secretary of State, and shows a paid-in capital of \$20,000 out of a maximum of \$500,000.

The copper product of the reporting mines for the month of October amounts to nearly 1626 tons.

The Calumet and Hecla Mining Company will have paid to their stockholders, with the November dividend, \$9,450,000. The consolidation of the two companies took place in 1871, previous to which the Calumet paid \$300,000 and the Hecla Mining Company \$650,000, which is included in the above total.

Table with columns: DESCRIPTION, Par Value, No. of Shares, CLOSING (Bid, Asked). Lists various stocks like Allouez, Calumet and Hecla, Central, Copper Falls, etc.

Gas Stocks.

NEW YORK, Nov. 12, 1875.

A fair demand has prevailed for gas stocks during the week under review, at prices generally within a fraction of quotations ruling on our last. Sales of about 500 shares of the stock of companies located in New York and vicinity are reported to us at prices within the limits of our quotations.

The following were sold at auction on the 10th instant, at prices annexed:—\$4,000 Metropolitan Gas Co.'s 7 per cent. coupon bonds, due in 1878, at 104 1/2; also 270 shares of the Manhattan Gas Co.'s stock, \$50 par, at 310 to 311 1/2 on the \$100; also 100 shares of the New York Gas Co., \$100 each, at 151 1/2, and \$2,000 Metropolitan Gas Co.'s scrip, at 107 1/2.

A rumor is circulated in Middletown, that the Supervisors have passed an illegal claim of the Richmond County (N.Y.) Gas Company, amounting to \$9,200. This claim was decided against the Gas Company four years ago by the Court of Appeals.

Sales of stock of various Massachusetts Gas Companies, for the week, are reported us as follows—12 Salem Gas

Light Co., 116 1/2; 19 Roxbury, 157 1/2; 15 Brookline, 120; 2 Boston, 777 1/2 @ 780; 17 Lawrence, 130 3/4; 2 Malden and Melrose, 100.

The following list is corrected weekly by GEORGE H. PRENTISS, Broker and Dealer in Gas Stocks, No. 30 Broad street, New York.

Quotations "bid" and "asked" of New York City and Vicinity Gas Companies are on the \$100 of stock and not on one share.

Table with columns: Companies in New York and Vicinity, Cap. Stk., Par., Bid., Asked. Lists companies like Mutual Gas Light Co., New York, Metropolitan, etc.

Table with columns: Companies out of Town, Cap. Stk., Par., Bid., Asked. Lists companies like People's, Citizen's G. L. Co., Jamaica, etc.

* These quotations represent the latest obtainable prices at which sales were made.

American Mines in London.

DIVIDEND MINES. CLOSING PRICES—Oct. 30, 4 P. M.

Table with columns: No. of Shares, Par Value of Shares, Bid., Total Dividends paid, Last paid. Lists mines like Battle Mountain, Birdseye Creek, Cedar Creek, etc.

FIRE BRICK.

B. KREISCHER AND SON.

58 Goerck street,

Corner Delancey street, East River. NEW YORK.

Blocks, Slabs and Clay Retorts.

Branch Works at Kreischerville, Staten Island.

ESTABLISHED 1845.

THE IRON-MASTERS' LABORATORY.

Exclusively for the Analysis of Ores of Iron, Pig and Manufactured Iron, Steels, Limestone, Clays, Slags and Coal for Practical Metallurgical Purposes.

No. 339 Walnut Street, Philadelphia.

J. BLODGETT BRITTON.

This Laboratory was established in 1865, at the instance of a number of practical Ironmasters, expressly to afford prompt and reliable information upon the chemical composition of the substances above mentioned, for smelting and refining purposes.

CHARGES TO IRON WORKS.

For determining the per cent. of pure Iron in an ordinary Ore..... \$4 00
For the per cent. of Pure Iron, Sulphur and Phosphorus in do..... 12 50
For each additional constituent of usual occurrence..... 1 50

IRON AND COAL PROPERTIES.

Examined and Reported upon for Practical Purposes, by Experienced and Thoroughly Competent Mining Engineers and Experts.

GEORGE FOCIIT,

Iron Foundry, Machine and Sheet Iron Works,



First and Adams Sts.,

HOBOKEN, N. J.

Inventor, Patentee, and Manufacturer of the Celebrated Self-dumping Hoisting Tubs, Hoisting Blocks, Self-dumping Cars of different kinds, and Iron-box Wheelbarrows of all sizes. Iron-work for different kinds of hoisting apparatus made to order and put up when desired. Particular attention paid to repair work in this line. All work delivered to any Depot in New York City or vicinity.

LOUIS BAGGER & CO.,

COUNSELLORS AT PATENT LAW

AND

Solicitors of American and Foreign Patents,

WASHINGTON, D. C.

REFERENCES—Hon. M. D. Leggett, late Commissioner of Patents, Cleveland O.; Commodore Dan'l Ammen, U.S.N.; ex-Gov. Gilbert C. Walker, Richmond, Va.; Hon. T. F. Bayard, U.S.S., Wilmington, Del.; and the German, Swedish, Norwegian and Danish Ministers at Washington, D.C.

Book of Advice sent free on application. Address:

LOUIS BAGGER & CO.,

SOLICITORS OF PATENTS,

P. O. Box 444.

Washington, D.C.

WANTED.

A PRACTICAL MECHANICAL ENGINEER, well acquainted with Iron and Steel Manufacturing Machinery and Plans; one who can take orders, make the drawings, and execute the work; one who may have ideas of his own, who can explain them and, if not adopted, will not persistently press them to the Superintendent's notice. Address

SWEET'S MFG. CO., Syracuse, N. Y.

PATENTS.

THOMAS D. STETSON, No. 23 MURRAY STREET, New York.

Solicitor of Patents, and Scientific Expert in Patent Cases.

D. ERNEST MELLISS, A. M., Ph. D., MINING ENGINEER AND GEOLOGIST,

52 BROADWAY,

NEW YORK.

HALLIDIE'S ENDLESS WIRE ROPEWAY,

[WIRE TRAMWAY.]

FOR THE
RAPID AND ECONOMICAL TRANSPORTATION
OF

ORES, STONE, COAL, Etc., Etc.,
OVER MOUNTAINOUS ROADS.

Covered by numerous United States Patents.

Has been in use over three years on Pacific coast, and is the most effective system ever matured.

Read the following:

Office of the CHICAGO SILVER MINING Co. }
SALT LAKE CITY, Dec. 1, 1874. }

A. S. HALLIDIE.—DEAR SIR: I have pleasure in stating that your Ropeway, put up at the Chicago Mine, Ophir District, Utah Territory, one year ago last summer, has been in constant use ever since, and with the most satisfactory results.

The line, as you are aware, is constructed over an extremely rugged country, one and one quarter miles in length.

For the first half mile or so, it is down a very steep mountain side, whence it passes over the brow of another one; thence it continues down Dry Canyon at an angle of fifteen to eighteen degrees.

The structure is an entire success, the cost entire of which has more than been saved already, although it has not been worked up to half its capacity.

In the estimate of earnings no account was taken of supplies sent to the mine, including water, etc., by no means an inconsiderable item. Truly yours,

W. S. GODBE,
Manager Chicago S. M. Co. (limited.)

Supt. Office EMMA HILL CONSOLIDATED M. Co. }
LITTLE COTTONWOOD, Utah, Dec. 17, 1874. }

A. S. HALLIDIE, Esq.: Dear Sir—In answer to your inquiry, I have to report that the Ropeway (built August, 1872), continues to work splendidly, and with but little wear on the rope. It has been everything that was promised, and has proved to be the cheapest way to move ores on steep mountain sides.

Yours very truly,
L. U. COLBATH, Sup't.

Send for Circular to

A. S. HALLIDIE,

No. 113 PINE STREET, San Francisco, Cal.

VULCANIZED RUBBER

NEW YORK
BELTING & PACKING CO.,

The oldest and largest manufacturers in the United States of

Vulcanized Rubber Fabrics,

ADAPTED TO

MECHANICAL PURPOSES,

invite the attention of all who are interested in the sale or use of such articles to the high standard quality and low prices of their various manufactures, comprising

MACHINE BELTING, STEAM PACKING, LEAD-
ING HOSE, SUCTION HOSE, CAR SPRINGS,
WAGON SPRINGS, BILLIARD CUSH-
IONS, GRAIN DRILL TUBES,
ETC., ETC.

"TEST" HOSE,

made expressly for the use of Steam Fire-Engines, and will stand a pressure of 400 pounds per square inch. Officers of Fire Departments requiring New Hose will find this much superior in strength and quality to any other.

PATENT

Solid Emery Vulcanite Wheels,

A composition of rubber and emery, making a very hard uniform substance of the nature of stone throughout. These Wheels for grinding and polishing metals, "gumming" saws, etc., are the most economical and effective tools that can be used.

WAREHOUSE:

37 and 38 Park Row, New York.

JOHN H. CHEEVER, Treasurer.

Price-lists and further information may be obtained by mail or otherwise, on application.


E. B. BENJAMIN,
10 BARCLAY STREET,

NEW YORK CITY.

Importer and manufacturer of all kinds of apparatus for mineral and chemical analysis. *Laboratory and assaying Tools, Prospecting and Mining Implements, accurate Balances and Weights, Furnaces, Tongs, Freiberg Scorifiers, French Cupels and Assay Cups, Flasks, Dippers, Crucibles, etc.* Complete Blowpipe sets for gold and silver tests, Compasses, Becker's Ingot Moulds, Lenses, Evaporators, etc., etc.

For better description of apparatus and prices, see the large *Illustrated Catalogue*, beautifully gotten up, in cloth.

Price - - - \$1 50 per Copy.



LARGEST GAS HOLDER IN THE UNITED STATES, BUILT FOR THE NEW YORK GAS LIGHT CO

CONTINENTAL WORKS,

GREENPOINT, BROOKLYN, N. Y.

NEAR THE TENTH-STREET FERRY.

T. F. ROWLAND, Engineer and Contractor.

For the Construction and Erection of Gas Work Apparatus of any magnitude.


Plans and Specifications Prepared, and Proposals given for the necessary plant, for lighting cities, towns, mansions, and manufactories.

Steamers, Ferry-Boats, Railway Cars, etc., arranged for Gas Light, in the most approved and practicable manner.

Gas Holders, Cast and Wrought Iron Tanks, Retorts, Hydraulic Mains, Condensers, Scrubbers, Purifiers, Governors, Exhausters, Stop-Valves, and all articles connected with the Manufacture and Distribution of Gas, furnished with dispatch, on the most reasonable terms.

Blake's Patent Stone and Ore Breaker.

NEW PATTERNS, WITH IMPORTANT IMPROVEMENTS AND ABUNDANT STRENGTH.



For reducing to fragments all kinds of hard and brittle substances, such as STONE, for making the most perfect McADAM ROADS, and for making the best CONCRETE. It breaks stone at trifling cost for BALLASTING RAILROADS. It is extensively in use in MINING operations for crushing IRON, COPPER, ZINC, SILVER, GOLD, and other ORES.


Also for crushing Quartz, Flint, Emery, Corundum, Feldspar, Coal, Barytes, Manganese Phosphate Rock, Plaster, Soapstone, etc.

Small Hand Machines for Laboratory Use.

Address

BLAKE CRUSHER COMPANY,
NEW HAVEN, CONN

GEO. H. REYNOLDS, MECHANICAL AND MINING ENGINEER, No. 10 COURTLAND STREET, N. Y.,




Furnishes every description of

Mining Machinery,

Plans, Specifications, Estimates, &c.

Hoisting Machines, Air Compressors, Mine Pumps and Rock Drills a Specialty.



TO MANUFACTURERS & CAPITALISTS

The attention of any parties desirous of establishing new works or branches, is called to the unusual advantages offered at

DUNBAR, FAYETTE CO., Pa.,

Sixty Miles from Pittsburgh, and connected with all points reached by the Pennsylvania Railroad, and Baltimore and Ohio Railroad.

Coal will cost at Works \$1 per ton; Connellsville Coke, \$1 50. Pig Iron of all grades, red, cold short, or neutral, can be delivered from furnace at 30 cents freight; hard woods at minimum rates.

Churches, Schools, fine climate and low taxes. Ground suitable for extensive works, and lying on both Railroads, will be given to any parties meaning business.

Address **A. W. BLISS,**
DUNBAR, PA.

BLACK DIAMOND STEEL.

Park, Brother & Co.

NEW YORK, PITTSBURGH,
BOSTON, CINCINNATI.

FINE TOOL AND DRILL STEEL A SPECIALTY.

BALTIMORE COPPER WORKS.

(Canton.)

POPE, COLE & CO.

ARE NOW PURCHASING
COPPER ORES,

and smelting and refining at these extensive works, where, with experienced workmen and extraordinary facilities, we are turning out Ingot and Cake Copper of unequalled purity and toughness.

We are prepared to buy Ores, Matte, Regulus and other furnace material, in any quantities.

At Salt Lake City, Mr. Geo. J. Johnson, our representative, will receive, sample, assay and pay cash for ores of that vicinity.

In San Francisco we are likewise represented by Mr. Horace D. Ranlett, 218 California street.

Office, No. 57 South Gay street, Baltimore, Md.

"DEAD STROKE" POWER HAMMER.
IMPROVED ADJUSTABLE CRANK PIN.
STRIKES BLOW HEAVY OR LIGHT, FAST OR SLOW.
Prices Reduced Jan. 1st, 1875.
The Hull & Belden Company, Danbury, Ct.

RICHARD P. ROTHWELL
Mining Engineer.

Office of the Engineering and Mining Journal,
27 PARK PLACE, NEW YORK.

Surveys, Examines and Reports on Coal and Iron Properties and Mines.
Advises on all questions of the Working and Management of Mines.

RICHARD H. BUEL,
Mechanical Engineer,

80 BROADWAY.

Plans and estimates prepared. Machinery and processes examined and tested.

A. W. HALE, A. M., E. M.

CIVIL AND MINING ENGINEER,

AND

ANALYTICAL CHEMIST,

LABORATORY, 71 BROADWAY, NEW YORK.

C. A. STETEFELDT,
MINING ENGINEER

AND

METALLURGIST,

Office Stetefeldt Furnace Company,

No. 411½ CALIFORNIA STREET,
San Francisco, Cal.

JOHN C. RANDOLPH, A.M., E.M.

(RECENTLY IN SERVICE OF THE JAPANESE GOVERNMENT,)

MINING ENGINEER AND GEOLOGIST,

No. 35 Broadway,
NEW YORK.

W. BREDEMEYER,

Mining

Consulting and Civil Engineer,

AND U. S. MINERAL SURVEYOR.

Working plans and estimates for mines and improvements furnished; will superintend the establishment and working of mines.

The concentration of ores a specialty.
Agent for the Humboldt Company (manufacturers of Mining and Concentrating Machinery.)

For plans and information apply at my office, No. 12 Kimball block, Salt Lake City, Utah.

I am prepared to take contracts on tunnels and the sinking of shafts.

DON. ST. GEORGE FRASER,

Civil, Mining & Consulting Engineer,

HOUTZDALE, CLEARFIELD CO.,

Pennsylvania.

WILLIAM M. COURTIS,

Metallurgist and Mining Engineer.

Address

Post Office Box Eleven, Wyandotte, Michigan.

STUART M. BUCK,
MINING ENGINEER,

Kanawha and Ohio Coal Company.

COALBURG, WEST VIRGINIA.

Examines and reports on Coal Lands, and consults on the opening and working of Mines.

E. CYBBON SPILSBURY,
Consulting Civil & Mining Engineer.

Mining Properties examined and reported on. Plans and estimates made for every kind of Mining Machinery.
The concentration of ores a specialty.

187 Broadway, Street level,
New York.

M. F. MAURY,

Fellow of the Geological Society of London; Member of the American Institute of Mining Engineers; Associate of the Royal School of Mines, England.

Geologist and Mining Engineer.

CHARLESTON, KANAWHA CO., W. VA.

Coal and Iron a Specialty.

All kinds of Surveying done. Advice given as to the advantageous partition of Mineral Lands, Consulting Mineralogist, etc.

IRVING A. STEARNS,
MINING AND CIVIL ENGINEER,
Wilkes-Barre, Penn'a.

Examines and Surveys Mines and Mineral Properties.
Furnishes Working plans and Estimates for Mines, improvements, and superintends the establishment and working of mines.

COUNCIL BLUFFS IRON WORKS.

CAPITAL, \$100,000.

Manufacturers of Mining Machinery, Quartz Mills, Smelting Furnaces, Pumping and Hoisting Machinery,

IRON AND BRASS CASTINGS OF ALL KINDS.

OFFICE AND WORKS LOCATED AT COUNCIL BLUFFS, IOWA, at the Eastern Terminus of the Union Pacific Railroad

Address

R. J. CORY, Secretary.

BOSTON, MASS.

McKEESPORT, PA.

NATIONAL TUBE WORKS COMPANY.

MANUFACTURERS OF

SEAMLESS LAP-WELDED WROUGHT-IRON STEAM, GAS & WATER-PIPE, from ½ inch to 14 inches diameter; LAP-WELDED WROUGHT IRON BOILER TUBE, from 1 inch to 14 inches diameter; TUBING, CASING and DRIVE PIPE.

Patent Indestructible Enameled Pipe, for Water, Gas and Sewerage,

Guaranteed to resist perfectly the action of Heat or Cold, Rust, Alkalis, Salts of any Composition, Alcohol, Sulphur, Minerals found in ANY Water, and all Corrosives.

SULPHUR WATER FOUND IN MINES HAS NO EFFECT UPON IT.

Full particulars, with sample piece of the PATENT INDESTRUCTIBLE ENAMELED PIPE, furnished upon application.

STEEL AND IRON WIRE ROPES

For Mines, Inclined Planes, Wire Rope Tramways, Transmission of Power, Suspension Bridges, Ship's Rigging, &c.,

MADE BY

THE HAZARD MANUFACTURING COMPANY,
WILKES-BARRE, PENN'A.

This Company has the Largest and Most Perfect Rope-making Machinery in the World. Capable of making Ropes of any size from Sash Cord to Ropes Sixty Tons Weight, without a Splice.

None but the Very Best Material Used.

These Ropes are used more generally than any others throughout the Coal Regions. Reference is made to the Lehigh Wilkes-Barre Coal Company, the Riverside Coal Company, and others.

For Prices, Instructions on the Use of Wire Ropes, and other Information, address

THE HAZARD MANUFACTURING COMPANY,
WILKES-BARRE, PENN'A.

H. H. SHILLINGFORD, PRESIDENT.

H. T. SHILLINGFORD, SEC. & TREAS.

KITTANING COAL COMPANY,

SOLE MINERS AND SHIPPERS OF

EXCELSIOR VEIN,
(Franklin Colliery);

PHOENIX VEIN,
(Beaver Colliery);

LEMON VEIN,
(Tunnel Hill Colliery).

BITUMINOUS COAL,

Unequaled for Steam, Rolling Mills, Forges, Glass Works, Brick Kilns, Lime Kilns, AND FOR THE MANUFACTURE OF STEAM.

SHIPPING PIERS {Greenwich Point, Philadelphia;
South Amboy, N. J.; Canton, Baltimore.

General Office,
125 S. Fourth street, Philadelphia.

Agents in New York, Messrs. DETMOLD & COX, Trinity Building.

S. H. BROWN & CO.,

WHOLESALE COAL MERCHANTS.

No. 19 Exchange Place, Boston; 71 Broadway, New York; First National Bank Building, Wilkes-Barre, Pa.

SOLE AGENTS FOR THE CELEBRATED

NORTH FRANKLIN Red and White Ash, and SUSQUEHANNA COAL CO'S. Red and White Ash Coals.
Also, other SCHUYLKILL, LACKAWANNA and LEHIGH COALS.

THE PENN MUTUAL
LIFE INSURANCE COMPANY

OF PHILADELPHIA.

OFFICE No. 921 CHESTNUT STREET.

Incorporated in 1847. -- Assets, nearly \$5,250,000.

The Penn is a purely Mutual Life Company, and one of the oldest and most reliable in the country. All of its surplus premiums are returned to the members every year, thus furnishing them insurance at the lowest possible rates. Its Policies are all non-forfeitable for their value after the third annual payment.

SAMUEL C. HUEY, President.
SAMUEL E. STOKES, Vice-Pres't, H. S. STEPHENS, 2d Vice-Pres't.
JAS. WEIR MASON, Actuary. HENRY AUSTIE, Secretary.

AGENTS WANTED.

MANUAL OF SCHOOL MATERIAL

Has over 400 Illustrations.

And describes 400 Articles for School Use. It represents Apparatus, Black Boards, Books, Charts, Globes, Kioscozettes, Apparatus, Maps, Gymnastic Apparatus, Object-Teaching Apparatus, School Books—the best in America.

MODERN SCHOOL FURNITURE

of all Styles—Desks from \$2.50 Upwards,

And "Everything for Schools."

It is Made for 25 Cents.



J. W. Schermerhorn & Co., Publishers and Manufacturers,
14 BOND ST., NEW YORK.

COXE BROS. & CO., CROSS CREEK COLLIERY MINERS and Shippers of the Celebrated Cross Creek Free Burning Lehigh Red Ash COAL.

FROM THE BUCK MOUNTAIN VEIN.
Unexcelled for Steam, Sugar House and Domestic use.
WESTON DODSON & CO., Sole Agents,
General Office: Bethlehem, Pa.
Branch Office: 206 South Fourth street, Philadelphia.
Agents in New York, MEEKER & DEAN,
Rooms 16 and 18 Trinity Building.

C. A. BLAKE & CO.,

Agents for the sale of
Hillside Coal and Iron Company's COAL.

Docks for the receiving and shipping of Coal and other heavy freights.

OFFICES:

BUFFALO,

7 Main street.

Waverley, opposite Erie Railway Depot.

**BORDA & KELLER,
KOH-I-NOOR COAL.**

Old Company—Lehigh—Wilkes-Barre—Plymouth, Red Ash—on board at Philadelphia.

OFFICES:

326 Walnut street, Philadelphia.
77 State street, } Boston.
5 Doane street, }
Wharf No. 4 Port Richmond.

PERKINS & JOB,

GAS COALS AND CANNEL,

FROM THE

Westmoreland—Cannelton—Red Bank—Youghiogeny and Provincial Mines.

91 State street, Boston,
27 South street, New York.

J. D. HEISSEN BUTTEL,

SHIPPER AND WHOLESALE DEALER IN

Schuylkill, Lehigh, Cumberland, Scranton, and Wilkesbarre White Ash.

Also the Coal of the

Phila. and Reading Coal and Iron Co.,
Room 71, TRINITY BUILDING, 111 BROADWAY, NEW YORK.

E. A. PACKER & CO.,

MINERS AND SHIPPERS OF

COAL,

IN ALL THE DIFFERENT VARIETIES.

For Families, Manufacturers, and Steam uses generally. Shipments made to all points accessible from New York.

E. A. PACKER & CO.,

Room 29, Trinity Building 111 Broadway, N. Y.

PENN GAS COAL CO.,

OFFER THEIR COAL SCREENED FOR GAS PURPOSES.

Their property is located in the Youghiogeny coal basin near Irwin's and Penn Stations, on the Pennsylvania Railroad, and on the Youghiogeny River, Westmoreland County, Pa.

PLACES OF SHIPMENT: Pennsylvania Railroad Pier No. 2, (lower side); Greenwich Wharves, Delaware River; Pier No. 1, (lower side), South Amboy, N. J.

OFFICES: No. 20 WALL STREET, NEW YORK,
No. 11 Merchants' Exchange, Philadelphia.

**HENRY A. RILEY,
ATTORNEY**

AND

COUNSELLOR AT LAW.

21 PARK ROW, NEW YORK,

Room 50.

Collectives promptly made in all parts of the United States.

WARD, TALBOT & OLYPHANT,

Agents for the Delaware and Hudson Canal Company's

LACKAWANNA COAL,

Also George's Creek Cumberland Coal, Direct from the Mines.

HERBERT D. WARD,
RICHMOND TALBOT,
ROBERT OLYPHANT.

OFFICES { 71 Broadway, New York.
75 State Street, Boston, Mass.

WM. BORDEN.

BORDEN & LOVELL,

L. N. LOVELL.

CUMBERLAND COAL,

FOR RAILROAD, STEAMSHIP AND GENERAL USES.

Unexcelled in quality by any from this region. Shipments made at Georgetown, D. C.; Baltimore, Md.; and South Amboy, N. J.

Offices, 70 and 71 West Street, New York.

AGENTS FOR THE SALE OF

FALL RIVER IRON WORKS COMPANY'S NAILS, BANDS, HOOPS AND RODS.

DETMOLD & COX,

MINERS AND WHOLESALE COAL MERCHANTS,

TRINITY BUILDING, NO. 111 BROADWAY,

C. E. DETMOLD, }
JAMES S. COX. }

(Rooms Nos. 38, 40 and 42.)

New York.

HONEYBROOK and other first-class LEHIGH COALS. Also WILKES-BARRE. Agents for "Middle Lehigh Coal Co.," of Mauch Chunk, Pa., and "KITTING COAL CO." (Bituminous) of Pa. George's Creek Cumberland at all points.

PHILADELPHIA AND READING COAL AND IRON CO.

OFFER

HARD AND FREE WHITE ASH COALS, SCHUYLKILL RED ASH, ALASKA RED ASH, SHAMOKIN WHITE ASH, SHAMOKIN RED ASH, NORTH FRANKLIN, LOBBERRY AND LYKENS VALLEY COAL

On Board at Port Richmond, Philadelphia, or Delivered in New York, and at all Ports along the Sound and Hudson River.

OFFICES:

227 South Fourth Street, Philadelphia; No. 9 Broad Street, New York, and 8 Exchange Place, Boston.

COAL.

LACKAWANNA VALLEY, KINGSTON, WYOMING WHITE ASH. CHAUNCEY, WYOMING RED ASH. CROSS CREEK AND BEAVER BROOK, LEHIGH,

DELIVERED ON BOARD VESSELS AT HOBOKEN, N. J.

MEEKER & DEAN,

23 Doane St., Boston.

111 Broadway, New York.

PITTSTON COAL,

PENNSYLVANIA COAL COMPANY,

JOHN EWEN, President.

GEO. A. HOYT, Vice President.

ED. H. MEAD, Secretary & Treasurer.

TRINITY BUILDING,

111 Broadway, New York.

A. S. SWORDS,

WHOLESALE DEALER IN

PITTSTON, LACKAWANNA,

AND OTHER VARIETIES OF

ANTHRACITE COAL,

111 BROADWAY (Room 23, Trinity Building), NEW YORK.

FREDERIC A. POTTS,

WHOLESALE

COAL AND IRON MERCHANT.

ANTHRACITE AND BITUMINOUS COALS,

Embracing Old Company Lehigh (Summit Hill), Room Run, (Free burning White Ash), Plymouth Wyoming Red Ash Coal, also the celebrated Baltimore Vein Wilkes-Barre Coal, Hampshire and Barton George's Creek Coal.

Offices: 110 Broadway, New York,

P. O. Box 3404

METROPOLITAN BANK BUILDING, No. 23 Westminster Street, Providence, E. I.

MARYLAND COAL COMPANY,

MINERS AND SHIPPERS OF GEORGE'S CREEK

CUMBERLAND COAL

OF THE BEST QUALITY.

SHIPMENTS FROM BALTIMORE, OR OVER IMPROVED RAILWAY CHUTE FROM GEORGETOWN, D. C., IN SUPERIOR ORDER AND AT ATTRACTIVE PRICES.

OFFICES, 15 & 17 TRINITY BUILDING

No. 111 Broadway.

The Waverly Coal and Coke Co.

Offer for Sale the

YOUGHIOCHENY COAL, DOUBLE SCREENED.

from their Colliery at Smith's Mills, on the Youghiogheny River, thirty-seven and a half miles south-east of Pittsburgh. This Coal has the preference in Pittsburgh over all other YOUGHIOGHENY COAL for GAS PURPOSES. The facilities of the WAVERLY COMPANY are unsurpassed by those of any other Company on the Youghiogheny. Full particulars can be had by addressing

PERKINS & JOB, Agents,

27 South Street, New York.

91 State Street, Boston.

Lehigh and Wilkes-Barre Coal Co.

Summit Hill Lehigh,

Wilkes-Barre, From the Baltimore Vein,

Plymouth Red Ash Wyoming,

HONEY BROOK WHITE ASH LEHIGH.

ALL THESE COALS ARE MINED AND SHIPPED FREE FROM IMPURITIES.

The extent of property owned by this company comprises :

THE LEHIGH BASIN—running from Mauch Chunk to Tamaqua, equal to nine miles.

THE HONEY BROOK BASIN—from Audenried to the Girard Estate, equal to six miles.

THE WILKES-BARRE BASIN—running from Wilkes-Barre to Newport, about ten miles.

The land in each district lies together, not being in detached portions like that of the other large corporations; and contains over 800,000,000 tons of coal.

OFFICES, 80 BROADWAY, N. Y.

JOHN F. WILSON, GENERAL SALES AGENT.

CALDWELL, WESTON & CO.,

WHOLESALE COAL MERCHANTS,

Rooms Nos. 28 and 30, TRINITY BUILDING, 111 BROADWAY, NEW YORK,

SOLE AGENTS FOR THE

PRIMROSE LEHIGH COAL.

Also Dealers in Pittston, Scranton, Lehigh, Lackawanna and other Coals.

J. W. CALDWELL.

WALTER WESTON.

W. ROCKWELL.

WM. HEISENBUTTEL.

JCS. K. WELLS.

HEISENBUTTEL & WELLS,

Shippers and Wholesale Dealers in

LEHIGH, WILKES-BARRE, LACKAWANNA, SCRANTON, AND PHILA. AND READING COAL AND IRON CO.

Superior Red and White Ash Coal,

FOR STEAM AND DOMESTIC USE.

Room 72.

111 BROADWAY, NEW YORK.

Send for Prices.

G. B. LINDERMAN & CO.,

MINERS,

Sugar Loaf, Lehigh Coal,

OFFICE 50 TRINITY BUILDING, 111 BROADWAY,

NEW YORK.

THE HOBOKEN COAL CO.

DEALERS IN

SCRANTON, LEHIGH,

AND OTHER COALS.

Retail Yard on D., L. & W. R. R., corner GROVE and NINETEENTH STREETS, Jersey City.

Coal delivered direct from Shuts to Carts and Wagons.

Families supplied with the best qualities of Coal at the Lowest Rates. Steamboats, Tugs, and Manufacturers supplied with

Coal, Wood and Water,

from their Wharves at Hoboken.

OFFICES—At Yard, corner Grove and Nineteenth streets; corner Bay street and Newark avenue, Jersey City; Room 35, 111 Broadway, New York.

GENERAL OFFICE—Bank Building, corner Newark and Hudson streets. P. O. Box 147, Hoboken.

THE HUDSON COAL COMPANY.

Wholesale Dealers in

LEHIGH, WILKESBARRE, PLYMOUTH

and other

ANTHRACITE COALS.

Also

GEORGE'S CREEK CUMBERLAND COAL.

STEAMBOATS AND TUGS supplied with WILKES-BARRE COAL. Also WOOD AND WATER, at any hour of the day or night, with dispatch, at their pier foot of Sixth street, Hoboken. Schooners and Sloops loaded without delay.

General Office, 17 Newark street,

Hoboken, N. J.

NOTE.—CAPTAINS OF STEAMERS, TUGS, and other vessels, traversing the BAY AND HUDSON RIVER, will find special accommodations at this yard, for clean and rapid coaling of their boats.

HUDDALL & SEITZINGER,

Miners and Shippers of Coal,

207 WALNUT ST., PHILADELPHIA.

NEW YORK OFFICE :

111 Broadway.

BOSTON OFFICE :

13 Kilby Street.

NEW YORK AND CLEVELAND

GAS COAL CO.

MINERS AND SHIPPERS

OF

YOUGHIOGHENY GAS COAL.

General Office : No. 384 Penn Avenue, Pittsburgh, Pa.

Branch " C. & P. R. Coal Pier, Cleveland, O.

" " 137 Broadway, New York

Eastern shipments from South Amboyl, N. J., and Greenwich Wharves, Delaware River.

Portland, Roman & Keene's CEMENTS.


S. L. MERCHANT & CO., Importers,

(Entrance on Maiden Lane.) 76 South street, New York

Remit 6c. postage for Practical Treatise on Cements.

**BACON'S
HOISTING ENGINES**

FOR MINES, BLAST FURNACES,




QUARRIES, CONTRACTORS, ETC.

20 DIFFERENT STYLES ADAPTED TO EVERY
POSSIBLE DUTY.

**COPELAND'S WIRE ROPE,
MINING MACHINERY.**

**COPELAND & BACON,
85 Liberty Street, New York.**

MINING MACHINERY.



**MOREY & SPERRY,
88 Liberty St., New York.**

STEEL SHOES & DIES,
Made by our improved process. After many years of patient research and experiment, we have succeeded in producing STEEL SHOES AND DIES FOR QUARTZ MILLS, which are unequalled for strength, durability, and economy; will wear three times longer than any iron shoes. We manufacture, and contract to erect, Gold and Silver Reducing and Amalgamating Machinery in all its details, Pans, Separators, Concentrators, Jigs, Rock Breakers, and Furnaces. *Furnishers of Mining Supplies.* All orders promptly filled. Examinations solicited.

MOREY & SPERRY.

Amer. Diamond Rock Boring Co.

SUCCESSORS TO THE AMERICAN DIAMOND DRILL CO.

**MANUFACTURERS OF
DIAMOND POINTED ROCK DRILLS.**

OFFICES, { 37 Weybosset Street, Providence, R. I.
61 Liberty Street, New York.

The **only machines** with which **mines** can be penetrated a thousand feet and upwards, through **solid rock**, at any angle from vertical to horizontal, and **perfect samples**, in the form of a **core or solid cylinder**, taken out the entire depth, developing fully the nature and character of the strata.

Adapted also to **Shafting, Gadding, Channeling, Tunneling, Open Cut Work**, and all kinds of **Rock Excavations**. Illustrated Catalogues and Price List furnished on application.

Also furnish **Air Compressors, Hoisting Engines, Boilers, Pumps**, and all descriptions of **Mining Machinery**.

P. O. Box, 1442.

C. H. TOMPKINS, General Agent,
61 Liberty street, New York.

**Rock Drills and Compressors.
RAND'S LITTLE GIANT ROCK DRILL**

IS THE

BEST, LIGHTEST, SIMPLEST, MOST DURABLE

AND HAS BUT HALF THE NUMBER OF PARTS OF ANY OTHER MACHINE NOW MANUFACTURED.

RAND AND WARING'S AIR COMPRESSOR

Is the *most perfect Air Compressor yet devised*, being designed with special regard to the **GREATEST EFFICIENCY** in action, combined with the **UTMOST SIMPLICITY** in construction.

Testimonials, *Circulars and Price Lists* cheerfully furnished on application.

Address


RAND AND WARING DRILL AND COMPRESSOR COMPANY,
21 Park Row, opposite New Post Office,
NEW YORK.

**HARTFORD
STEAM BOILER
Inspection & Insurance
COMPANY.**

W. B. FRANKLIN, V. Pres't J. M. ALLEN, Pres't.
J. B. PIERCE, Sec'y.

RICHARD DUDGEON,

No. 24 Columbia Street, New York.




Maker and Patentee of
**Hydraulic Jacks &
Punches, Rollers,
Tube Expanders,**
AND

**Direct-Acting Steam
Hammers.**

Communications by letter
will receive prompt atten-
tion.

**JACKS FOR PRESSING
ON CAR WHEELS OR
CRANK PINS** made to order.

NASON'S VERTICAL TUBE RADIATORS



IN VARIOUS SIZES AND PATTERNS.

THE NASON MANUFACTURING CO., 61 Beek-
man street, corner of Gold street.

WROUGHT and CAST-IRON PIPES; all kinds of STEAM
and GAS FITTINGS; Apparatus for WARMING AND VENTI-
LATING BUILDINGS. HENRY R. WORTHINGTON, Pres't.

G. W. NASON, Vice-Pres't. W. S. LEDYARD, Treas.

**WARING'S IMPROVED SELF-FEEDING
ROCK DRILL.**

By far the most simple and effective machine for all descrip-
tions of

MINING WORK of all kinds.

Office of BELDEN & DENNISON, Contractors for Croton Reser-
voir, N. Y., April 27, 1875.
WARING ROCK DRILL CO., 187 Broadway, N. Y.



GENTLEMEN: In
reply to your inqui-
ry of a late date as
to the working of
your drills, we
would say that we
have had two, one
5 inch, and one 2 1/2
inch machine, in
use on this work, for
the past 5 months,
and we are so well
pleased with them,
we would like you
to send us a 3 1/2 in.
machine as soon as
possible. We claim
a large saving by
the use of steam
over hand drilling.
The rock being very
hard and full of
seams, makes this
work a very severe
test for any drill,
and the working of
your machines un-
der this test satis-
fies us of their su-
perior excellence.
We cheerfully re-
commend them to any who may have use for a Rock Drill.

Respectfully, (Signed) BELDEN & DENNISON, by J. E. MORSE.
Also dealers in AIR COMPRESSORS, PUMPS, &c.

WARING ROCK DRILL CO.,

187 Broadway, New York,
Street level (Rear.)

Send for Circulars and Photographs.

**Rock Drill
FOR SALE.**

**A NEW
WOOD ROCK DRILL,**

THE BEST IN THE MARKET,

WILL BE

SOLD VERY CHEAP.

The DRILL is fully GUARANTEED, and has
never been used.

Address—

E. ., P. O. Box 4404,

Or Office of

THE ENGINEERING AND MINING JOURNAL,

27 Park Place, New York.

Library of the Univ